




1891



A Catalogue
of NEW, BEAUTIFUL and
RARE PLANTS AND ORCHIDS
OFFERED BY

WILLIAM BULL, F.L.S.

FR.GS, F.Z.S, FR.H.S, MAI, F.R.B.S, & M.S.A. Socc. Hort. Berol.
Bruxell. St Petersburg et Paris et Soc. Agric. et Bot Gandav. Socius.

NEW PLANT MERCHANT,

**536, KING'S ROAD, CHELSEA,
(and Ashburnham Park) LONDON, S. W.**



MR. WILLIAM BULL'S ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS SERENE HIGHNESS THE DUKE OF TECK
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF THE BELGIANS.
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
HIS HIGHNESS PRINCE LICHTENSTEIN
HIS HIGHNESS PRINCE WITTEGENSTEIN
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ARGYLL
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
His Grace the DUKE OF FIFE
The Most Hon. the MARQUESS OF LORNE.
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF AILESBURY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY AND
TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON

The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND
BALCARRES
The Right Hon. the EARL OF MORTON
The Right Hon. the EARL OF EGLINTON AND
WINTON
The Right Hon. the EARL OF HADDINGTON
The Right Hon. the EARL OF STRATHMORE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF SOUTHBESK
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF DYSART
The Right Hon. the EARL OF KINTORE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBURY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPEFOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AVESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF DARNLEY
The Right Hon. the EARL OF WARWICK
The Right Hon. the EARL OF CORK AND ORRERY
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF LISBURN
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY

LIST OF PATRONS—Continued.

The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF LEITRIM
The Right Hon. the EARL OF Bandon
The Right Hon. the EARL OF CASTLE-STUART
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS
The Right Hon. the EARL GREY
The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF ST. GERMAN'S
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL OF LISTOWEL
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF VARBOROUGH
The Right Hon. the EARL OF DUCIE
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ZETLAND
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF STRAFFORD
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon. VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT GALWAV
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. VISCOUNT EMILYN
The Right Hon. LORD BROOKE
The Right Hon. LORD ESME GORDON
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD DACRE
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD WINDSOR
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAV
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DVNEVOR
The Right Hon. LORD WALSINGHAM

The Right Hon. LORD SUFFIELD
The Right Hon. LORD KENVON
The Right Hon. LORD BRAVBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY
The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD SANDYS
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAVLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD CAREW
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD WENLOCK
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESborough
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ANNALV
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD O'NEILL
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD TREVOR
The Right Hon. LORD LAMINGTON
The Right Hon. LORD DERWENT
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD NORTHBOURNE
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD WANTAGE
The Right Hon. LORD ESHER
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEV
The Right Hon. LORD HAMILTON OF DALZELL
The Right Hon. LORD ARMSTRONG
The Right Hon. LORD CHEVLESMORE
The Right Hon. LORD IVEAGH.
M. LE DUC DE MASSA
M. LE COMTE DE GERMINV
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCCHILD
The BARON ADOLPHE DE ROTHSCCHILD
The BARON ALPHONSE DE ROTHSCCHILD
The ROYAL HORTICULTURAL SOCIETY
The ROYAL BOTANIC GARDENS, KEW, REGENT'S
PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER
LIVERPOOL AND BULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND
CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL,
BUTENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH
AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY,
CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN
HORTICULTURE.

WILLIAM BULL, F.L.S.,
BEGS TO ANNOUNCE THAT HE IS NOW OFFERING MANY
BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

COMPRISING INTRODUCTIONS FROM

NATAL, CENTRAL AFRICA, THE SHAN STATES, BRAZIL, THE
EASTERN ARCHIPELAGO, &c., &c.,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,
THE LINDLEY MEDAL,
MANY GOLD MEDALS,
UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,
FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.



NEW PLANTS
ANNOUNCED FOR THE FIRST TIME
BY
WILLIAM BULL, F.L.S.

ALBERTA MAGNA.

This desirable plant has been described as being one of the finest flowering plants of Natal, from which country it has lately been introduced. It has deep green shining evergreen leaves, and is of shrubby growth, producing dense terminal panicles of bright red flowers, afterwards succeeded by beautiful fruits, each crowned with two enlarged calyx lobes nearly an inch long, giving the plant a very striking appearance. It belongs to the Rubiaceæ, and should be grown in a greenhouse or conservatory, although, as it comes from an elevation of 4,000 to 5,000 feet, it may prove half-hardy in favourable situations. 10s. 6d.

ANSELLIA HUMILIS.

From its compact free-growing character and the abundant manner in which its flowers are produced, this is a most desirable introduction. It has been imported from the upper reaches of the Zambesi River. The blossoms, which are produced in large panicles, are about two inches in diameter, the ground colour lemon-yellow heavily blotched and barred with chocolate-crimson. The pseudo bulbs vary in height from 9 to 15 inches. 2 and 3 guineas.

ANSELLIA HUMILIS PALLIDA.

This is a lighter coloured variety of the preceding, the ground colour of the flowers being milk-white, spotted and barred with chocolate-maroon. 2 and 3 guineas.

BULBOPHYLLUM PECHEI.

An interesting species with ovoid corrugated pseudo-bulbs borne on creeping rhizomes, monophyllous, the leaves being linear-oblong. The flower scapes are erect, 4 to 5 inches high, and bear racemes of buff or orange-yellow flowers marked with reddish brown. 2 guineas.

CIRRHOPE TALUM MUNDULUM.

This species has been imported from the Shan States, and has ovoid pseudo-bulbs, the leaves being about 5 inches long, linear-oblong. The flowers are borne on slender erect scapes, in a one-sided umbel of six to ten blossoms, which are of a buff-yellow colour, the dorsal sepal being slightly spotted. 2 guineas.

DIPLADENIA ILLUSTRIS GLABRA.

This handsome flowering climbing stove plant is a native of Brazil, and produces in the freest manner a profusion of medium-sized blossoms, the corolla being of a pleasing rosy pink colour, with a crimson-rayed ring encircling the mouth of the throat. The foliage is somewhat variable in different plants, being from oblong to orbicular. It has been figured and described in the *Botanical Magazine*, Tab. 7, 156. 10s. 6d.

PTERIS VICTORIÆ.

This very remarkable and beautiful variegated Pteris has been imported from the Eastern Archipelago, and is undoubtedly one of the most striking and desirable Ferns of recent introduction. The plant is of graceful habit, throwing up a tuft of fertile pinnate fronds, each composed of a long linear end segment, and three or four distant pairs of sessile pinnae, many of them being forked at the base. These segments are entire, about one-sixth of an inch broad, and beautifully variegated throughout, with close lanceolate white teeth, extending from the midrib nearly to the edge, forming a striking contrast to the dark green ground colour; the sterile fronds have broader and shorter segments. Extremely elegant in growth, this pretty New Fern cannot fail to become a great favourite. Price 10s. 6d. each; Three for 21s. A coloured illustration can be supplied post free, price 1s.

NEW GREENHOUSE RHODODENDRONS.

These are greenhouse kinds, belonging to the Eastern Section of Rhododendrons, and are perpetual bloomers; that is, they flower from every growth as soon as made.

CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10s. 6d.

DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10s. 6d.

JUNO, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10s. 6d.

PLATO, large flowers of a light shade of salmon pink, the throat gradually expanding from base of tube. 10s. 6d.

For General Collection, vide page 47.

NEW REGAL PELARGONIUMS.

MR. WILLIAM BULL has much pleasure in offering the following New Regal Pelargoniums, which will be found most handsome and very desirable varieties, useful alike for pot culture and for supplying cut flowers:—

EMPRESS FREDERICK.—A most chaste variety, with pure snow-white, semi-double flowers, the petals being elegantly crisped. The individual blossoms are round and full, having much the appearance of the flowers of the well-known Azalea, *Deutsche Perle*. As a cut-flower variety it cannot be excelled, the blooms being so full and regular. 10s. 6d.

EMPRESS OF INDIA.—A magnificent variety, producing splendid trusses of very large flowers, of a brilliant shade of salmon-scarlet, the two upper petals blotched with dark crimson; light centre. It is of excellent habit, and a most desirable acquisition. 10s. 6d.

PRINCESS ALEXANDRA.—The beautiful snow-white flowers of this desirable variety differ from the variety *Empress Frederick* in the shape and build of the flowers, which are of irregular form, the petals being prettily crisped and undulated. It is of dwarf robust habit, throwing its spotless white flowers just above the foliage. 10s. 6d.

PRINCESS VICTORIA.—One of the most charming varieties of the Regal Section, bearing in the utmost profusion large trusses of semi-double crispy flowers, of a delicate shade of blush pink. The plant is very floriferous, and distinct in colour. 10s. 6d.

A coloured illustration of the above four varieties, free by post, price 1s.

For General Collection, vide page 96.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. 5s.

ACACIA SPILEROCEPHALA, 7s. 6d.

ACALYPHA ILLUSTRATA, 2s. 6d. and 3s. 6d.

MACROPHYLLA, 2s. 6d. and 3s. 6d.

MARGINATA, 2s. 6d. and 3s. 6d.

ACALYPHA MUSAICA, 2s. 6d. and 3s. 6d.

OBOVATA, 3s. 6d.

TRIUMPHANS, 3s. 6d.

ACANTHUS MONTANUS, 3s. 6d.

ADANSONIA DIGITATA.

This is the celebrated African Baobab Tree. 10s. 6d.

ECHEMEA AMAZONICA, 5s. and 7s. 6d.

DISCOLOR, *vide* Lamprococcus discolor

FULGENS, *vide* Lamprococcus fulgens

LEGRELLIANA, *vide* Ortgiesia Legrelliana

MINIATA, *vide* Lamprococcus miniata

MARLE REGINÆ, 10s. 6d.

PANICULIGERA, 10s. 6d.

ECHEMEA VEITCHII, *vide* Chevalliera Veitchii

WEILBACHII, *vide* Lamprococcus Weilbachii

ESCHYNANTHUS GRANDIFLORUS, 3s. 6d.

LOBBIANUS, 2s. 6d. and 3s. 6d.

PULCHER, 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing green, with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. 5s. and 7s. 6d.

AGLAONEMA MARANTIFOLIA (oblongifolia), 5s.

PICTA ORACILIS, 5s.

ALLAMANDA CHILSONI, 3s. 6d.

GRANDIFLORA, 5s.

HENDERSONI, 3s. 6d.

MAGNIFICA, 10s. 6d.

NERIFOLIA, 3s. 6d.

NOBILIS, 3s. 6d.

ALOCASIA CHANTIERI, 21s.

EMINENS, 5s.

ALOCASIA GIOANTEA, 3s. 6d. and 5s.

GRANDIS, 5s.

HYBRIDA, 7s. 6d.

INTERMEDIA, 7s. 6d.

JENNINOSII, 2s. 6d.

JOHNSTONI, *vide* Cyrtosperma Johnstoni

LOWII, 3s. 6d. and 5s.

MACRORHIZA VARIEGATA, 3s. 6d. and 5s.

MARSHALLII, 2s. 6d.

METALLICA, 3s. 6d. and 5s.

ALOCASIA MARGINATA.

A striking and ornamental Aroidaceous plant, introduced from Brazil. The leaf-blade is broadly cordate, rounded into a sharply pointed apex; the basal lobes very obtusely rounded at the apex, with a deep narrow sinus between. The upper leaf surface is of a dark green colour, the reverse being slightly tinted purple, with pale reddish midrib and nerves. 7s. 6d.

ALOCASIA PRINCEPS.

This ornamental and effective stove plant has been imported from the Malay Archipelago. The leaf-blades are sagittate, the margins deeply sinuous, imparting to the plant a very distinct character. On the upper surface the leaves are of a metallic olive-green colour, the under surface being greyish green, the entire leaf margined with chocolate-brown. 1 and 1½ guinea.

ALOCASIA (SCHISTOCASIA) PORTERII, 10s. 6d. & 15s.

PUCEIANA, 1 guinea

SANDESIANA, 15s. and 21s.

SEDENI, 5s.

THIBAUTIANA, 7s. 6d. and 10s. 6d.

ZEBRINA, 7s. 6d. and 10s. 6d.

ALPINIA MUTICA, 7s. 6d.

VITTATA, 3s. 6d. and 5s.

AMARYLLIS ACHEVEMENT, 7s. 6d.

ACHILLES, 10s. 6d.

ACRAMANNI PULCHERRIMA, 15s.

AMAZON, 10s. 6d.

AMBASSADOR, 7s. 6d.

ARIADNE, 10s. 6d.

ASPASIA, 5s.

AULICA, 3s. 6d.

AMARYLLIS AULICA SUPERBA, 5s. and 7s. 6d.

BARON, 5s.

BRILLIANT, 7s. 6d.

CERBERUS, 10s. 6d.

COMMANDER, 7s. 6d.

COQUETTE, 5s.

CORSAIR, 10s. 6d.

COUNTRESS, 10s. 6d.

CYRUS, 10s. 6d.

DIADEM, 15s.

DR. MASTERS, 10s. 6d.


ELECTRA, 10s. 6d.

EMMELINE, 7s. 6d.

EMPERESS OF INDIA, 7s. 6d.

EUROPA, 1 guinea

EUTERPE, 15s.



ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3 and 5 guineas.

AMARYLLIS FIGARO, 7s. 6d.FORMOSISSIMA (*Jacobaea Lily*), 6d.

GENERAL, 1 guinea

HENDERSONI, 10s. 6d. and 15s.

— COCCINEA, 10s. 6d. and 15s.

HEROINE, 10s. 6d.

IGNESCENS, 2s. 6d. and 3s. 6d.

IMPERIALIS, 1 guinea

JOHNSONII, 5s.

JUPITER, 7s. 6d.

LEOPOLDII, 10s. 6d.

MABEL, 10s. 6d.

METEOR, 10s. 6d.

NEPTUNE, 10s. 6d.

NIMPHOD, 5s.

OBERON, 1 guinea

ONDINE, 10s. 6d.

OPTIMA, 10s. 6d.

OSCAR, 10s. 6d.

PARDINA HYBRIDA, 7s. 6d. and 10s. 6d.

PAULINE, 15s.

PORTIA, 5s.

AMARYLLIS PRINCEPS, 1½ guinea

PROCEA, 1 guinea

PYRROOHODA, 5s. and 7s. 6d.

REGALIS, 1 guinea

REGINA, 7s. 6d.

RETICULATA, 5s.

ROMEO, 7s. 6d.

ROSALIND, 5s.

SAPPHO, 7s. 6d.

SOUVENIR, 7s. 6d.

STELLA, 7s. 6d.

SULTANA, 10s. 6d.

SYLVIA, 7s. 6d.

THOMAS SPEED, 10s. 6d.

TITANIA, 7s. 6d.

TROJAN, 10s. 6d.

URANIE, 7s. 6d.

VERONA, 15s.

VESTA, 10s. 6d.

VESUVIUS, 7s. 6d.

VICTORIA, 10s. 6d.

AMARYLLIS, choice selections of good sorts, 3, 4 and 6 guineas per dozen.**AMOMUM VITTATUM.**

A very remarkable plant, on account of its striking resemblance to a Maranta. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous green leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 10s. 6d.

AMASONIA CALYCINA, 5s.**AMORPHOPHALLUS VIROSUS**, a remarkable

Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas

ANCECTOCHILUS, *vide* Orchids**ANONA MURICATA** (*Sour Sop*), 15s.RETICULATA (*Netted-leaf Custard Apple*), 15s.**ANANASSA PENANOEENSIS VARIEGATA**, 1 guinea

SATIVA VARIEGATA, 10s. 6d.

ANCHOMANES DUBIUS, 10s. 6d.**ANCYLOGYNE LONOIFLORA**, 3s. 6d.**ANTHURIUM CARNEUM.**

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 5s. and 7s. 6d.

ANTHURIUM ANDREANUM, 5s. and 7s. 6d.

BAKERI, 10s. 6d.

CANDIDUM, 3s. 6d.

CHANTRIERI, 10s. 6d. and 15s.

CRUENTUM, 15s. and 1 guinea

ANTHURIUM CRYSTALLINUM, 3s. 6d., 5s. & 7s. 6d.

DECHARDI, 3s. 6d. and 5s.

FEDRIERENSE, 3s. 6d. and 5s.

GALEOTTIANUM, 5s.

HYBRIDUM, 7s. 6d. and 10s. 6d.

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 10s. 6d. and 15s.

ANTHURIUM INTERMEDIUM, 7s. 6d. & 10s. 6d.

LIEVENSII, 15s. and 1 guinea

LEUCONEURUM, 3s. 6d.

LUCIDUM, 5s.

MACROLOBUM, 5s. and 7s. 6d.

MAONIFICUM—*syn.* *A. grande* and *A. cordifolium*, 3s. 6d.

MARQUIS DE BEAUVOIR, 2 guineas

MOOREANUM, 15s. and 1 guinea

NYMPHEIFOLIUM, 10s. 6d.

ORNATUM, 10s. 6d.

ANTHURIUM REGALE, 3s. 6d. and 5s.

ROTUSCHILDIANUM, 15s.

SCHERZERIANUM, 3s. 6d. and 5s.

— ALBUM (true) 2 and 3 guineas

— OIOANTEUM, 1, 1½ and 2 guineas


— MAXIMUM, *vide* page 6.

— SPLENDENS, 1, 1½ and 2 guineas


— WARDII, 3 guineas

— WILLIAMSI, 3s. 6d.

TRIUMPHANS, 10s. 6d. and 15s.

**ARISTOLOCHIA ELEGANS.**

A beautiful free-flowering species with handsome and elegant flowers are of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion, even on small plants, and are entirely free from the objectionable odour peculiar to the genus. It has been certificated by the Royal Horticultural Society, and is described and figured in the *Gardeners' Chronicle* for September 5, 1885. 3s. 6d. & 5s.

**ARISTOLOCHIA RIDICULA.**

A very remarkable and interesting species introduced from Brazil. The upper portion of the flower is somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, closely covered with dark purple reticulations on a cream-coloured ground; the lobes are dark with light reticulations, and are sparsely covered with clavate dark purple brown hairs. 5s. and 7s. 6d.

ANTHURIUM VEITCHII, 1 and 2 guineas.
VICOMTE AMÉDÉ DE LA COMBE, 2 guineas.
WAROQUEANUM, 3s. 6d., 5s. and 7s. 6d.
 Fine Plants, 10s. 6d. and 15s.

ANTIGONON INSIGNE, 7s. 6d.
LEPTOPUS, 7s. 6d.
SPECIOSUM, 7s. 6d.

APHELANDRA AMÆNA.

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 5s. and 7s. 6d.

APHELANDRA AURANTIACA, 2s. 6d. and 3s. 6d.
AURANTIACA ROEZLII, 2s. 6d. and 3s. 6d.
CHAMISSONIANA, 3s. 6d. and 5s.
CHRYSOPE, 5s. and 7s. 6d.
CRISTATA, 2s. 6d.
FASCINATOR, 2s. 6d.
LEOPOLDII, 2s. 6d.
MARCARITA, 2s. 6d.
ORTEANA, 3s. 6d.
ARALIA CHABRIERI, *vide* **ELÆODENDRON ORIENTALE**
ELEGANTISSIMA, 5s.
FILICIFOLIA, 3s. 6d.
GUILFOYLEI, 5s.

ARALIA LEPTOPHYLLA, 3s. 6d.
LONOIPES, 10s. 6d.
MACULATA, 5s.
RETICULATA, 3s. 6d.
ROTUNDA, 7s. 6d.
VEITCHII, 5s.
 — **ORACILLIMA**, 3s. 6d. and 5s.
See also page 36.
ARDISIA MAMILLATA, 3s. 6d.
OLIVERI, 3s. 6d.
PICTA, 1 guinea.
ARDISIAS, of sorts, 2s. 6d. and 3s. 6d.

ARDISIA POLYCEPHALA.

An attractive berry-bearing stove shrub, introduced from the East Indies. It is of free growth, and has opposite dark glossy green leaves, which, when young, are of a charming bright crimson colour, imparting to the plant a most distinct appearance. The flowers are white, borne in umbels on short lateral branches, being succeeded in due course by jet black berries. 5s. and 7s. 6d.

ARISTOLOCHIA CAUDATA, 10s. 6d.
CLYPEATA, 7s. 6d.
ELEOANS, *vide* page 8.
FLORIBUNDA, 7s. 6d.
GIGAS, 3s. 6d. and 5s.
ORNITHOCEPHALA, 5s. and 7s. 6d.
RIDICULA, *vide* page 9.
TRICAUDATA, 5s.
TRILOBATA, 3s. 6d. and 5s.
ARTANTHE RUBRONODOSA, 7s. 6d.
ARTOCARPUS CANNONI, *see* **Ficus**.
EBURNEUS, 5s.
INTEGRIFOLIUS (The Jack Fruit), 10s. 6d.
LACINIATUS METALLICUS, *see* **Ficus**.
ASPARAGUS, of sorts, *vide* pages 36 and 37.
ATACCIA CRISTATA, 7s. 6d. and 10s. 6d.
BARLERIA ARGENTEA, 5s.
BATATAS PANICULATA, 3s. 6d. and 5s.
BAUHINIAS, of sorts, 5s. and 7s. 6d.
BEAUMONTIA ORANDIFLORA, 5s. and 7s. 6d.
BEGONIA, *vide* **Indox**.
BELOPERONE ATROPURPUREA, 5s.
BERTOLONIA FORMOSA, 7s. 6d.
GUTTATA SPLENDENS, 15s.
MARCHANDI, 5s.
MAROCITACEA SUPERBA, 7s. 6d. and 10s. 6d.
MARMOREA SUPERBA, 3s. 6d. & 5s.

BERTOLONIA MIRANDÆI, 7s. 6d.
ORNATA, 7s. 6d.
PUBESCENS, 3s. 6d.
SUPERBISSIMA, 1 guinea.
VAN HOUTTEI, 5s.
VELUTINA, 5s.
VITTATA, 7s. 6d.
BIGNONIA AURANTIACA, 7s. 6d. and 10s. 6d.
CHAMBERLAYNI, 3s. 6d. and 5s.
MAGNIFICA, *vide* page 11.
PICTA, 3s. 6d. and 5s.
RETICULATA, 5s.
ROEZLIANA, 5s.
 — **VILLOSA**, 5s.
VENUSTA, 3s. 6d. and 5s.
See also pages 37 and 51.
BILLBERGIA CHLOROSTICTA, 10s. 6d. and 15s.
EXSCAPA, 21s.
FARINOSA, 10s. 6d.
LEOPOLDII, 7s. 6d.
MORELIANA, 5s. and 7s. 6d.
SAUNDERSII, 10s. 6d.
BOMAREA, *vide* page 37.
BOUGAINVILLEA OLABRA, 2s. 6d. and 3s. 6d.
LATERITA, 2s. 6d. and 3s. 6d.
SPECIOSA, 2s. 6d. and 3s. 6d.
SPECTABILIS, 2s. 6d. and 3s. 6d.

BOUGAINVILLEA REFULGENS.


This desirable introduction from Brazil will be found one of the most beautiful Stove climbers extant. It partakes of the general character of its congeners, but the magnificent bracts surrounding the flowers are of the richest and most brilliant purple-mauve imaginable, produced in long and pendulous racemes. The pubescent foliage is of a rich dark green colour. 7s. 6d.

BOUGAINVILLEA SPLENDENS, 2s. 6d. and 3s. 6d.
BROSIMUM, *vide* **GALACTODENDRON**.
BROWNEA COCCINEA, 1 guinea.
ERECTA, 1 and 1½ guinea.
GRANDICEPS, 10s. 6d.

BROWNEA HYBRIDA, 1½ guinea.
BRUNFELSIA AMERICANA, 3s. 6d.
BURBIDGEA NITIDA, 3s. 6d.
BURCHELLIA CAPENSIS, 2s. 6d. and 3s. 6d.
CAPKENSIS ORANDIFLORA, 3s. 6d.

**BIGNONIA MAGNIFICA.**

A free-growing plant, of scandent habit, introduced from the United States of Colombia. The flowers, which are produced in large branching panicles, are of great size (about $3\frac{1}{2}$ inches across), and of an exceedingly attractive colour, ranging from delicate mauve to rich purplish crimson, relieved by a conspicuous throat of light primrose colour. 5s. and 7s. 6d.



CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pondulous milk-white flowers, tinged with gold on the edges of the petals, grow in drooping racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 2 and 3 guineas.

CALADIUM, *vide* Index
CALLIPHURIA *HARTWEGIANA*, 7s. 6d.
SUBEDENTATA, 2s. 6d.
CALPICARPUM *ORNATUM*, 1 guinea
CAMOENSA *MAXIMA*, *vide* page 12.
CAMPSIDIUM *FILICIFOLIUM*, 2s. 6d. & 3s. 6d.

CAMPYLOBOTRYS, *vide* Hoffmannia
CANNA, *vide* Index
CAPPARIS *FRONDOSA*, 5s.
CARAGUATA, *vide* Tillandsia.
CAREX *ELEGANS VARIEGATA*, 2s. 6d. & 3s. 6d.

CAREX SCAPOSA.

This ornamental species has been introduced from the mountains of Southern China, where it grows at an elevation of 3,200 feet. The flowers are borne in crowded cymes on long scapes, the spikelets being of a deep rose colour, while the anthers and filaments are pure white, affording a most pleasing contrast, the elegant and feathery appearance of the inflorescence being exceedingly charming. 7s. 6d.

CARLUDOVICA, *vide* Index
CENTRADENIA *FLORIBUNDA ROSEA*, 3s. 6d.
CEROPEGIA *GARDNERI*, 3s. 6d. and 5s.
CENTROPOGON *LUCYANUS*, 1s. 6d. and 2s. 6d.
CENTROSOLENIA *BULLATA* (*EPISOIA TESSELLATA*), 5s.
CHAMÆCLADON *RUBENS*, 5s.

CHAMERANTHEMUM *BEYRICHII VARIEGATUM*, 3s. 6d.
CHEVALLIERA (*ÆCHMEA*) *VEITCHII*, 7s. 6d. & 10s. 6d.
CHIRITA *SINENSIS*, 3s. 6d.
CHRYSOPHYLLUM *CAINITO* (Star Apple), 10s. 6d.
IMPERIALE, 10s. 6d., 15s. and 21s.

CIENKOWSKIA KIRKII.

This handsome and interesting plant is a native of Eastern Tropical Africa; its blossoms are exceedingly attractive and beautiful; they are produced on a many-flowered scape, and are of a soft purplish rose colour, with a bifid golden spot in the centre. It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3s. 6d., 5s. & 7s. 6d.

CINNAMOMUM *CASSIA* (*Cassia*), 10s. 6d.
VERUM, 7s. 6d.
ZEYLANICUM (*Cinnamon*), 7s. 6d.
CISSUS *ALBO-NIRENS*, 3s. 6d.
DISCOLOR, 2s. 6d. and 3s. 6d.
LINDENI, 3s. 6d. and 5s.

CISSUS *PORPHYROPHYLLA*, 3s. 6d. and 5s.
CLERODENDRON *BALFOURIANUM*, 2s. 6d. & 3s. 6d.
DELECTUM, 3s. 6d. and 5s.
FALLAX, 3s. 6d.
FRAGRANS FLORE PLENO, 2s. 6d.

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 5s. and 7s. 6d.

CLERODENDRON MINAHASSÆ.

This species has been introduced from Celebes. The flowers have a large leafy calyx, the lobes of which are tipped with red; the corolla is yellowish-white, with exerted purple anthers. In its fruiting state it is very ornamental, as the calyx grows much larger after the flowers fall, spreading out so as to resemble a flower three inches across, sanguineous red, with a round blue berry in the centre. 10s. 6d. and 15s.

CLERODENDRON NUTANS.

A very beautiful and desirable stove shrub, introduced from India. It is quite distinct from other Clerodendrons, being much branched and of dwarf compact habit, with long narrow leaves. The flowers, which are produced in drooping racemes from the tips of the young shoots, are large pure white, with reddish purple calices, being followed in due course with indigo-blue berries. 7s. 6d. and 10s. 6d.

CLERODENDRON *SPECIOSUM*, 3s. 6d.
SPLENDENS, 3s. 6d. and 5s.
COCCOLOBA *PLATYLODA*, 3s. 6d.
COCHLIOSTEMA *JACOBIANUM*, 3s. 6d., 5s. & 7s. 6d.
COFFEA *ARABICA*, 3s. 6d. and 5s.
LIBERIOA, 3s. 6d. and 5s.
COLA *ACUMINATA* (*KOLA NUT*), 15s.
COLEUS, *vide* Index
COLOCASIA, *vide* Alocasia
COMBRETUM *GRANDIFLOREM*, 5s.
PURPUREUM, 5s.
CORYNOSTYLIS *HYBANTHUS ALBIFLORA*, 3s. 6d.
COSSIGNIA *BORBNICA*, 10s. 6d.
COSTUS *ALBESCENS*, 7s. 6d.
ELEGANS, 5s.

COSTUS *MOSEICUS*, 5s.
CRINUM *MOOREI*, *vide* page 39.
ORNATUM, 5s.
SCABRUM, 10s. 6d.
CROSSANDRA *UNDULATA*, 3s. 6d.
CROTON (*CODIUM*) *AIGBURTH GEM*, 21s.
ANDREANUS, 2s. 6d.
ANGUSTIFOLIUS, 2s. 6d.
APPENDICULATUS, 2s. 6d.
AUREO-PUNCTATUS, 3s. 6d.
BARON FRANK SEILLIÈRE, 3s. 6d.
BARONNE JAMES DE ROTHSCHILD, 3s. 6d.
BISMARCKI, 3s. 6d.
BROOMFIELDII, 5s.
CERBERUS, 5s.

CROTON BEAUTY.

An exceedingly handsome variegated variety from the South Pacific. The leaves are lanceolate, profusely and strikingly variegated with golden yellow on a rich green ground; as they attain age the green ground colour gradually becomes a deep bronze, while the yellow variegation develops into a rich rosy-erimson. It is of medium growth and highly ornamental character. 7s. 6d. and 10s. 6d.

CROTON CHILSONI, 3s. 6d.

CONCINNUS, 2s. 6d.

CONQUEST, 5s.

COUNTRESS, 5s.

CROTON CREGUS, 7s. 6d.

CYRUS, 5s.

DISRAELI, 2s. 6d.

DORMANTIANUS, 3s. 6d.

CROTON DELIGHT.

An extremely handsome variety, imported from the Antipodes. It has oblong acute leaves, six to eight inches long by one and a half to two inches wide. In the young state they are of a bright yellow colour, margined with green, the costa and primary veins being cream-coloured; as the leaves attain maturity, the bright central variegation changes to a clear ivory-white, with here and there a few dots of the same colour scattered through the margin of the leaf. 10s. 6d.

CROTON DUKE OF BUCCLEUGH, 2s. 6d.

EARL OF DERRY, 2s. 6d.

EBURNEUS, 3s. 6d. and 5s.

ECLIPSE, 7s. 6d.

ELEGANTISSIMUS, *vide* page 15.

EMBLEM, 5s.

CROTON EMINENS, 7s. 6d. and 10s. 6d.

ETNA, 5s.

EVANSIANUS, 2s. 6d. and 3s. 6d.

EXCURRENS, 10s. 6d.

FALCATUS, *vide* C. *variabilis*

FASCIATUS, *vide* C. *Hendersoni*

CROTON FLAMINGO.

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it, being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. 10s. 6d.

CROTON FORMOSUS, 5s. and 7s. 6d.

GLORIOSUS (Princess of Wales), 3s. 6d.

GRACILIS, 10s. 6d.

HASTIFERUS, 2s. 6d. and 3s. 6d.

HAWKERII, 3s. 6d.

CROTON HENDERSONI (FASCIATUS), 2s. 6d. & 3s. 6d.

HEROICUS, 5s.

ILLUSTRIS, 5s. and 7s. 6d.

IMPERIALIS, 3s. 6d. and 5s.

JAMESII, 2s. 6d. and 3s. 6d.

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-erimson. 5s. and 7s. 6d.

CROTON JUBILEE, 2s. 6d. and 3s. 6d.

CROTON JUNON, 2s. 6d. and 3s. 6d.

CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrantly extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green. 7s. 6d.

CROTON LACTEUS, 3s. 6d.

LANGIFOLIUS, 3s. 6d. and 5s.

CROTON MACAFEEANUS, 3s. 6d.

MACARTHURI, 2s. 6d. and 3s. 6d.

CROTON MAGNIFICENT.


A very striking and most handsome variety. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature, the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. 15s.

CROTON MAJESTICUS, 2s. 6d. and 3s. 6d.

CROTON MASSANGEANUS, 3s. 6d. and 5s.

CROTON MEMPHIS.


One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmorated with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf. 15s.



CROTON ELEGANTISSIMUS.

CROTON ELEGANTISSIMUS.

One of the most charming and elegant varieties yet offered. The leaves are narrow, and of considerable length. The variegation is of a rich, bright golden colour, which contrasts strongly with the bright red tint of the petioles, producing a very pretty effect. This variety was one of the new plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition, held at Brussels. 5s. and 7s. 6d.



CROTON NESTOR.

CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. 15s.

CROTON MIRABILE.

This variety forms one of the most attractive of variegated Crotons. The colours are very rich, the midrib and margins being crimson, the intervening colouring consisting of mixed blotches unequal in size, of bright orange-red, crimson, orange-yellow and pale greenish yellow. With such a combination of colours the effect is extremely beautiful. 15s.

CROTON MORTII, 3s. 6d.

MUTABILIS, *vide* C. princeps

NEPTUNE, 3s. 6d. and 5s.

NESTOR, *vide* page 16.

CROTON NIMROD, 5s. and 7s. 6d.

NOBILIS, 2s. 6d.

OBERON, 3s. 6d.

ORESTES, 3s. 6d.

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. 7s. 6d. and 10s. 6d.

CROTON PRINCE OF ORANGE.

One of the most effective of the golden variegated series of Codiaeums. It is of free growth having long lanceolate leaves, broadest near the base of the leaf blade, the variegation being of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. 21s.

CROTON PICTURATUS, 2s. 6d. and 3s. 6d.

PRINCE OF WALES, 3s. 6d.

CROTON PRINCEPS (*MUTABILIS*), 3s. 6d. and 5s.

PRINCESS OF WALES, *vide* C. gloriosus

CROTON REIDII.

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson crêpe, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with a suffusion of golden orange, with a few irregular blotches and patches of dark olive green, here and there. 21s.

CROTON QUEEN VICTORIA, 2s. 6d. and 3s. 6d.

REX, 2s. 6d. and 3s. 6d.

RECURVATUS, 2s. 6d. and 3s. 6d.

ROSEO-PICTUS, 3s. 6d. and 5s.

RUBERRIMUS, 7s. 6d.

RUBESCENS, 7s. 6d. and 10s. 6d.

CROTON SCEPTRE, 10s. 6d.

SCHOMBURGKIANUS, 3s. 6d.

SPECIOSUS, 3s. 6d. and 5s.

SPIRALIS, 2s. 6d.

SPLENDIDUS, 5s.

SUPERBIENS, 3s. 6d.

CROTON SUNBEAM.

An attractive variety with dark bronzy leaves from nine to ten inches long, and about two inches broad. In the young state the leaves are very freely blotched with yellow, gradually changing as growth advances into rosy-crimson, which in turn, as the leaf arrives at maturity, becomes of a blood-red colour. It has been imported from the South Sea Islands. 10s. 6d.

CROTON TORQUATUS, 2s. 6d.

TORTILIS, 2s. 6d.

TRICOLOR, 7s. 6d.

CROTON UNDULATUS, 2s. 6d.

VARIABILIS (*FALCATUS*), 2s. 6d.

VARIEGATUS, 2s. 6d.

VERTICILLATUS, 2s. 6d.

CROTON VICTORY.

A magnificent variety with a very effective variegation of bright crimson. The mature leaves are about a foot long by two and a half inches broad, of a deep olive green colour, with rich crimson veins and costa, from which extends in an arcuate manner, a rich coloration of reddish-crimson, the deep green of the laminae between the primary veins being broken up in an irregular manner by the same bright colour. In a young state the leaves are deep orange-yellow, suffused with crimson. 10s. 6d.

CROTON VITTATUS, 5s. and 7s. 6d.

VOLUTUS, 2s. 6d. and 3s. 6d.

WARRENI, 3s. 6d. and 5s.

WEISMANNI, 2s. 6d. and 3s. 6d.

WILLIAMSII, 3s. 6d. and 5s.

CRYPTANTHUS (*TILLANDSIA*) *ACAULIS*, 3s. 6d.

CRYPTANTHUS (*TILLANDSIA*) *ACAULIS ZEBRINA*, 5s.

(*TILLANDSIA*) *ACAULIS ZEBRINA AUREA*, 7s. 6d.

(—) *BEUCKERII*, 10s. 6d.

(—) *BIVITTATA*, 5s. and 7s. 6d.

CUPANIA *FILICIFOLIA*, *vide* Jacaranda
Clauseniana

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 10s. 6d.

CURCULIGO RECURVATA, 3s. 6d.

RECURVATA STRIATA, 7s. 6d.

— VARIEGATA, 5s. and 7s. 6d.

CURCUMA LUTEO-VIRIDIS, 7s. 6d.

PETIOLATA, 3s. 6d.

CURMERIA PICTURATA, 3s. 6d.

WALLISII, 5s.

CYANOPHYLLUM BOWMANII, 5s.

MAGNIFIUM, 3s. 6d. and 5s.

CYANOTIS (TRADESCANTIA) MULTICOLOR, 2s. 6d.

(TRADESCANTIA) ZANONIA, 3s. 6d.

(—) ZEBRINA, 2s. 6d.

(—) ARGENTEA, 2s. 6d.

CYCADS, vide Index.

CYPERUS ALTERNIFOLIUS, 1s. 6d. and 2s. 6d.

CYPERUS ALTERNIFOLIUS VARIEGATUS, 2s. 6d. & 3s. 6d.

DISTANS, 2s. 6d. and 3s. 6d.

LAXUS, 1s. 6d.

— VARIEGATUS, 3s. 6d. and 5s.

CYPRIPEDIUM, vide Orchids

CYRTANTHERA CHRYSOSTEPHANA, 3s. 6d.

POHLIANA, 3s. 6d.

CYRTOCERAS REFLEXUM, 3s. 6d. and 5s.

CYRTODEIRA CHONTALENSIS, 2s. 6d. and 3s. 6d.

FULGIDA, 2s. 6d. and 3s. 6d.

METALLICA, 2s. 6d. and 3s. 6d.

CYRTOSPERMA JOHNSTONI, 7s. 6d. and 10s. 6d.

DALECHAMPIA ROEZLIANA ALBA, 2s. 6d. & 3s. 6d.

ROEZLIANA CARNEA, 2s. 6d. and 3s. 6d.

— ROSEA, 2s. 6d. and 3s. 6d.

DAVIDSONIA PRURIENS.

A noble-looking and desirable ornamental plant, with alternate leaves, nearly two feet long. There are five or six pairs of pinnae, the terminal one about nine inches long. In the young state the leaves are of a bright red colour, from which they pass to a deepish green. It produces a succulent edible fruit, and is one of the most interesting plants in Queensland. 15s., 1 and 1½ guinea.

DICHORISANDRA AUBLETHI, 7s. 6d.

UNDATA, 3s. 6d. and 5s.

DIEFFENBACHIA AMAZONICA, 2s. 6d., 3s. 6d. & 5s.

AMENA, 2s. 6d. and 3s. 6d.

BARAQUINIANA, 2s. 6d. and 3s. 6d.

BAUSEI, 2s. 6d. and 3s. 6d.

BOWMANNII, 2s. 6d. and 3s. 6d.

CARDERI, 2s. 6d., 3s. 6d. and 5s.

CHELSONIENSIS, 2s. 6d., 3s. 6d. and 5s.

COSTATA, 5s.

EBURNEA, 2s. 6d., 3s. 6d. and 5s.

FLAVO-VIRENS, 2s. 6d. and 3s. 6d.

GRANDIS, 3s. 6d.

ILLUSTRIS, 5s.

DIEFFENBACHIA INSIGNIS, 7s. 6d.

LANCEOLA, 5s.

LEOPOLDII, 2s. 6d., 3s. 6d. and 5s.

LUCINDA, 3s. 6d.

MACULOSA, 3s. 6d.

MAONIFIOCA, 3s. 6d.

MAJESTICA, 10s. 6d.

MEMORIA CORSI, 7s. 6d. and 10s. 6d.

NEBULOSA, 3s. 6d.

NOBILIS, 2s. 6d. and 3s. 6d.

PIOTA, 2s. 6d. and 3s. 6d.

PRINCEPS, 7s. 6d.

SHUTTLEWORTHII, 2s. 6d., 3s. 6d. and 5s.

SPLENDENS, 2s. 6d. and 3s. 6d.

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. 7s. 6d.

DIEFFENBACHIA VELUTINA, 2s. 6d. and 3s. 6d.

WEIRII, 2s. 6d. and 3s. 6d.

DIONEIA MUSCIPULA, vide page 41.

DIOSCOREA ANGEOTICHILUS, 5s. and 7s. 6d.

ABOYREIA, 5s. and 7s. 6d.

DIOSCOREA BULBIFERA, 5s.

CHRYSOPHYLLA, 5s.

DISCOLOR VARIEGATA, 3s. 6d.

ILLUSTRATA, 3s. 6d.

METALLICA, 5s.

DIOSCOREA SPECIOSA.

A free growing climber, with decorative foliage. It has slender angular stems, which bear cordate-sagittate dark green seven-nerved leaves, marked with an irregular band of silvery grey between the ribs; the under surface of the leaves is of a purplish colour. 5s.

DIPLADENIA BREARLEYANA.

This splendid variety is one of the best exhibition plants extant. It is an evergreen stove climber with dark green leaves, serving as a fine contrast for the superbly-coloured flowers, which are of the largest size, opening pink and changing to the richest crimson colour. They have this remarkable peculiarity, that the colour increases in intensity with the age of the flowers. This plant is of free growth, and of the most floriferous character. 3s. 6d., 5s. and 7s. 6d.

DIPLADENIA AMABILIS, 3s. 6d.


AMENA, 3s. 6d.

BOLIVIENSIS, 3s. 6d.

DIPLADENIA CARISSIMA, 5s. and 7s. 6d.

DIADEMA, 15s.

ELIOTTI, 3s. 6d.



DRACENA ARGENTEO-STRATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. 2 & 3 guineas.

DIPLADENIA HARRISII.

A very handsome stove climber, with opposite elliptic lanceolate leaves. The flowers are exceedingly beautiful, very large, of a bright yellow and red colour and deliciously fragrant. It has been imported from British Guiana. 10s. 6d.

DIPLADENIA HYBRIDA, 3s. 6d.

INSIGNIS, 3s. 6d.

MAONIFIOA (ACUMINATA), 3s. 6d. and 5s.

REGINA, 5s.

DIPTERIX ODORATA (TONQUIN BEAN), 42s.**DISSOTIS PLUMOSA**, 5s.**DISTEGANTHUS SCARLATINUM**, 15s.**DORSTENIA ARGENTEA** 5s.

BARTERI, 7s. 6d.

CAULESCENS, 7s. 6d.

THOMSONI, 7s. 6d.

DRACÆNA ALBO-MARGINATA, 3s. 6d.

AMABILIS, 2s. 6d. and 3s. 6d.

ANERLEYENSIS, 3s. 6d. and 5s.

ARGENTEO-STRATA, *vide page 19*.

AURANTIACA, 3s. 6d. and 5s.

DRACÆNA BAPTISTII, 3s. 6d.

BAUSEI, 3s. 6d. and 5s.

BELLA, 5s.

BERKELEYI, 3s. 6d. and 5s.

CANTRELLII, 7s. 6d.

CAUSTONI, 3s. 6d. and 5s.

CONGESTA (RUBRA), 2s. 6d. and 3s. 6d.

COOPERI, 3s. 6d.

CRISTULA, 3s. 6d.

EBURNEA, 1 guinea.

ELIZABETHÆ, 5s.

ERNESTII, 3s. 6d. and 5s.

EXCELLENS, 15s.

FERREA, 2s. 6d. and 3s. 6d.

— VARIEGATA, 3s. 6d.

FRAOANS, 2s. 6d., 3s. 6d. and 5s.

DRACÆNA FRAGRANS VARIEGATA.

An effective decorative plant of bold habit, with elegantly recurved leaves of a rich deep green colour, ornamented throughout their entire length with a broad central striped variegation of yellow and pale yellowish green. 7s. 6d., 10s. 6d. and 15s.

DRACÆNA FREDERICI, 3s. 6d. and 5s.**DRACÆNA GLADSTONEI**, 3s. 6d. and 5s.**DRACÆNA GOLDIEANA.**

One of the most magnificent ornamental-foliaged plants ever introduced, and altogether unique in character and aspect. It is a native of Western Tropical Africa. The plant is of erect habit, the leaves being marbled and irregularly banded with dark green and silver-grey in alternate straight or furcate transverse bands, the colours being about equally distributed. The back of the unfolded leaves is a pale reddish-purple or wine colour, and the stem where visible at the upper joints is of similar hue. It is, without doubt, one of the most superb of ornamental stove plants, and indispensable in all first-class collections. This beautiful species has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7s. 6d. and 10s. 6d.

DRACÆNA GRACILIS, 2s. 6d. and 3s. 6d.

GUILFOYLEI, 2s. 6d. and 3s. 6d.

DRACÆNA IGNEA, 3s. 6d.

LEONARDII, 7s. 6d.

DRACÆNA LINDENI.

In habit this most distinct and striking *Dracæna* is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 5s., 7s. 6d. and 10s. 6d.

DRACÆNA MAJESTICA, 3s. 6d. and 5s.MASSANGEANA, *vide fragrans variegata*

MRS. BAUSE, 3s. 6d. and 5s.

MRS. C. J. FREAKE, 3s. 6d.

MRS. WILLS, 3s. 6d.

PHRYNIOIDES, 10s. 6d.

RECURVA, 3s. 6d. and 5s.

REGINA, 3s. 6d.

RENARDLE, 5s.

ROSSII, 3s. 6d. and 5s.

RUBRA, *vide D. congesta*

SALMONEA, 3s. 6d. and 5s.

SPLENDENS, 3s. 6d. and 5s.

STRICTA, 3s. 6d.

SUPERBA, 3s. 6d. and 5s.

SURCULOSA MACULATA, 7s. 6d.

SYDNEYI, 3s. 6d.

DRACÆNA TERMINALIS, 2s. 6d. and 3s. 6d.

TERMINALIS ALBA, 3s. 6d. and 5s.

THOMSONII, 3s. 6d. and 5s.

VIVIOANS, 3s. 6d. and 5s.

WILLSII, 3s. 6d. and 5s.

WILSONI, 5s., 7s. 6d. and 10s. 6d.

*see also page 41.***DRACONTIUM ASPERUM**, 5s.

CARDERI, 7s. 6d.


SCALPTURATUM, 7s. 6d.

DRYMONIA MARMORATA, 7s. 6d.

TUBIALVÆ, 5s.

DURIO ZIBETHINUS (DURIAN).**DYCKIA BREVIFOLIA**, 7s. 6d.**ECHITES**, *vide Dipladenia*

PICTA, 3s. 6d. and 5s.



EUPHARIS MASTERSII. 2s. 6d. each ; 24s. per dozen.

EUPHARIS AMAZONICA, 1s. 6d. and 2s. 6d. ; | **EUPHARIS CANDIDA**, 2s. 6d. each ; 24s. per
15s. and 24s. per dozen. | dozen.

EUPHARIS BAKERIANA.

This desirable new species has been imported from the United States of Colombia. It differs from those already in commerce in the shape of the corona and the tube of the perianth, the latter being almost of an uniform size throughout its entire length. The flowers are pure white, with the exception of six pale yellow stripes on the corona, which is funnel-shaped, with two obtuse oblong teeth between each pair of filaments. 3s. 6d. each ; 30s. per dozen.

**GLORIOSA SUPERBA GRANDIFLORA.**

One of the most handsome stove climbing plants of recent introduction. Its magnificent flowers are composed of six broad lanceolate petals, which completely recurvo as the blossoms open and maturo; the basal part is of a brilliant vermillion-scarlet colour, fading through rich orange to greenish yellow at the tips. The plant is of free growth and an abundant bloomer; the stems furnished with neat sessile bright green leaves. 10s. 6d. each; three for 21s.

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 5s. and 7s. 6d.

ELÆODENDRON ORIENTALE (ARALIA

CHABRIERII) 5s.

ELETTERIA DIEPENHORSTII, 5s.

ENCEPHALARTOS, *vide* Index

ENCHOLIRION CORALLINUM, 7s. 6d.

JONORHEI, *vide* Tillandsia Jongheii

EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. 30s. and 42s. per dozen.

EPIPREMNUM MIRABILE "TONGA PLANT"

3s. 6d. and 5s.

EPISCIA TESSELLATA, *vide* Centrosolenia bullata

ERANTHEMUM ANDERSONI (elegans). 2s. 6d.

and 3s. 6d.

MOOREI, 3s. 6d.

NIGRESCENS, 3s. 6d.

PULCHELLUM, 2s. 6d. and 3s. 6d.

ERANTHEMUM MACROPHYLLUM.

A very desirable winter flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube, the lower petal or lip extends horizontally and is of a deep bright blue colour. It is very free flowering and of good habit. 5s.

ERANTHEMUM TRICOLOR, 3s. 6d.

TUBERCULATUM, 3s. 6d.

VELUTINUM, 5s.

ERANTHEMUM VERBENACEUM, 3s. 6d.

ERYTHRINA PAROELLII, 10s. 6d.

see also page 41.

ERYTHROXYLON COCA.

This extremely interesting plant is of great officinal importance in South America, where its leaves are largely employed as a masticatory, under the name of Coca. When taken internally it acts as a powerful stimulant of the nervous system; and, when under its influence, persons are able to perform long and rapid journeys without exhaustion. "Four times a day, whatever the nature of his occupation—whether employed in the mines, the fields, as a muleteer, or domestic servant, the Indian resigns himself to the pleasures of Coca chewing." 10s. 6d.

EUADENIA EMINENS, 1 guinea

EUCARIS *vide* page 21.

EUCODONIA, *vide* Index.

EUGENIA JAMBOS (Rose Apple), 10s. 6d.

PIMENTA (Allspice), 5s.

vide also page 41.

EUPHORBIA JACQUINÆFLORA, 2s. 6d. and 3s. 6d.

SPLENDENS, 3s. 6d.

EURYCLES AUSTRALASIOA, 3s. 6d.

CUNNINGHAMII, 3s. 6d.

EXOSTEMMA CHONTALENSIS, 10s. 6d.

FERNS, *vide* Index.

FICUS BARBATA, 2s. 6d. and 3s. 6d.

(ARTOCARPUS) CANNONI, 3s. 6d.

DEALBATA, 7s. 6d. and 10s. 6d.

EBURNEA, 5s.

ELASTICA, 3s. 6d.

— VARIEGATA, 5s. and 7s. 6d.

EXSCULPTA, 3s. 6d. and 5s.

INDICA, 3s. 6d.

(ARTOCARPUS) LACINIATA METALLICA, 3s. 6d.

MOOREI, 5s.

RADIOANS, 3s. 6d.

RELIGIOSA (Sacred Indian Fig), 7s. 6d.

STOMORUS (Sycomore Tree of Scripture), 7s. 6d. and 10s. 6d.

FILICIMUM DECIPIENS, 5s. and 7s. 6d.

FITTONIA ARGYRONEURA, 2s. 6d.

GIOANTEA, 2s. 6d.

PEARCEI, 2s. 6d.

FRANCISCEA CALYCINA, 3s. 6d. and 5s.

CONFERTIFLORA (LAURIFOLIA), 3s. 6d.

EXIMIA, 3s. 6d.

LINDENI, 3s. 6d.

MAGNIFICA, 3s. 6d. and 5s.

ROSEA PERFECTA, 3s. 6d. and 5s.

VIOLACEA GRANDIFLORA, 3s. 6d. and 5s.

GALACTODENDRON UTILE (Milk Tree), 10s. 6d.

GARCINIA LIVINOSTONI, 10s. 6d. and 15s.

MANGOSTANA, 2 and 3 guineas.

GARDENIA CITRIODORA, 3s. 6d.

FLORIDA, 2s. 6d. and 3s. 6d.

FORTUNIANA, 2s. 6d. and 3s. 6d.

GLOBOSA, 5s.

RADICANS, 2s. 6d. and 3s. 6d.

THUNBERGII, 5s.

GEISSOMERIA MARMORATA, 3s. 6d.

GESNERA DONKELAARI, 5s.

DUVALII, 3s. 6d.

LEOPOLDII, 3s. 6d.

MACRANTHA, 2s. 6d.

vide Index

GLONERA JASMINIFLORA, 3s. 6d.

GLORIOSA PLANTII, 2s. 6d. and 3s. 6d.

SUPERBA, 3s. 6d.

— GRANDIFLORA, *vide* page 22.


GLOXINIA, *vide* Index

GODWINIA GIGAS, 10s. 6d.

GOMPHIA DECORA, 5s. and 7s. 6d.

GONOLOBUS CUNDURANGO, *vide* page 41.

GOODYERA, *vide* Orchids



HIBISCUS ROSA SINENSIS MINIATUS SEMI-PLENUS.

A remarkably showy plant with brilliant semi-double flowers of a vermillion scarlet colour, the petals forming an irregular undulated mass four inches across, from which the partially petaloid staminal column projects two inches. The flowers are remarkable for the absence of formality, the shape being wild, and abounding in fantastic curves. 3s. 6d.

HIBISCUS ROSA SINENSIS ALBO-VARIEGATUS,
2s. 6d. and 3s. 6d.

ROSA SINENSIS BRILLANTISSIMUS, 5s.

— COLLERI, 3s. 6d.
— COOPERI, 2s. 6d.
— ORUENTUS, 3s. 6d.
— DENNISONI, 3s. 6d.
— FULGIDUS, 3s. 6d.
— INTERMEDIUS, 7s. 6d.

HIBISCUS ROSA SINENSIS KERMESINUS, 5s.

— LAMBERTII, 3s. 6d.
— MAGNIFICUS, 5s.
— PUNICEUS, 3s. 6d.
— VIVICANS, 3s. 6d.
— ZEBRINUS, 3s. 6d.

SCHIZOPETALUS, 2s. 6d. and 3s. 6d.

see also page 43.

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5s. and 7s. 6d.

GUZMANNIA PIOTA (*NIDULARIUM FULGENS*),
7s. 6d. and 10s. 6d.

GYNURA AURANTIACA, 1s. 6d.

HEMANTHUS COCOINEUS, 2s. 6d.

KATHERINÆ, 5s. and 7s. 6d.

— SUPERBUS, 1 guinea

MULTIFLORUS, 10s. 6d.

NATALENSIS, 7s. 6d.

vide also page 42.

HEVEA BRASILIENSIS (*Para Rubber*).

HEDYCHUM ACUMINATUM, 5s.

HEDYCHUM, GARDNERIANUM, *vide* page 42.

HELICONIA AUREO-STRATA, 5s. and 7s. 6d.

BREVISPATHA, 10s. 6d.

HEMIGRAPHIS COLORATA, 3s. 6d.

HIBISCUS ROSA SINENSIS, *vide* page 24.

HIPPEASTRUM, *vide* **AMARYLLIS**

HOFFMANNIA (HIOOINSIA) GHIESBREGHTII, 2s. 6d.

GHIESBREGHTII VARIEGATA, 5s.

ORTOIESII, 3s. 6d.

REFULOENS ROBUSTA, 3s. 6d.

HOMALONEMA PELTATUM, 10s. 6d.

HOYA GLOBULOSA.

A distinct and handsome species, producing profusely large trusses of flowers of a bright straw colour, the coronal protuberances white, the interstices pink, forming a pleasing contrast. 3s. 6d. & 5s.

HOYA BELLA, 3s. 6d.

CAMPANULATA, 3s. 6d. and 5s.

CARNOSA, 2s. 6d. and 3s. 6d.

IMPERIALIS, 3s. 6d. and 5s.

PAXTONI, 2s. 6d. and 3s. 6d.

HOYA TEYSMANNIANA, 7s. 6d.

HYDROCOTYLE NITIDULA, 3s. 6d.

HYMENOCALLIS MACROSTEPHANA, 10s. 6d., 15s.

and 1 guinea

vide *Pancratium*

HYMENOSPORUM FLAVUM.

A handsome evergreen plant of branching habit, furnished with broadly obovate glabrous leaves. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 7s. 6d.

IMPATIENS HAWKERII.

A most lovely flowering plant, with magnificent large flatly expanded flowers of the most brilliant rich deep carmine colour, relieved by a lustrous bluish tinge round the small white eye. The handsome flowers of this superb *Impatiens* are produced in the greatest profusion from March until October, the plant being of free growth and of good habit. 2s. 6d. and 3s. 6d.

IMPATIENS FLACCIDA (*PLATYPETALA*), 2s. 6d.

FLACCIDA (*PLATYPETALA*) ALBA, 1s. 6d.

SULTANI, 1s. 6d.

— CARMINATA, 2s. 6d. and 3s. 6d.

— SALMONEA, 2s. 6d. and 3s. 6d.

INDIGOFERA DECORA, *vide* page 43.

INGA PULCHERRIMA, 10s. 6d.

IPOMŒA HORSFALLIÆ, 5s. and 7s. 6d.

LEARII, 2s. 6d. and 3s. 6d.

TERNATA (*THOMSONIANA*), 5s.

ISOLOMA HIRSUTA, 3s. 6d.

IXORA AMABILIS, 3s. 6d.

AURELIA, 3s. 6d.

IXORA BELLA.

An exceedingly pretty and effective variety, producing fine trusses of flowers of a salmon-pink colour, shading off to light salmon. 10s. 6d.

IXORA CONSPICUA.

This handsome stove plant bears in the freest manner, fine trusses of flowers, buff-yellow on opening, afterwards changing to bright orange. The blooms are large and of good substance, the lobes being round and well formed. A very desirable variety and fine exhibition plant. 10s. 6d.

IXORA COCCINEA SUPERBA, 3s. 6d.

DUFFII, *vide* *I. macrothyrsus*

IXORA EXIMIA, 7s. 6d.

IXORA GEMMA.

A fine addition to this showy and effective genus. It has round and well-formed pips of a rich orange yellow colour, produced in large and compact trusses. This variety will be found of the greatest value for exhibition purposes. 10s. 6d.

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10s. 6d.

IXORA LAVERNA, 3s. 6d.

LOBBII, 7s. 6d.

MACROTHYRSUS (DUFFII), 3s. 6d. and 5s.

MIRANDA, 7s. 6d.

MODIOLA, 5s.

ORNATA, 7s. 6d.

PILOBIMII, 3s. 6d.

IXORA PRINCE OF ORANGE, 3s. 6d.

PRINCEPS, 3s. 6d.

REGINA, 3s. 6d.

SANGUINEA, 3s. 6d.

VERONA, 3s. 6d.

WESTII, 3s. 6d.

WILLIAMSII, 3s. 6d.

IXORA SPECIOSA.

A beautiful addition to these handsome and showy stove plants. The colour of the flowers on opening is buff, afterwards changing to bright orange-salmon, the individual pips are large and borne in good compact trusses, added to which it is extremely free flowering. 10s. 6d.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7s. 6d.

JACARANDA CLAUSSENIANA (CUPANIA FILICIFOLIA), 10s. 6d. and 15s.

ELEGANTISSIMA, 10s. 6d.

MIMOSÆFOLIA, 5s.

JASMINUM DUCHESSE D'ORLEANS, 3s. 6d.

ORACILLIMUM, 3s. 6d.

HIRSUTUM (MULTIFLOSUM), 2s. 6d. & 3s. 6d.

SAMBAC, 2s. 6d. and 3s. 6d.

— FLORE PLENO, 3s. 6d.

see also page 43.

JATROPHA MULTIFIDA, 5s.**JONESIA AROCA, 10s. 6d. and 15s.****JUSTICIA PURPUREA, 2s. 6d.**

FLAVACOMA, 2s. 6d.

KEMPFERIA BENSONIÆ, 7s. 6d.

BERELEYI, 7s. 6d.

GILBERTII, 3s. 6d.

MOULMEINENSIS, 7s. 6d.

ROSCOEANA, 5s.

ROTUNDA, 5s.

UNDULATA, 5s.

KYLLINGIA MONOCEPHALA, 3s. 6d.**LABISIA ALATA, 7s. 6d.**

MALOUANA, 10s. 6d.

LAMPROCOCCLUS (ÆCHMEA) DISCOLOR, 5s.

(ÆCHMEA) FULGENS, 3s. 6d. and 5s.

(—) MINIATA, 5s.

(—) WEILBACHI, 7s. 6d.

LANDOLPHIA KIRKII, 10s. 6d.

WATSONIANA, 7s. 6d.

LAPORTEA SOHOMBURKII VERSICOLOR, 10s. 6d.

LASIANDRA, vide page 43.

LAURUS CINNAMOMUM, 5s. and 7s. 6d.**LEDENBERGIA ROSEO-ÆNEA, 3s. 6d.****LEEÆ AMABILIS SPLENDENS, 10s. 6d.**

LIBONIA, vide page 43.

LUCULIA, vide Greenhouse Plants**MACROZAMIA, vide Index****MAGNOLIA PUMILA, 5s. and 7s. 6d.****MANETTIA BICOLOR, 2s. 6d. and 3s. 6d.**

CORDATA, 2s. 6d. and 3s. 6d.

MANGIFERA INDICA (MANGO), 1 guinea.**MARANTA AMABILIS, 5s.**

ARUNDINACEA (*The Arrowroot Plant*), 7s. 6d.

— VARIEGATA, 3s. 6d. and 5s.

BARAQUINTII, 3s. 6d.

BELLA, 7s. 6d.

BICOLOR, 5s.

CONSPICUA, 7s. 6d.

ICONIFERA, 7s. 6d.

ILLUSTRIS, 3s. 6d.

KERCHOVEANA, 3s. 6d. and 5s.

LINDENI, 3s. 6d.

LUBBERSII, 2s. 6d.

MAKOVANA, 3s. 6d.

MASSANOËANA, 3s. 6d.

MUSAICA, 10s. 6d.

NITENS, 7s. 6d.

NTIDA, 10s. 6d.

PRASINA, 7s. 6d.

RADIATA, 5s.

ROSEO-PICTA, 3s. 6d.

SMARAGDINA, 7s. 6d.

SPLENDIDA, 3s. 6d.

VEITCHII, 3s. 6d. and 5s.

WARSEWICZII, 3s. 6d.

WIOTII, 5s.

ZEBRINA, 3s. 6d.

MARCGRAVIA DUBIA, 3s. 6d.

PARADOXA, 3s. 6d.

MEDINILLA AMABILIS, 3s. 6d.

CURTISH, 3s. 6d.

MAGNIFICA, 3s. 6d.

MELASTOMA MALABATHRICA, 5s.**MESUA FERREA, 7s. 6d. and 10s. 6d.****METHONICA, vide Gloriosa****MEYENIA EREOTA, 2s. 6d. and 3s. 6d.****MICANIA PULVERULENTA, 3s. 6d.****MONOLOPHUS SECUNDUS, 10s. 6d.****MONSTERA DELICIOSA (Philodendron**

pertusum), 5s. and 7s. 6d.

MUSA CAVENDISHII, 10s. 6d. and 15s.

COCCINEA, 5s., 7s. 6d. and 10s. 6d.

SUPERBA, 7s. 6d. and 10s. 6d.

VITTATA, 1, 1½ and 2 guineas.

ZEBRINA, 10s. 6d. and 15s.

MUSSÆNDA ERYTHROPHYLLA.

A remarkable introduction from the Congo. It is of shrubby habit, and produces heads of the richest dazzling scarlet bracts, which are roundish ovate in form, about three and a-half inches long, by three inches wide; at the base of each bract are borne three or four funnel-shaped sulphur-yellow flowers, the whole plant, including the bracts and flowers, being covered with a silky pubescence. The leaves are opposite, roundish ovate, and of a bright green colour. 10s. 6d.

MUSSÆNDA FRONDOSA, 2s. 6d. and 3s. 6d.

MYRISTICA MOSCHATA (Nutmeg)

NÆGELIA, *vide* GESNERA

NAPOLEONA IMPERIALIS, 5s. and 7s. 6d.



CARNIVOROUS PLANTS.

NEPENTHES AMPULLARIA VITTATA, 10s. 6d.

AMPULLARIA VITTATA MAJOR, 1 guinea
CHILSONI, 1 guinea.

COCCINEA, 15s.

COURTII, 1 guinea

DISTILLATORIA, 10s. 6d.

DOMINII, 10s. 6d.

GRACILIS MAJOR, 5s.

HENRYANA, 15s. and 1 guinea

HOOKERI (Sir Joseph Hooker's Pitcher Plant), 1 guinea

HOOKERI (Lady Hooker's Pitcher Plant), 1 and 1½ guinea

HYBRIDA, 10s. 6d.

— **MACULATA**, 10s. 6d.

INTERMEDIA, 10s. 6d.

KENNEDYANA, 10s. 6d.

LAWRENCEANA, 10s. 6d. and 15s.

MASTERSIANA, 1 and 1½ guinea

MORGANÆ, 10s. 6d. and 15s.

OUTRAMIANA, 10s. 6d.

PHYLLAMPHORA, 3s. 6d. and 5s.

RAFFLESIANA, 15s.

— **INSIGNIS**, 3 and 4 guineas

RATOLIFFIANA, 10s. 6d. and 15s.

SEDENI, 5s.

STEWARTII, 10s. 6d.

SUPERBA, 10s. 6d.

ZEYLANICA RUBRA, 10s. 6d.

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7s. 6d.

NEPHTHYTIS PICTURATA, *vide* page 28.

NIDULARIUM FULGENS, *vide* *Guzmannia picta*

INNOCENTII, 5s. and 7s. 6d.

METALLICUM, 10s. 6d. and 15s.

SPECTABILE, 7s. 6d. and 10s. 6d.

STRIATUM, *vide* page 29.

OCHROSIA ELLIPTICA, 5s.

ONCIDIUM, *vide* ORCHIDS

OPHIOPOGON, *vide* page 44.

OPLISMENUS IMBECILLUS VARIEGATUS (*PANICUM VARIEGATUM*), 1s. 6d.

INTERMEDIUS (*PANICUM INTERMEDIUM*), 2s. 6d. and 3s. 6d.

ORCHIDS, *vide* Index

ORTGIESIA (*ÆCHEMEA*) *Legrelliana*

OXALIS BUPLEURIFOLIA, 5s.

SENSITIVA, 3s. 6d. and 5s.

PALICOUREA JUGOSA, 7s. 6d.

PALISOTA BARTERI, 5s.

PALMS, of sorts, *vide* Index

PANAX DISSECTUM, 7s. 6d.

FISSUM, 5s. and 7s. 6d.

FRUTICOSUM, 7s. 6d.

LEPIDUM, 5s.

ORNATUM, 5s.

VICTORLE, 3s. 6d. and 5s.

PANCRATIUM FRAGRANS, 3s. 6d., 5s. and 7s. 6d.

MEXICANUM, 1s. 6d. and 2s. 6d.

SPECIOSUM, 5s. and 7s. 6d.

vide *Hymenocallis*

PANDANOPHYLLUM HUMILE, 1½ guinea

PANDANUS JAVANICUS VARIEGATUS, 3s. 6d. & 5s.

LABYRINTHICUS, 3s. 6d. and 5s.


LAIIS, 3s. 6d. and 5s.

UTILIS, 2s. 6d. and 3s. 6d.

VEITCHII, 2s. 6d. and 3s. 6d.

**NEPHTHYTIS PICTURATA.**

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. 21s.



NIDULARIUM STRIATUM.

NIDULARIUM STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are freely furnished with small spinose teeth. 1½, 2 & 3 guineas.

PANICUM VARIEGATUM, *vide* Oplismenus
INTERMEDIUM, *vide* Oplismenus

PARITUM ELATUM (CUBA BAST), 7s. 6d.

PASSIFLORA ALATA, 3s. 6d.

AMABILIS, 3s. 6d.

BUONAPARTEA, 2s. 6d. and 3s. 6d.

CARDINALIS, 2s. 6d. and 3s. 6d.

EDULIS, 3s. 6d.

FULGENS, *vide* Tacsonia Buchananii

KERMESINA, 3s. 6d.

LAURIFOLIA, 5s.

LOUDONI, 3s. 6d.

MACROCARPA, 3s. 6d. and 5s.

PASSIFLORA PRINCEPS (RACEMOSA), 3s. 6d.

QUADRANGULARIS, 2s. 6d. and 3s. 6d.

— VARIEGATA, 3s. 6d. and 5s.

SHEPPARDII, 3s. 6d.

VIOLACEA, 3s. 6d.

VITIFOLIA, *vide* Tacsonia Buchananii

see also page 44.

PAULLINIA HOOIBREKII, 10s. 6d.

OCEANICA, 10s. 6d.

SORBILIS, Guarana Tea Plant, 10s. 6d.

THALICTRIFOLIA, 3s. 6d.

— ARGENTEA, 5s.

PAULOWILHELMIA SPECIOSA.

A beautiful soft-wooded stove plant, as distinct as it is showy, and likely to become a very popular plant. Its attractive mauve blue flowers, marked with yellow on the disc, are disposed in large terminal panicles, made up of numerous opposite cymes. The leaves are cordate, irregularly toothed on the margins, and of a cheerful green colour. 7s. 6d.

PAVETTA BORBONICA, 10s. 6d.

PAVONIA MAKROYANA, 3s. 6d.

MULTIFLORA (WIoTII), 3s. 6d.

PELLIONIA DAVEAUNANA, 2s. 6d.

PULCHRA, 2s. 6d.

PENTAS CARNEA, 1s. 6d. and 2s. 6d.

KERMESINA, 1s. 6d. and 2s. 6d.

PEPEROMIA EBURNEA, 3s. 6d.

PERSEA GRATISSIMA (Avocado Pear)

PETREA VOLUBILIS, 3s. 6d.

PHILODENDRON CAEDERI, 7s. 6d.

CRINIPES, 5s.

DISCOLOR, 5s.

GLORIOSUM, 5s. and 7s. 6d.

PHILODENDRON NOBILE.

A distinct species from South America. It has obovate lanceolate leaves of a firm leathery texture. The large and attractive inflorescence is axillary, the lower portion of the handsome spathe being of a deep rosy crimson colour, both inside and out; the upper part, white internally, outside prettily marked with deep-rose stellate spots. 15s. and 1 guinea.

PHILODENDRON IMPERIALE (MAMEI), 5s. & 7s. 6d.

LINDENIANUM, 3s. 6d. and 5s.

MELANOCHRYSUM, 5s.

PERTUSUM, *vide* Monstera deliciosa

QUEBECIFOLIUM, 5s.

RADIATUM, 5s.

PHYLLAGATHIS ROTUNDFOLIA, 5s. and 7s. 6d.

PHYLLANTHUS ATROPURPUREUM, 3s. 6d.

ELEGANS, 5s.

MUCRONATUM, 3s. 6d.

PHYLLANTHUS NIVOSUM, 3s. 6d.

ROSEO-PICTUM, 3s. 6d.

SUBMARGINATUM, 3s. 6d.

PHYLLANTHUS COMORENSE, 7s. 6d.

PHYLOTENIUM LINDENI, 3s. 6d. and 5s.

PILEA MUSCOSA, 1s. 6d. and 2s. 6d.

PIPER ARGENTEUM, 10s. 6d.

ORNATUM, 2s. 6d. and 3s. 6d.

RUBRO-VENOSUM, 3s. 6d.

PIPERS, of sorts, 2s. 6d. and 3s. 6d.

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10s. 6d.

PITCAIRNIA OORALLINA, 5s. and 7s. 6d.

PLATYPHYLLA, 7s. 6d.

TABULIFORMIS, 3s. 6d. and 5s.

PLUMBAGO COCCINEA SUPERBA, 2s. 6d. & 3s. 6d.

ROSEA, 2s. 6d. and 3s. 6d.

see also page 45.

POGOSTEMON PATCHOULI, 2s. 6d. and 3s. 6d.

POINCIANA REGIA, 7s. 6d.

POINSETTIA PULCHERRIMA, 1s. 6d. and 2s. 6d.

PULCHERRIMA ALBA, 2s. 6d. and 3s. 6d.

— PLENISSIMA, 2s. 6d. and 3s. 6d.

— ROSEO-CARMINATA, 2s. 6d.

PORTLANDIA GRANDIFLORA, 7s. 6d.

POTHOS ARGYREUS, 2s. 6d. and 3s. 6d.

POTHOS ARGENTEUS.


An attractive variegated Araceous plant of climbing habit, imported from Borneo. The leaves are ovate-acuminate, unequal-sided and of firm texture, nearly the whole of the upper surface being of a shining silvery grey colour, the effect being greatly enhanced by an irregular band of deep green, the leaves being also margined in an irregular manner with the same colour. 10s. 6d.

POTHOS AUREUS, 3s. 6d. and 5s.

CELATOCALYX, 2s. 6d., 3s. 6d. and 5s.

POTHOS FLEXUOSUS, *vide* page 31.

MACROPHYLLUS, 3s. 6d.

**POTHOS FLEXUOSUS.**

An interesting Araceous plant, which has been introduced from India. It has flattened rooting stems, the leaves being alternately directed to the right and to the left, the larger ones six inches long; the lamina oblong, with an acuminate deflexed apex, pale green, with a few alternate elongated ribs. From the peculiar character of the leaves, which lie flat upon the surface it climbs over, it is well adapted for covering walls, or for other ornamental purposes. 10s. 6d.

POTHOS NITENS.

A distinct looking stove plant, with leaves of a dark shining bronzy-purple green and climbing terete stems which hold fast to any surface with which they come in contact by means of their adventitious roots. This will prove an effective and attractive species for covering the walls and trellises in our stoves. It has been imported from the Eastern Archipelago. 7s. 6d.

PSIDIUM CATTLEYANUM (The Guava), 3s. 6d. and 5s.

PUYA MAIDIFOLIA, 5s.

SULPHUREA, 7s. 6d.

UNDULATA, 7s. 6d.

RAVENALA MADAGASCARIENSIS. "The Traveller's Tree," 7s. 6d. and 10s. 6d.

REIDIA GLAUCESCENS, 2s. 6d. and 3s. 6d.

RHOPALA, of sorts, 5s., 7s. 6d. and 10s. 6d.

ROGIERA CORDATA (AMENA), 3s. 6d.

GRATISSIMA, *vide* page 45.

THYRSIFLORA, 5s.

RONDELETIA BREVIFOLIA, 3s. 6d.

SPECIOSA MAJOR, 3s. 6d.

RONNBERGIA COLOMBIENSIS, 1 guinea.

RUBUS FLEXUOSUS, 5s.

RUDGEA MACROPHYLLA, 10s. 6d. and 15s.

RUELLIA ACUTANGULA, 5s.

PORTELLE, 3s. 6d.

ROSEA, 3s. 6d.

SACCHARUM OFFICINARUM "Sugar Cane," 5s.

SANCHEZIA NOBILIS GLAUCOPHYLLA, 5s.

NOBILIS VARIEGATA, 3s. 6d.

SANSEVIERA ZEYLANICA, 3s. 6d.

SARRACENIAS, *vide* page 45.

SCHISMATOGLOTTIS CRISPATA, 5s.

DECORA, 5s.

LATIFOLIA, 5s.

LAVALLEY, 5s.

LONGISPATHA, 5s.

SIAMENSIS, 10s. 6d.

VARIEGATA, 3s. 6d.

SCHISTOCASIA PORTEI, *vide* *Alocasia Portei*

SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. 3s. 6d. & 5s.

SCINDAPSUS ARYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 10s. 6d.

SCINDAPSUS, *vide* *POTHOS*

SCUTELLARIA MOCINIANA, 2s. 6d. and 3s. 6d.

SINNINGIA PURPUREA NIGRA, 3s. 6d.

SMILAX DISCOLOR, 7s. 6d.

LONGIFOLIA VARIEGATA, 5s.

SHUTTLEWORTHII, 7s. 6d.

SOLANDRA GRANDIFLORA, 3s. 6d.

NEW SONERILAS.

SONERILA ORIENTALIS.

SONERILA ORIENTALIS GUTTULATA.

SONERILA ORIENTALIS PICTA.

SONERILA ORIENTALIS PUNCTATA.

These new and handsome flowering ornamental foliaged stove plants form a very distinct and desirable addition to the Melastomaceæ. The flowers, which are of a bright rose or purple colour, are produced in the utmost profusion from the top of every growth, the mass of bloom thus thrown just above the foliage having a most pleasing effect, considerably enhanced by the prominent horn-like, bright golden anthers. As will be seen by the illustration, the foliage is also very ornamental, one variety having a very striking blotch or bar of creamy white in the centre of the leaf, another has crimson maroon leaves, covered with scarlet hairs, while the foliage of the other two kinds is decorated with a multitude of white dots or spots on light and dark green grounds respectively. *Vide* woodcut, page 33. 5s. each, or the set of four varieties for 15s. A coloured illustration of these four varieties can be supplied, price 1s.

SPATHIPHYLLUM PICTUM, 5s.

SPATHODEA CAMPANULATA, 7s. 6d.

SPHÆROGYNE LATIFOLIA, 3s. 6d.

SPHÆROSTEMA MARMORATUM, 3s. 6d. and 5s.

STADMANNIA AMABILIS, 10s. 6d.

STENOSPERMATIUM WALLISII, 5s.

STEPHANOTIS FLORIBUNDA, 3s. 6d.

FLORIBUNDA, "Elevastor" variety,
3s. 6d. & 5s.


STERCULIA DISCOLOR.

An ornamental stove plant, introduced from East and North Australia, having pale green irregularly lobed leaves, the divisions—generally three or five—never extending more than halfway to the centre of the leaf. The flowers, which are borne in spicate panicles, are rose-red in colour, and somewhat campanulate or funnel-shaped. It has been figured in the *Botanical Magazine*, Tab. 6608. 7s. 6d.



NEW SONERILAS.

For description and price, *vide* page 32.

**THUNBERGIA AFFINIS.**

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. When cultivated in pots it assumes a dwarf compact habit, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. 7s. 6d. & 10s. 6d.

STEUDNERA COLOCASLEFOLIA, 5s.

DISCOLOR, 10s. 6d.

STIGMAPHYLLUM CILIATUM, 2s. 6d. and 3s. 6d.**STRELITZIA AUGUSTA**, 15s.

REGINÆ, 3s. 6d., 5s. and 7s. 6d.

STREPTOCARPUS KEWENSIS,

POLYANTHUS, 2s. 6d.

REXII, 2s. 6d. and 3s. 6d.

—, HYBRIDS.—Many pretty varieties of various shades of colour. 3s. 6d. each, 36s. per dozen.

STREPTOCARPUS REXII PURPUREUS.

A very pretty and distinct hybrid, producing a profusion of bluish purple flowers, the lower lobes being ornamented with a rich plum-coloured blotch or marking. During the summer these useful decorative plants will succeed well in a greenhouse, but in the winter require the temperature of a stove. 5s.

STREPTOCARPUS WATSONII,**SYNGONIUM ALBO-LINEATUM**, 3s. 6d.

WENDLANDII, 3s. 6d.

TABERNÆMONTANA CAMASSA, 3s. 6d.

CORONARIA FLORE PLENO, 3s. 6d.

TACSONIA BUCHANANI (VITIFOLIA), 3s. 6d. & 5s.**TAPEINOTIS CAROLINÆ MAJOR**, 5s.**TERMINALIA ELEGANS**, 5s. & 7s. 6d.**TETRANEMA MEXICANA**, 1s. 6d.**TECOMA AMBOINENSIS.**

This handsome free-flowering stove climber has been introduced from the Island of Amboina. Its leaves are impari-pinnate with the leaflets generally in pairs, acuminate. The flowers are produced in racemes, the orange-red corolla tube being from three to four inches long. 15s.

THEOBROMA CACAO (Cocoa), 10s. 6d.**THOPHRASTA IMPERIALIS**, *vide* Chrysophyllum imperiale**THUNBERGIA AFFINIS**, *vide* page 34.

FRAGRANS, 2s. 6d.

GRANDIFLORA, 3s. 6d.

THUNBERGIA HARRISII (LAURIFOLIA), 2s. 6d.**THYRSACANTHUS EUTILANS**, 2s. 6d. and 3s. 6d.**TILLANDSIA ACAULIS ZEBRINA**, *vide* CryptanthusBIVITTATA, *vide* Cryptanthus

HIEROGLYPHICA, 5s. and 7s. 6d.

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10s. 6d., 15s. & 1 guinea.

TILLANDSIA (CARAGIATA) MUSAICA, 15s. & 1 guinea**TOXICOPHLEA (ACOCANTHERA) SPECTABILIS**, 3s. 6d.

THUNBERGII, 5s.

TRADESCANTIA, *vide* Cyanotis**TYDÆA**, *vide* Index**URCEOLINA AUREA**, 2s. 6d. and 3s. 6d.**UROSKINNERA SPECTABILIS**, 2s. 6d. and 3s. 6d.**UTRICULARIA MONTANA**, 7s. 6d. and 10s. 6d.**VANILLA AROMATICA**, 5s. and 7s. 6d.

PLANIFOLIA, 7s. 6d. and 10s. 6d.

VINCA ALBA, 2s. 6d. and 3s. 6d.**VINCA ALBA OCULATA**, 2s. 6d. and 3s. 6d.

ROSEA, 2s. 6d. and 3s. 6d.

VITIS CHONTALENSIS, 5s.**VRIESIA BRACHYSTACIYA**, 5s.

FALKENBERGII, 1 guinea

FENESTRALIS, 5s.

SPLENDENS (SPECIOSA), 3s. 6d. and 5s.

XYLOPHYLLA ANGUSTIFOLIA, 5s.

INTERMEDIA, 5s.

ZINGIBER D'ARCEYI, 5s.

OFFICINALE, 2s. 6d.

ZERUMBET, 3s. 6d.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.**ALLAMANDAS**, of sorts**ANTIGONONS**, of sorts**ARISTOLOCHIA ELEGANS**

— RIDICULA

— of sorts

BIGNONIA CHAMBERLAYNII

— REGALIS

— of sorts

BOUGAINVILLEA GLABRA

— REFULGENS

— of sorts

CAMPSIDIUM FILICIFOLIUM**CISSUS DISCOLOR****CLERODENDRON BALFOUR-**

IANUM

— of sorts

COMBRETTUMS, of sorts**DIOSCOREA ILLUSTRATA**

— SPECIOSA

— of sorts

DIPLADENIA AMABILIS

— BOLIVIENSIS

— BREAKLEYANA

— PROFUSA

— of sorts

ECHITES, of sorts**FICUS BARBATA**

— RADICANS

— of sorts

GLORIOSA PLANTII

— SUPERBA

— GRANDIFLORA

HIBISCUS, of sorts**HOYA CARNOSA**

— GLOBULOSA

— of sorts

IPOMÆA HORSFALLII

— TENNATA

— of sorts

JASMINUM GRACILLIMUM**JASMINUM**, of sorts**MARCGRAVIA DUBIA**

— INDICA

— PARADOXA

PASSIFLORA KERMESINA

— MACROCARPA

— PRINCEPS

— QUADRANGULARIS VARIEGATA

— of sorts

POTHOS FLEXUOSUS

— of sorts

SMILAX DISCOLOR

— of sorts

SPATHODEA CAMPANULATA**STEPHANOTIS FLORIBUNDA****THUNBERGIAS**, of sorts**TECOMA AMBOINENSIS****TACSONIA BUCHANANI****VANILLA AROMATICA**

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABELIA FLORIBUNDA, 2s. 6d.

ABUTILONS, *vide* page 50.

ACACIA ARMATA, 1s. 6d.

DEALBATA, 2s. 6d. and 3s. 6d.

DRUMMONDII, 2s. 6d. and 3s. 6d.

GRANDIS, 3s. 6d.

LONGIFOLIA MAGNIFICA, 3s. 6d.

LOPHANTHA, *vide* **ALBIZZIA**

ORNITHOPHORA, 3s. 6d.

ACACIA PLATYPTERA, 3s. 6d.

PUBESCENS, 3s. 6d. and 5s.

RICEANA, 2s. 6d. and 3s. 6d.

SPLEUROCEPHALA, *vide* page 5.

TENUIFOLIA, 5s.

VERTICILLATA, 2s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 5s.

ACROPHYLLUM VENOSUM, 5s. and 7s. 6d.

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceans order. The stems are clothed with opposite ovate leaves on dark purple petioles. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5s.

ADENANDRA FRAGRANS, 2s. 6d. and 3s. 6d.

AGAPANTHUS UMBELLATUM, 1s. 6d.

AGAPANTHUS UMBELLATUM ALBUM, *vide* **A. umbellatum candidum**

AGAPANTHUS UMBELLATUM CANDIDUM.

A variety with pure white flowers, extremely useful for bouquets, and very suitable for most decorative purposes; it makes an excellent companion to the blue kinds. 3s. 6d.

AGAPANTHUS UMBELLATUM MAXIMUM, 3s. 6d.

UMBELLATUM MINOR, 3s. 6d.

AGAPANTHUS UMBELLATUM FOLIIS VARIEGATIS, 2s. 6d. and 3s. 6d.

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10s. 6d.

AGAVE AMERICANA LONGIFOLIA VARIEGATA, 5s.

AMERICANA MEDIO-PICTA, 10s. 6d.

— **VARIEGATA**, 2s. 6d. and 3s. 6d.

BULBOSA, *vide* **Fouquieria**

CELSIANA, 3s. 6d. and 5s.

FILIFERA, 15s. and 1 guinea

SHAWII, 3s. 6d. and 5s.

AGNOSTUS, *vide* **Stenocarpus**

ALBERTA MAGNA, *vide* page 3.

ALBIZZIA (**ACACIA**) **LOPHANTHA**, 1s. 6d.

ALOE FERON, 3s. 6d. and 5s.

ALOYSIA CITRIODORA (**LEMON-SCENTED VERBENA**), 1s.

ALSTROMERIA ERREMBAUTII, 1s. 6d.

HEMANTHA, 2s. 6d.

LUTEA, 1s.

(**BOMAREA**) **OCULATA**, 1s.

PULCHELLA, 1s.

TRICOLOR (**PULCHRA**), 1s.

ALSTROMERIAS, see also page 51.

AMARYLLIS, *vide* pages 5 and 7.

AMORPHOPHALLUS (**PROTEINOPHALLUS**)

RIVIERI, 1s. 6d. and 2s. 6d.

ANOPTERUS GLANDULOSA, 5s. and 7s. 6d.

ANTHERICUM VARIEGATUM, *vide* **Phalangium argenteo-lineare**

AOTUS ORAOLLIMA, 2s. 6d. and 3s. 6d.

APHELEXIS HUMILIS, 2s. 6d. and 3s. 6d.

MACRANTHA PURPUREA, 2s. 6d. and 3s. 6d.

— **ROSEA**, 2s. 6d. and 3s. 6d.

RUPESTRIS GRANDIFLORA, 2s. 6d. and 3s. 6d.

ARALIA JAPONICA (**SIEBOLDII**), *vide* **Fatsia japonica PAPYRIFERA**, 3s. 6d.

ARAUCARIA BIDWILLII, 5s. and 7s. 6d.

BRASILIENSE, 2s. 6d. and 3s. 6d.

COOKII,

CUNNINGHAMII,

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3s. 6d., 5s. and 7s. 6d. Specimens 1, 1½ and 2 guineas and upwards.

ARAUCARIA EXCELSA ALBO-SPICA, 5s. and 7s. 6d.

GOLDIEANA

ARDUINA GRANDIFLORA, 7s. 6d.

ARUNDO DONAX VARIEGATA, 3s. 6d. and 5s.

ASPARAGUS DECUMBENS, 3s. 6d. and 5s.

FALCATUS, 7s. 6d.

ASPARAGUS PLUMOSUS.

An elegant evergreen climber, from South Africa, with slender smooth stems, and numerous spreading branches; the hermaphrodite white flowers are produced from the tip of the branchlets. It is an exceedingly handsome ornamental plant for the greenhouse or conservatory, and its pretty feathery growths are extremely useful for cutting for decoration. 3s. 6d. and 5s.

ASPARAGUS PLUMOSUS NANUS.

An exceedingly graceful evergreen plant, very useful for all kinds of decorations, and from its exquisite beauty, particularly well adapted for furnishing cent sprays for intermixing with flowers; it is also charmingly elegant when grown in pots as a table plant. 2s. 6d., 3s. 6d. and 5s.

ASPARAGUS SOANDENS, 3s. 6d. and 5s.

| **ASPARAGUS TENUISSIMUS**, 2s. 6d. and 3s. 6d.

ASPARAGUS VIRGATUS.

This remarkably elegant feathery-looking plant of fruticose habit has been recently introduced from the Cape of Good Hope. The stems bear at the upper end a corymbose head of erect branches, of which the lowest is the youngest or most recently developed. 3s. 6d. and 5s.

AZALEA BALSAMINÆFLORA.

Syn.—*A. ROSEFLORA*, *A. ROLLISSONI*.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2s. 6d., 3s. 6d. and 5s.

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen.

New varieties, 5s., 7s. 6d. and 10s. 6d. each.

NEW HYBRID AZALEAS.

The following Hybrid Azaleas have been raised between *A. amana* and some of the Indian varieties. Combined with the well-known prolificness and early blooming habit of *A. amana*, they have fine well-shaped attractive flowers, which, borne in such profusion, are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, a well-formed bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. This charming variety has been awarded a First-class Certificate by the Royal Horticultural Society. 5s.

MAGNET, this variety produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, the upper petals speckled at the base with bright rose. 5s.

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5s.

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5s.

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5s.

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5s.

The collection of six varieties. 21s.

BAMBUSA FALCATA (*syn.* *ARUNDINARIA FALCATA*, *THAMNOCALAMUS FALCONERI*). 3s. 6d. & 5s.
vide page 51.

BARKLAYA SYRINOÆFLORA, 7s. 6d.

BEGONIA, *vide* Index

BERBERIDOPSIS CORALLINA, 3s. 6d.

BIGNONIA (TECOMA) CAPENSIS, 2s. 6d.

CAPREOLATA, 2s. 6d.

CHERERE, 3s. 6d. and 5s.

EXCELSA, 7s. 6d. and 10s. 6d.

GRANDIFLORA, 2s. 6d. and 3s. 6d.

JASMINOIDES, 2s. 6d.

BIGNONIA JASMINOIDES ALBA MAGNA, 2s. 6d., 3s. 6d. and 5s.

JASMINOIDES SPLENDIDA, 2s. 6d. to 5s.

SPECIOSA, 3s. 6d.

TWEEDIANA, 3s. 6d.

VENUSTA, 3s. 6d. and 5s.

vide also pages 10, 11 and 51.

BILLARDIERA LONGIFLORA, 2s. 6d.

BLANDFORDIA AUREA, 10s. 6d.

FLAMMEA, 10s. 6d.

NOBILIS, 5s. and 7s. 6d.

PRINCEPS, *vide* page 38.

BLANDFORDIA CUNNINGHAMII.

The late Dr. Lindley, in describing the previously known species of this genus, thus refers to *Blandfordia Cunninghamii*:—"None of them are to be compared for beauty with the plant of which the late Allan Cunningham gave me a specimen, the flowers of which are fully twice as large as *B. marginata* (*grandiflora*). The flowers are of a deep rich red tint, except at the end of the petals, where they are yellow. 5s., 7s. 6d. and 10s. 6d.

BOMAREA CARDEBI, 10s. 6d. and 15s.

BORONIA DRUMMONDII, 2s. 6d. and 3s. 6d.

ELATIOR, 2s. 6d.

HETEROPHYLLA, 5s.

BORONIA MEOASTIGMA, 2s. 6d. and 3s. 6d.

BOUVARDIAS, *vide* Index

BOWIEA VOLUBILIS, 3s. 6d.

BREDIA HIRSUTA.

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect paniced cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7s. 6d.

**BLANDFORDIA PRINCEPS.**

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are $2\frac{1}{2}$ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

BRUGMANSIA ARBOREA, 3s. 6d.
 KNIGHTII (floure pleno), 3s. 6d.
 SANGUINEA, 3s. 6d. and 5s.
 SUAVEOLENS, 3s. 6d.

CALLA ETHIOPICA, *vide* Richardia africana
CALLICARPA PURPUREA 3s. 6d.
CALODENDRON CAPENSE (The Cape Chestnut),
 5s.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL, at 30s. and 42s. per dozen.

New varieties, 5s., 7s. 6d. and 10s. 6d. each.

CAMPANULA VIDALII, 2s. 6d.
CAMPHORA OFFICINALIS, 5s.
CANARINA CAMPANULATA, 1s. 6d.
CANTUA CORYMBIFLORA, 3s. 6d.

CANTUA DEPENDENS, 3s. 6d.
CARNATIONS, Tree, of sorts, 30s. and 42s. per dozen.
CARPENTARIA CALIFORNICA, *vide* page 51.

CAVENDISHIA SPECTABILIS.

A subscandent, handsome greenhouse shrubby-growing plant, with acuminate bright green leaves, rounded at the base, the young growths being of a bright reddish bronze colour, giving it, even when out of flower, an attractive appearance. Its blossoms are produced both from the axils of the leaves and terminals, in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are tubular, slightly ventricose below, opening at the top in a shortly distended five-toothed limb; white shaded with pink, the colour deepening towards the base, while the whole head of flower has the appearance of being varnished. 10s. 6d.

CEPHALOTUS FOLLICULARIS,
CEREUS SPECIOSISSIMUS, 2s. 6d. and 3s. 6d.
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2s. 6d.
 and 3s. 6d.
see Habrothamnus, page 41.
CHLIDANTHUS FRAGRANS, 1s.
CHOROZEMA CORDATUM SPLENDENS, 2s. 6d. & 3s. 6d.
 HENCKELIANI, 3s. 6d. and 5s.
 LAWRENCEANUM, 2s. 6d. and 3s. 6d.
 LOWII, 5s.
 VARIUM CHANDLERI, 2s. 6d. and 3s. 6d.
CHRYSANTHEMUM FRUTESCENS, *vide* Index
CISSUS (VITIS) ANTARCTICA, 2s. 6d. and 3s. 6d.
 (—) CAPENSIS, 3s. 6d.
 RHOMBEA, 3s. 6d.

CITRUS JAPONICA, 5s.
CLEMATIS INDIVISA, 3s. 6d. and 5s.
 of sorts, *vide* page 51.
CLEYERA JAPONICA TRICOLOR, 10s. 6d.
CLIANTHUS PUNICEUS MAGNIFICUS, 3s. 6d.
CLIVIA NOBILIS, 5s.
COBÆA SCANDENS VARIEGATA, 2s. 6d. and 3s. 6d.
COLEUS, *vide* Index
COPROSMA BAUERIANA VARIEGATA, 1s. 6d. & 2s. 6d.
CORREAS, of sorts, 2s. 6d. and 3s. 6d.
CRINUM, MOOREI, 7s. 6d.
 POWELLII, 7s. 6d.
vide also pages 13 and 52.
CROWEA STRICTA, 3s. 6d. and 5s.
CYCADS, *vide* Index

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7s. 6d., 10s. 6d. and 15s.; fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.


Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty 30s. and 42s. per dozen.

CYCLAMEN PERSICUM ALBUM, 2s. 6d. and 3s. 6d.
 PERSICUM RUBRUM, 2s. 6d. and 3s. 6d.
 — GRANDIFLORUM, 3s. 6d. and 5s.
 — of various choice sorts, 3s. 6d. & 5s.
CYPRIPEDIUM, *vide* page 52.
CYRTANTHUS ANGUSTIFOLIUM, red, 5s.
 MACKENII, white, 2s. 6d.
 MACOWANII, scarlet, 5s.

CYRTANTHUS OBLIQUUM, 5s.
 SANGUINEUM, 5s.
CYTISUS FILIPES, 3s. 6d. and 5s.
 RACEMOSUS, 1s. and 1s. 6d.
 — EVERESTIANUS, 3s. 6d.
DAHLIA IMPERIALIS, 3s. 6d.
 IMPERIALIS ROSEA, 3s. 6d.
 of sorts, *vide* Bedding Plants

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5s.



EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as 2 foot long. It has received a First Class Certificate from the Royal Botanic Society. 5s. and 7s. 6d.

DAPHNE INDICA RUBRA, 2s. 6d. and 3s. 6d.
DASYLIRION LONGIFOLIUM, 5s.

DESFONTAINEA SPINOSA, 2s. 6d. and 3s. 6d.
DEUTZIA, *vide* page 52.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3s. 6d. and 5s.

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle Islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5s.

DIONÆA MUSCIPULA, 2s. 6d. and 3s. 6d.

DORYANTHES PALMERI, 3s. 6d. and 5s.

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to *Libertia*, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10s. 6d.

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3s. 6d. to 10s. 6d.; fine plants, 15s., 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10s. 6d., 15s. and 1 guinea.

DRACÆNA AUSTRALIS VEITCHII, 3s. 6d., 5s. and 7s. 6d.

ARBOREA, 2s. 6d.

DRACOPHYLLUM GRACILE, 3s. 6d. and 5s.

DROSERA CAPENSIS, 7s. 6d.

DICHOTOMA, 5s.

ECHEVERIA, of sorts, *vide* Index

ELÆOCARPUS RETICULATUS (DENTATUS), 5s. and 7s. 6d.

ENCEPHALARTOS, of sorts, *vide* Index.

EPACRIS ONOSMEFLORA FLORE-PLENO NIVALIS, *vide* page 40.

EPACRIS, of sorts, 18s., 30s. and 42s. per dozen.

EPIPHYLLUM, *vide* page 23.

ERICAS, of sorts, 18s., 30s. and 42s. per doz.

ERIOSTEMON BUXIFOLIUS, 3s. 6d. and 5s.

INTERMEDIUS, 3s. 6d. and 5s.

NERIFOLIUS, 3s. 6d.

PULCHELLUS, 3s. 6d. and 5s.

SCABER, 3s. 6d. and 5s.

ERYNGIUM EBRACTEATUM, 10s. 6d.

ERIOBOTRYA JAPONICA (LOQUAT), 5s.

ERYTHRINA, of sorts, 2s. 6d. and 3s. 6d.

COMPACTA, 5s.

EMBOTHRIUM COCCINEUM.

One of the rarest and most beautiful of hardy greenhouse shrubs, a native of the Andes of South America. It produces in the most abundant manner long pendent fiery orange-scarlet flowers, in size and shape somewhat resembling the Honeysuckle. It belongs to the family *Proteaceæ*, and is known as the "Fire Bush." 10s. 6d.

EUCALYPTUS CITRIODORA, 3s. 6d.

LOBULUS (Blue Gum), 3s. 6d.

ROBUSTA, 3s. 6d.

EUGENIA UONI, 1s. 6d. and 2s. 6d.

vide also page 23.

EUPATORIUM BERLANDIERI (GRACILE ODORATUM), 1s. 6d.

RIPARIUM, 2s. 6d. and 3s. 6d.

EURYA LATIFOLIA VARIEGATA, 2s. 6d. and 3s. 6d.

EURYCLES, *vide* page 23.

EUTAXIA FLORIBUNDA, 3s. 6d.

FATSIA (ARALIA) JAPONICA, 2s. 6d. and 3s. 6d.
(ARALIA) JAPONICA VARIEGATA, 3s. 6d. & 5s.

FERNS, *vide* Index

FICUS AUSTRALIS, 3s. 6d.

ELASTICA, *vide* page 23.

— **VARIEGATA**, *vide* page 23.

MACROPHYLLA, 5s.

MINIMA, 1s. 6d. and 2s. 6d.

RHODODENDRIFOLIA, 3s. 6d.

STIPULATA (REPENS), 1s. 6d. and 2s. 6d.

FOURCROYA (AOAVE) BEDDINGHOUSEI, 5s.

BULBOSA, 5s.

FREESIA HYBRIDA

LEICHTLINII

REFRACTA ALBA

} These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.

FUCHSIAS, *vide* Index

GASTRONEMA CLAVATUM, white, 3s. 6d.

GENETYLIS (HEDAROMA) FUCHSI-OIDES, 5s. and 7s. 6d.

TULIPIFERA, 5s. and 7s. 6d.

GONOLOBUS CUNDURANOO, 10s. 6d.

GREVILLEA HILLII, 3s. 6d.

PREISSII, 7s. 6d.

ROBUSTA, 2s. 6d. and 3s. 6d.

GREYIA SUTHERLANDI, 3s. 6d. and 5s.

HABROTHAMNUS AUBLETHI, 2s. 6d. and 3s. 6d.

(CESTRUM) AURANTIACUS, 2s. 6d. and 3s. 6d.

ELEOANS, 2s. 6d. and 3s. 6d.

NEWELLII, 2s. 6d. and 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

HEMANTHUS ALBIFLOS, 2s. 6d. and 3s. 6d.

PUNICEUS, 2s. 6d. and 3s. 6d.

TIGRINUS, 2s. 6d.


vide also page 25.

HARDENBERGIA MONOPHYLLA, 2s. 6d.

MONOPHYLLA VARIEGATA, 3s. 6d.

HEDAROMA, *vide Genetyllis*.

HEDYCHUM GARDNERIANUM, 2s. 6d. & 3s. 6d.



HYDRANGEA STELLATA FIMBRIATA.

The flowers of this handsome new *Hydrangea* are borne in immense trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance, the flowers having a crimson spot in the centre. 5s.

HYDRANGEA HORTENSIS FOL. MARGINATA, 3s. 6d.

HORTENSIS CYANOCLADA, 1s. 6d. and 2s. 6d.

— **THOMAS HOGG**, 1s. 6d. and 2s. 6d.

JAPONICA 1s. 6d.

— **ELEGANTISSIMA**, 1s. 6d.

— **FOLIIS TRICOLORIBUS**, 3s. 6d. and 5s.

HYDRANGEA JAPONICA SPECIOSA, 3s. 6d. & 5s.

MADAME VON SIEBOLD, 3s. 6d. and 5s.

OTAKSA, 1s. 6d. and 2s. 6d.

ROSEA, 3s. 6d.

STELLATA PROLIFERA, 1s.

VOLUBILIS (SCANDENS), *vide page 52.*

HIBISCUS CHRYSANTHUS.

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish sub-trilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5s.

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose-coloured, with an involucre of about eight linear segments. It has been imported from Natal. 5s.

IMANTOPHYLLUM BLANDFORDIÆ FLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 21s.

HYDRANGEAS, *vide* page 42.

IMANTOPHYLLUM CYRTANTHIFLORUM,
5s. & 7s. 6d.

IMANTOPHYLLUM CYRTANTHIFLORUM
CHLORACEUM, 10s. 6d.
CYRTANTHIFLORUM FULGENS, 15s.

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3s. 6d., 5s., 7s. 6d. and 10s. 6d.; fine plants, 1 and 1½ guinea.

IMANTOPHYLLUM MINIATUM ORANDI-
FLORUM, 1 and 1½ guinea

MINIATUM HYBRIDUM, 15s.

— IMPERIALE, 3 guineas

— INSIGNE, 2 guineas

— MADAME VAN HOUTTE, 1½ guinea

— PRINCEPS, 2 guineas

— SPECIOSUM, 1½ guinea

— SUPERBUM, 10s. 6d., 15s. and 1 guinea

INDIGOFERA DECORA, 5s.

IRIS ROBINSONIANA, 1s. 6d.

ISMENE CALATHINA, 1s. 6d.

JASMINUM ANGULARE, 5s.

GRANDIFLORUM, 3s. 6d.

ODORATISSIMUM, 2s. 6d. and 3s. 6d.

POITEAU, 3s. 6d.

JUNCUS ZEBRINUS, *vide* Scirpus, page 57.

KENNEDYA MAREYATTE, 2s. 6d.

of sorts, 3s. 6d. and 5s.

LACHENALIA, of sorts, 1s. to 2s. 6d.

LAGERSTROMIA INDICA, 3s. 6d.

of sorts, 3s. 6d. and 5s.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat-growing plant of free habit. 10s. 6d., 15s. and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5s., 7s. 6d. and 10s. 6d.; fine specimens, 1, 2 and 3 guineas and upwards.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10s. 6d., 15s. and 1 guinea; fine specimens, 2, 3 and 5 guineas and upwards.

LASIANDBA MACRANTHA, 3s. 6d.

MACRANTHA FLORIBUNDA, 5s.

LAURUS CAMPHORA, 5s.

LEUCOPOGON CUNNINGHAMII, 3s. 6d.

LEPTOSPERMUM SCOPARIUM (New Zealand Tea
Plant), 3s. 6d.

LESCHENAUTIA BILOBA SPLENDENS (MAJOR),
3s. 6d. and 5s.

FORMOSA, 2s. 6d. and 3s. 6d.

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5s.

LIBONIA FLORIBUNDA, 1s. 6d. and 2s. 6d.

PENRHOSIENSIS, 1s. 6d. and 2s. 6d.

LILIUM, of sorts, *vide* pages 53 to 55.

LINUM TRIGYNUM, *vide* REINWARDTIA

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa*; it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3s. 6d.

LOMATIA FERRUGINEA, 5s. and 7s. 6d.

LUCULIA GRACILISSIMA, 5s. and 7s. 6d.

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3s. 6d. & 5s.

MACADAMIA TERNIFOLIA, 5s. and 7s. 6d.

MACROPIPER EXCELSUM, 5s.

MACROZAMIA, *vide* Index

MAGNOLIA CAMPBELLII, *vide* page 55.

FUSCATA, 3s. 6d. and 5s.

MANDEVILLA SUAVEOLENS, 2s. 6d. and 3s. 6d.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7s. 6d. and 10s. 6d.

MARSILEA MACROFOLIA, "NARDOO," 10s. 6d.

METROSIDEROS FLORIBUNDA, 2s. 6d.

ROBUSTA, 3s. 6d. and 5s.

MITRARIA COCCINEA, 2s. 6d. and 3s. 6d.

MONOCHÆTUM SERICEUM MULTIFLORUM, 2s. 6d. and 3s. 6d.

MUSA CAVENDISHII, *vide* page 26.

SUPERBA, *vide* page 26.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5s., 7s. 6d. and 10s. 6d.

MYRSIPHYLLUM ASPARAGOIDES, 2s. 6d. & 3s. 6d.

MYRTUS, of sorts, 1s. 6d. and 2s. 6d.

NERINE ATROSANGUINEA, 10s. 6d.

CORUSCA, 1s. 6d.

— **MAJOR**, 3s. 6d.

ELEGANS, 7s. 6d.

— **CÆRULEA**, 7s. 6d.

— **CARMINATA**, 7s. 6d.

FOTHERGILLII, 3s. 6d.

— **MAJOR**, 7s. 6d.

HUMILIS, 2s. 6d.

— **CÆRULEA**, 7s. 6d.

— **ELEGANS**, 7s. 6d.

PLANTII, 3s. 6d.

PULCHELLA, 3s. 6d.

ROSEA, 2s. 6d.

SARNIENSIS (THE GUERNSEY LILY), 9s. & 12s. per dozen.

VENUSTA, 3s. 6d.

NERIUM MADONI GRANDIFLORUM, 2s. 6d.

ALBUM PLENUM (Double White), 2s. 6d.

LILLIAN HENDERSON, 3s. 6d.

RUBRUM PLENUM (Double Red), 2s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

OLEA FRAGRANS, 3s. 6d. and 5s.

OPHIPOGON JABURAN AUREO-VARIEGATUS, 2s. 6d. and 3s. 6d.

EPICATUS ARGENTEO-MARINATUS, 2s. 6d. and 3s. 6d.

ORCHIDS, of sorts, *vide* Index

PALMS, of sorts, *vide* Index

PARDANTHUS CHINENSIS, 1s. each; 9s. per doz.

PASSIFLORA CÆRULEA, *vide* page 55.

CÆRULEA, Eynsford Gem, 2s. 6d.

— **GRANDIFLORA**, 3s. 6d.

— **RACEMOSA**, 2s. 6d.

CAMPBELLII, 3s. 6d.

CLOWESII, 3s. 6d.

COLVILLII, 2s. 6d.

EDULIS, 3s. 6d.

IMPERATRICE EUGENIE, 3s. 6d.

LAWSONI, 3s. 6d.

MUNROI, 3s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

see also page 30.

PELARGONIUM, *vide* Index

PHÆDRANASSA CHLORACEA, 1s. 6d. and 2s. 6d.

PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2s. 6d. and 3s. 6d.

LINEARE ELEGANS, 5s.

PHILESIA BUXIFOLIA, 7s. 6d. and 10s. 6d.

PHORMIUM ATROPURPUREUM, 5s. and 7s. 6d.

COLENSOI VARIEGATUM, 5s. and 7s. 6d.

TENAX, 3s. 6d., 5s. and 7s. 6d.

— **NIGRO-LIMBATUS**, 10s. 6d.

— **NIGRO-PICTUM**, 10s. 6d. and 15s.

— **VARIEGATUM**, 1 and 1½ guinea

— **VEITCHII VARIEGATUM**, 5s. and 7s. 6d.

PHYLLOCACTUS, of sorts, 3s. 6d. and 5s.

PHYLLOCACTUS PEACOCKII.

Handsome as are the flowers of the well-known common leaf flowering Cactus, they are far surpassed in size and gorgeous colouring by the magnificent blossoms of the variety now offered, the brilliancy and richness of which is beyond description. It will succeed in any greenhouse, and with but little care. 5s., 7s. 6d. and 10s. 6d.

PHYSIANTHUS ALBENS, 2s. 6d.

PIMELEA DECUSSATA, 2s. 6d. and 3s. 6d.

HENDERSONI, 3s. 6d. and 5s.

NIEPPERGIANA, 3s. 6d. and 5s.

PIMELEA SPECTABILIS, 3s. 6d. and 5s.

PINCINETITIA TUBERCULATA, 1 guinea

PISTACIA TEREBINTHUS, 7s. 6d.

PITTIOSPORUM RALPHSII, 5s.

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 5s.

PITTOSPORUM EUGENIODES VARIEGATUM, 7s. 6d.
and 10s. 6d.

PLEROMA ELEOANS, 3s. 6d.

SARMENTOSA, 2s. 6d. and 3s. 6d.

PLUMBAGO CAPENSIS, 2s. 6d. and 3s. 6d.

PLUMBAGO CAPENSIS ALBA, 2s. 6d. and 3s. 6d.

Also *vide* page 30.

POLYGALA OORDIFOLIA, 3s. 6d.

DALMAISIANA, 3s. 6d.

POLYGONUM, *vide* page 57.

POLYGONATUM OPPOSITIFOLIUM.

This species of Solomon's Seal is a fine herbaceous perennial from the Khasya Hills. Its white flowers are produced in axillary umbels; they are nodding, tubulose, and nearly an inch long; it is of graceful growth, a very desirable half-bardy plant, flowering in the winter months. 3s. 6d. & 5s.

PRIMULA FLORIBUNDA, 2s. 6d.

SINENSIS ALBA PLENA, 1s. 6d. and 2s. 6d.

— **FLORE-PLENO**, of sorts, 2s. 6d., 3s. 6d.
and 5s.

— **KING OF PURPLES**, 5s.

— **MAGNIFICA**, 5s.

— **MISS EVA FISH**, 7s. 6d.

— **PRINCESS OF WALES**, 5s.

PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus

PUNICA GRANATUM (POMEORANATE), 3s. 6d. and 5s.

GRANATUM ALBA PLENA, 3s. 6d. and 5s.

— **RUBRA PLENA**, 3s. 6d. and 5s.

— **LEGRELLII (Double Buff)**, 3s. 6d. & 5s.

REINECKIA OARNEA, 1s. 6d.

OARNEA VARIEGATA, 1s. 6d. and 2s. 6d.

REINWARDTIA TETRAGYNE (LINUM TRIOYNUM),
2s. 6d.

RHODEA JAPONICA, 3s. 6d. and 5s.

JAPONICA ARGENTEA, 15s.

RHODODENDRONS, *vide* pages 47 to 49.

RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum

RICHARDIA AFRICANA (Calla aethiopica) 1s.
and 1s. 6d.

AFRICANA, Little Gem, a new and pretty dwarf variety of this well-known plant, growing from nine inches to a foot high.
3s. 6d.

ALBO-MACULATA, 1s. and 1s. 6d.

ROGEIRA GRATISSIMA, 3s. 6d. and 5s.

RUBUS ROSEIFOLIUS CORONARIUS, 1s. 6d. & 2s. 6d.

RUSCUS ANDROGYNUS, 3s. 6d.

SALVIAS, *vide* Bedding Plants

SARRACENIA ATKINSONIANA.

A distinct hybrid raised between *S. flava maxima* and *S. purpurea*. The pitchers are green, with slight red ribs and reticulations. The lid is marked with red ribs and veins. 10s. 6d.

SARRACENIA ATROSANGUINEA, 1 guinea.

ORISPATA, 5s. and 7s. 6d.

SARRACENIA DRUMMONDII ALBA, 7s. 6d.

FLAVA, 5s.

SARRACENIA EXCULTA.

An erect-growing hybrid from *S. atropurpurea* crossed by *S. Drummondii*. The pitchers are erect, and have rather a narrow wing. The upper end, as well as the roundish incurved undulated lid, is strongly blotched with white and reticulated with crimson veins. 10s. 6d.

SARRACENIA ILLUSTRATA, 10s. 6d.

SARRACENIA MOOREANA, 7s. 6d.

SARRACENIA MITCHELLIANA.

An elegant hybrid between *S. Drummondii rubra* and *S. purpurea*. It is graceful in its aspect, the pitchers traversed by a profuse network of fine red veins, the whole changing later on to reddish-crimson. The lid is undulated, with a bold reticulation of deep crimson-red. 10s. 6d.

SARRACENIA PATERSONIANA.

This very handsome variety is a hybrid between *S. purpurea* and *S. Drummondii*. The pitchers are of a rich crimson colour, most beautifully veined, especially on the lid, which is large and spreading. 15s. and 21s.

SARRACENIA PSITTACINA, 10s. 6d.

PURPUREA, 3s. 6d. and 5s.

SARRACENIA STEVENSII, 5s.

VARIOLARIS, 3s. 6d.

SARRACENIA WILSONIANA.

A very distinct and striking plant, a hybrid between *S. purpurea* and *S. flava*. The pitchers are erect, with deep purple-crimson ribs, more or less united by cross-veins. The wing and lid are veined and closely reticulated with deep purple-crimson. 10s. 6d.

SCHIZOPHRAGMA HYDRANGEOIDES, *vide*
Hydrangea volubilis, page 52.

SENECIO MACROGLOSSUS (The Capo Ivy), 3s. 6d.
FULCHER, *vide* page 57.

SOLANUM JASMINOIDES, 2s. 6d.
SOLLYA LINEARIS, 3s. 6d. and 5s.
SPARMANNIA AFRICANA, 2s. 6d.
 AFRICANA FLORE-PLENO, 3s. 6d. and 5s.
SPIGELIA SPLENDENS, 2s. 6d. and 3s. 6d.
STATICE HOLFORDII, 3s. 6d. and 5s.
 MACROPHYLLA, 5s.

STATICE PROFUSA (RATTRAYANA), 3s. 6d. and 5s.
STENOCARPUS CUNNINGHAMII, 5s. to 10s. 6d.
STRELITZIA REGINÆ, vide page 35.
STREPTOSOLEN (BROWALLIA) JAMESONI, 1s. 6d.
TACSONIA BUCHANANI, vide page 35.
 ERIANTHA, 3s. 6d.
 EXONIENSIS, 3s. 6d.

TACSONIA JAMESONI.

A new species from Ecuador, producing beautiful flowers of a bright rich rose colour. 7s. 6d.
TACSONIA MANICATA, 3s. 6d.
 MOLLISSIMA, 3s. 6d.

TACSONIA PINNATISTIPULA, 3s. 6d.
 VAN VOLXEMI, 2s. 6d. and 3s. 6d.

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3s. 6d., 5s. and 7s. 6d.

TECOMA SMITHII.

A very handsome free flowering hybrid greenhouse climber, the result of a cross between *T. velutina* and *T. capensis*. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat; the exterior of the upper side of the corolla is of a bright satiny chestnut brown, the under side being yellow. It has been introduced from Australia, where it has been awarded Certificates of Merit by the Horticultural Societies of South Australia and Victoria. 10s. 6d.

TECOMA, vide Bignonia
THEA ASSAMICA, 3s. 6d.
THEAS of sorts, 3s. 6d. and 5s.
THIBAUDIA ACUMINATA, 3s. 6d.
THUNBERGIA, vide pages 34 and 35.
TRACHELOSPERMUM (RHYNCHOSPERMUM)
 JASMINOIDES, 3s. 6d. and 5s.
 (RHYNCHOSPERMUM) JASMINOIDES ALBO-
 VARIEGATUM, 3s. 6d. and 5s.
 (—) JASMINOIDES LUTEO-VARIEGATUM, 3s. 6d.
 and 5s.
TREMANDRA ERICÆFOLIA, 2s. 6d. and 3s. 6d.
 HIRSUTA, 2s. 6d. and 3s. 6d.

TREMANDRA VERTICILLATA, 2s. 6d. and 3s. 6d.
TROPEOLUM AZUREUM GRANDIFLORUM, 3s. 6d.
 and 5s.

BRACHY CERAS, 2s. 6d.
PENTAPHYLLUM, 2s. 6d.
TRICOLOR GRANDIFLORUM (JAE RATHII), 1s. and
 1s. 6d.
TUBEROSUM, vide page 59.
 of sorts, 1s. 6d., 2s. 6d. and 3s. 6d.

TUBEROSES BEST DOUBLE These can be sup-
 plied in dormant bulbs,
 by the dozen or hun-
 dreded, at the proper
 season.
 AFRICAN
 AMERICAN
 THE PEARL

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5s. and 7s. 6d.

VALLOTA PURPUREA, 2s. 6d.
 PURPUREA MAJOR, 3s. 6d. and 5s.
VITIS HETEROPHYLLA HUMULIFOLIA, 2s. 6d.
 HETEROPHYLLA VARIEGATA, 2s. 6d. & 3s. 6d.
WITSENIA CORYMBOSA, 3s. 6d.
XYLOMELUM PYRIFORME, 10s. 6d.

YUCCA ALOIFOLIA VARIEGATA, 5s.
 FILAMENTOSA VARIEGATA, 5s. and 7s. 6d.
 QUADRICOLOR, 5s. and 7s. 6d.

ZAMIA, vide Index.

ZEPHYRANTHES CARINATA, 12s. per dozen.
 TUBISPATIA, 9s. per dozen.

GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

ACACIA DEALBATA
 — of sorts
ASPARAGUS PLUMOSUS NANUS
BIGNONIA CAPREOLATA
 — CHIERERE
 — of sorts
BOMAREA CARDERII
CISSUS ANTARCTICA
 — of sorts
COBEA SCANDENS VARIEGATA
CLEMATIS INDIVISA
 — LOBATA
CLIANTHUS, of sorts
FICUS, of sorts
GELSEMIUM SEMPERVIRENS
HABROTHAMNUS AUBLETII
 — AURANTIACUS

HABROTHAMNUS ELEGANS
 — NEWELLII
 — of sorts
HARDENBERGIA MONOPHYLLA
 — VARIEGATA
 — of sorts
JASMINUMS, of sorts
KENNEDYA MARYATTÆ
 — of sorts
LAPAGERIA ALBA
 — ROSEA
 — RUBRA SUPERBA
MANDEVILLEA SUAVEOLENS
PASSIFLORA CAMPBELLII
 — IMPERATRICE EUGENIE
 — LAWSONI
 — MONROI

PASSIFLORA, of sorts
PLUMBAGO CAPENSIS
 — ALBA
SENECIO MACROGLOSSUS (The
 Cape Ivy)
SOLLYA LINEARIS
SOLANUM JASMINOIDES
TACSONIA ERIANTHA
 — EXONIENSIS
 — JAMESONI
 — VAN VOLXEMI
 — of sorts
TECOMA CAPENSIS
 — ROSEA
TRACHELOSPERMUM (RHYN-
 COSPERMUM), of sorts
TROPEOLUMS, of sorts

GREENHOUSE RHODODENDRONS.

ÆRUGINOSUM, 3s. 6d. and 5s.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 7s. 6d.

ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3s. 6d. and 5s.

ARBOREUM, 3s. 6d.

ARGENTEUM, *vide grande*.

ASSAMICUM, flowers about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. 5s.

BARBATUM, bright scarlet flowers, distinct and effective. 5s.

BLANDFORDIÆFLORUM. 3s. 6d. and 5s.

CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 3s. 6d.

CILIATUM, blush white; very free flowering. 2s. 6d. and 3s. 6d.

CINNABARINUM. 3s. 6d. and 5s.

CLARINDA, *vide page 4*.

COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7s. 6d.

COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. 3s. 6d. and 5s.

COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5s. and 7s. 6d.

DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5s., 7s. 6d. and 10s. 6d.

DIADEM, *vide page 4*.

DIANA, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10s. 6d.

DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance. 7s. 6d. & 10s. 6d.

DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7s. 6d. and 10s. 6d.

DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 5s. and 7s. 6d.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7s. 6d., 10s. 6d. & 15s.

EXONIENSE, 3s. 6d.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10s. 6d.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5s. & 7s. 6d.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 5s.

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3s. 6d. and 5s.


GRANDE (ARGENTEUM), immenso heads of large ivory white flowers deeply stained with crimson at the base. 7s. 6d.

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3s. 6d.

HODGSONI, a splendid species, producing superb bouquets of rose-coloured flowers. 10s. 6d.

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3s. 6d. & 5s.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successively in clusters. 3s. 6d. and 5s.



RHODODENDRON, PINK BEAUTY.

RHODODENDRON PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7s. 6d., 10s. 6d. and 15s.

GREENHOUSE RHODODENDRONS—continued.

JAVANICUM, a beautifully golden-yellow flowering species. 7s. 6d.

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5s.

JUNO, *vide* page 4.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3s. 6d. and 5s.

LADY SKELMERDALE, pure white trumpet-shaped fragrant flowers; very handsome. 5s.

MRS. JAMES SHAW, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5s.

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit, 2s. 6d. and 3s. 6d.

MYRA, this chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being charmingly crisped and undulated. 10s. 6d.

NILAGIRICUM, a splendid species from the Neilgherry Hills and Nepal, producing immense terminal trusses of fine large showy flowers, of a beautiful blush colour, blended with deep rich rose and shaded with soft rose; light throat. 3s. 6d. and 5s.

PINK BEAUTY, *vide* page 48.

PLATO, *vide* page 4.

PRINCE LEOPOLD, bright carmine, very handsome; a richly coloured variety. 7s. 6d. and 10s. 6d.

PRINCE OF WALES, a fine variety producing reddish orange flowers. 7s. 6d. and 10s. 6d.

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3s. 6d. and 5s.

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3s. 6d. and 5s.

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose-coloured, funnel-shaped flower tubes. 3s. 6d. and 5s.

QUEEN OF DWARFS, bears large well expanded snow-white flowers of great substance; it is of bushy habit, and very floriferous. 5s.

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. 5s. and 7s. 6d.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7s. 6d., 10s. 6d. and 15s.

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7s. 6d., 10s. 6d. and 15s.

SESTERIANUM, fine large fragrant white flowers. 3s. 6d. and 5s.

SUAVE, pure white flowers, very fragrant, 3s. 6d. and 5s.

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3s. 6d. and 5s.

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the *Correas* and *Thibaudias*, and having the same alabaster-like translucent lustre, hence its name. 3s. 6d. and 5s.

THOMSONI, bright scarlet cup-shaped flowers of good form. 5s.

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5s. and 7s. 6d.

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5s.

WIGHTII, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-erimson surmounted by pink dots. 7s. 6d.

ZEYLANICUM, 7s. 6d.

ABUTILONS.

- ALBERT DÉLAUX**, dwarf, large rosy-mauve flowers, with rose nerves. 1s. 6d.
- AMARANTINA**, large well-formed flowers, of a brilliant purple-amaranth colour. 2s. 6d.
- ARMAND CAUVY**, golden-yellow flowers, veined with violet; dwarf. 2s. 6d.
- AURELIA**, bright golden-yellow. 1s. 6d.
- BARON ALPH. DE ROTHSCHILD**, soft canary-yellow. 2s. 6d.
- BLANDII**, deep yellow, veined crimson. 1s. 6d.
- BOULE DE NEIGE**, white. 1s.
- BOULE D'OR**, golden-yellow. 1s. 6d.
- BRILLIANT**, fine well-shaped flowers, of a bright red colour. 1s.
- CLOCHETTE FLEURIE**, dark violet-amaranth, with purple centre and veins. 1s. 6d.
- COMTE F. DE CARIEL**, dark red, nerves crimson. 2s. 6d.
- CESARE COSTA**, brilliant carmine-rose. 2s. 6d.
- CONQUETE**, whitish-rose, throat dark carmine, with bright rose nervations. 1s. 6d.
- COURONNE D'OR**, deep sulphur-yellow. 1s. 6d.
- DARWINII SUPERBUM**, 1s.
- DESBOISI**, bright rose colour. 1s. 6d.
- EUG. THIROUX**, orange cerise, veined crimson. 2s. 6d.
- EDOUARD LAYEILLON**, deep rich golden-yellow, flushed with rose. 1s. 6d.
- EMPEROR**, very fine large dark crimson flowers. Received First Class Certificate. 1s. 6d.
- EVELINE**, blush, shaded with pink, and beautifully veined with deep rose. 1s. 6d.
- FERDINANDO PONSI**, rose - carmine, white throat. 2s. 6d.
- FUTURE FAME**, deep rose shaded crimson. 1s. 6d.
- G. DÉLAUX**, rich reddish-carmine. 1s. 6d.
- H. PINEAU**, old gold, chocolate veins. 2s. 6d.
- HIBISCUS**, canary-yellow flowers. 1s. 6d.
- J. A. BECKER**, very dark, unique. 2s. 6d.
- JULES PAQUET**, brilliant cerise, white throat, dwarf habit. 2s. 6d.
- KING OF ROSES**, flowers rich deep rose. 1s. 6d.
- LA CANDEUR**, a large well-formed pure white flower of globular shape. 1s. 6d.
- LA LORRAINE**, bright red. 1s. 6d.
- LE GRELOT**, delicate rose colour. 1s. 6d.
- LUSTROUS**, bright red flowers. 1s.
- L. VAN HOUTTE**, rich mauve-purple. 1s. 6d.
- LYDIA**, light yellow, flushed crimson. 1s. 6d.
- MADAME A. LAGORCE**, salmon-rose, yellow throat. 2s. 6d.
- MADAME CHABERT**, large canary - yellow flowers. 2s. 6d.
- MADAME DE LESTAPIE**, immense rose flowers. 2s. 6d.
- MADAME GABRIELLE DE ROVIRA**, silver-white, suffused rose. 2s. 6d.
- MADAME P. JUNG**, rosy-salmon, yellow throat. 2s. 6d.
- MADLE. LAURENCE ARRIBAT**, white, rose veins. 2s. 6d.
- M. FORGEOT**, brilliant orange, crimson veins. 2s. 6d.
- M. GALABRU**, flowers reddish-violet. 2s. 6d.
- M. JULES BARIGNY**, reddish-crimson, dwarf. 2s. 6d.
- M. JULES MARTY**, salmon shaded gold, rose nerves. 2s. 6d.
- MDLE. ANNA DÉLAUX**, rose, marked with white, and veined dark rose. 1s. 6d.
- MARSHAL**, reddish-cinnamon, shaded with orange, and veined with crimson. 1s. 6d.
- MEGAPOTAMICUM VARIEGATUM**. 1s. 6d.
- MODIOLA**, bright rosy-crimson. 1s. 6d.
- M. B. MODESTE**, rich bright crimson-red, veined with dark crimson, very attractive. 1s. 6d.
- M. LOUIS MARIGNAC**, rose; reverse of petals of a silvery hue. 1s. 6d.
- M. MOULINS**, cream colour, distinctly veined with violet-rose; dwarf and free. 1s.
- M. PETIT**, rich reddish-crimson colour, veined crimson. 1s. 6d.
- M. VIVIAND-MOREL**, large fine flower of a violet colour, shaded amaranth. 1s. 6d.
- PROGNE**, a large well-formed flower of a rich magenta-rose colour. 1s. 6d.
- PURPUREUM**, very fine purple-coloured flowers, shaded with magenta. 1s.
- R. RAGIONIERI**, orange-scarlet, crimson veins. 2s. 6d.
- RICHESSSE**, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose. 1s. 6d.
- ROYAL SCARLET**, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1s. 6d.
- SELLOWIANUM MARMORATUM** 1s. 6d.
- SERAPH**, pure white. 1s. 6d.
- STRIATUM SPLENDIDUM**, bright orange, striped with rich crimson. 1s.
- THOMSONI PLENUM**, fine double deep rich orange flowers, shaded and streaked with crimson. This handsome variety has also ornamental foliage. 1s.
- TROPHY**, yellow, veined with carmine. 1s. 6d.
- VILLE SOLEIL**, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 2s. 6d.
- VEXILLARIUM GRANDIFLORUM**, produces a profusion of dark cerise flowers with crimson throat, very distinct. 2s. 6d.
- VEXILLARIUM NANUM**, flowers white. 2s. 6d.
- VITIFOLIUM ALBUM**. 2s. 6d.
- ZARA**, clear lemon-yellow. 1s. 6d.

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES PURPUREA, remarkable for its large dark purple leaves and vigorous growth, making one of the largest trees with purple leaves. 2s. 6d.

ACER PLATANOIDES LEOPOLDII, 1s. 6d.
ACIPHYLLA SQUARROSA, 3s. 6d. and 5s.
ACORUS JAPONICUS STEBOLDII STRIATUS, 1s. 6d.

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9s. and 12s. per dozen.

AKEBIA QUINATA, 1s. 6d.

ALSTROMERIA AURANTIACA, 1s.

BRASILIENSIS, 1s.

CHILENSIS, 1s.

PSITTACINA, 1s., see also page 36.

ALTHÆA FRUTEX, *vide* *Hibiscus syriacus*

AMARYLLIS BELLADONNA, 9d. and 1s. each; 6s. and 9s. per dozen

AMPELOPSIS HOGGII, a very free growing climber, clinging close to walls, 2s. 6d.

SEMPERVIRENS, 5s.

TRICUSPIDATA (*Vitis japonica*), 1s. 6d. & 2s. 6d.

— **PURPUREA**, a very handsome purple-leaved variety of this useful wall climber, 3s. 6d.

ANDROMEDA JAPONICA, 2s. 6d., 3s. 6d. & 5s.

ARALIA MAXIMOWICZII, new and distinct, 3s. 6d.

ARISÆMA CORNUTUM (*Sauromatum guttatum*), 3s. 6d.

ARUNDO CONSPICUA, 1s. 6d. and 2s. 6d.

ASCLEPIAS TUBEROSA, 1s.

ASPIDISTRA LURIDA, 2s. 6d. and 3s. 6d.

LURIDA VARIEGATA, 3s. 6d.

ASTILBE BARBATA (*Hoteia japonica*, *Spiræa barbata*), 1s.

AUCUBA JAPONICA FÆMINA, various sorts, 3s. 6d. and 5s.

JAPONICA LUTEO-PICTA, 7s. 6d.

— **MASCULA**, various sorts, 3s. 6d. & 5s.

AZALEA LINEARIFOLIA, 5s.

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1s. 6d., 2s. 6d. and 3s. 6d.

AZALEAS, hardy varieties, of sorts, 18s., 30s. and 42s. per dozen

AZARA MICROPHYLLA, 2s. 6d. and 3s. 6d.

BAMBUSA AUREA, 2s. 6d.

FALCATA, *vide* page 37.

FORTUNEI VARIEGATA, 2s. 6d.

MAXIMOWICZII, 3s. 6d. and 5s.

METAKE (*Arundinaria japonica*), 2s. 6d. and 3s. 6d.

NIGRA (*Phyllostachys nigra*), 3s. 6d.

NANA, 2s. 6d. and 3s. 6d.

SIMONII, 3s. 6d.

BAMBUSA TRICOLOR, 7s. 6d.

BERBERIS HETEROPODA, 5s.

STENOPHYLLA, 1s. 6d. and 2s. 6d.

of sorts, 3s. 6d. and 5s.

BIGNONIA GRANDIFLORA, 2s. 6d. and 3s. 6d.

RADICANS MAJOR, 1s. 6d. and 2s. 6d.

vide pages 10, 11 and 37.

BOCCONIA JAPONICA, 3s. 6d.

CALOCHORTUS, of sorts, 12s. per dozen

CALYCANTHUS PRÆCOX, *vide* *Chimonanthus fragrans*

CAMPANULA TURBINATA, 1s.

CARPENTARIA CALIFORNICA.

A handsome Californian shrub, producing large terminal bunches of white flowers, which have similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5s.

CEANOTHUS ASTEROIDE, 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

CHIMONANTHUS FRAGRANS, 2s. 6d. and 3s. 6d.

CHOISYA TERNA TA, 1s. 6d. & 2s. 6d.

CHRYSANTHEMUMS, *vide* Index

CINNAMOMUM SERICEUM, 5s.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18s. and 30s. per dozen. New varieties 42s. per dozen.

CLEMATIS COCCINEA, 2s. 6d.

CLEMATIS JACKMANI ALBA, 1s. 6d.

CLEMATIS PANICULATA.

A hardy climbing plant, furnished with pinnately decomposed leaves. The flowers are white, in axillary panicles, numerous, sweet-scented, and resembling those of *C. Flammula*. It is a native of Japan, where it is found in the neighbourhood of Nagasaki. 5s.

CORNUS MASCULA AUREO-ELEGANTISSIMA, 2s. 6d.

SIBIRICA SPATHII, 3s. 6d.

CORYLOPSIS SPICATA, 2s. 6d.

CRATÆGUS CARRIÈRI, large white flowers, turning to rose, fruit as large as a cherry. 5s.

LÆLANDII, 1s. and 1s. 6d.

ORIENTALIS SANQUINEA, THE EASTERN THORN, flowers white, produced in umbels in great profusion; deep purplish red fruits. 2s. 6d.

CRINUM CAPENSE ALBUM, 1s.

CAPENSE ROSEUM, 1s.

MOOREI, *vide* page 39.

CYPRIPEDIUM ACAULE, 3s. 6d. and 5s.

ARIETINUM, 2s. 6d.

MONTANUM, 5s.

PARVIFLORUM, 2s. 6d.

PUBESCENS, 2s. 6d.

SPECTABILE, 3s. 6d., 5s. and 7s. 6d.

[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]

DELPHINIUMS, of sorts, 1s. 6d. and 2s. 6d.

DESMODIUM PENDULIFLORUM, 1s. 6d. and 2s. 6d.

DEUTZIA ORENATA ROSEO-PLENA, 1s. 6d.

PRIDE OF ROCHESTER, a handsome flowering new double variety, *vide* illustration. 1s. 6d. each; 12s. per dozen.

DIELYTRA SPECTABILIS, 1s. and 1s. 6d.

SPECTABILIS ALBA, 2s. 6d.

DIMORPHANTHUS MANDCHURICUS, 1s. 6d.

EREMURUS ROBUSTUS, 5s.

ERYTHRINA, *vide* pages 23 and 41.

ESCALLONIA MAORANTHA, 2s. 6d.

EUCRYPHIA PINNATIFOLIA, 10s. 6d.

EULALIA ORACILLIMA UNIVITTATA, 3s. 6d.

JAPONICA ALBO-LINEATA, 2s. 6d. and 3s. 6d.

— **ZEBRINA**, 2s. 6d. and 3s. 6d.

FRAXINUS MANDCHURICUS, 3s. 6d.

POTAMOPHILA, 3s. 6d.

FREESIAS, *vide* page 41.

GEUM STRICTUM, 1s. 6d.

GUNNERA MANICATA, 3s. 6d.

SCABRA, 3s. 6d.

HALESIA (Pterostyrax) HISPIDA, 3s. 6d.

HEDERA AMURENSIS, 2s. 6d.

ATROPURPUREA, 1s. 6d.

HELIX AURANTIACA, this is the scarlet-berried Ivy, 2s. 6d. and 3s. 6d.

CRINUM POWELLII, *vide* page 39.


CROCOSMA AUREA, 1s.

AUREA MACULATA, 3s. 6d.

IMPERIALIS, a very handsome and striking new species, producing spikes of immense fiery orange-scarlet flowers $3\frac{1}{2}$ to 4 inches in diameter. 5s.

CYCLAMEN EUROPEUM, 6s. per dozen.

CYDONIA JAPONICA, of sorts, 1s. 6d. and 2s. 6d.



DEUTZIA, PRIDE OF ROCHESTER.

HEDERA HELIX HIBERNICA VARIEGATA, 2s. 6d.

MADEIRIENSIS VARIEGATA, 1s. 6d.

SPECTABILIS AUREA, 2s. 6d.

HEMEROCALLIS, of sorts, 9d. and 1s.

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6s. and 9s. per dozen.

HIBISCUS SYRIACUS (ALTHEA FRUTEX), 1s. 6d.

SYRIACUS ALBO-PLENUS, 1s. 6d.

— **AMARANTHE**, 1s. 6d.

— **ANEMONEFLORUS**, 1s. 6d.

— **ARDENS**, 1s. 6d.

— **BOULE DE FEU**, 1s. 6d.

— **CERULEUS PLENUS**, 1s. 6d.

— **CARNEUS PLENUS**, 1s. 6d.

— **COMTE DE FLANDRES**, 1s. 6d.

— **COMTE DE HAINAULT**, 1s. 6d.

— **CELESTIS**, 1s. 6d.

— **DE LA VEUVE**, 1s. 6d.

— **DUC DE BRABANT**, 1s. 6d.

— **ELEGANTISSIMUS**, 1s. 6d.

— **FASTUOSUS**, 1s. 6d.

— **GRANDIFLORUS SUPERBUS**, 1s. 6d.

— **LADY STANLEY**, 1s. 6d.

HIBISCUS SYRIACUS LEOPOLDII, 1s. 6d.

— **PURPUREUS PLENUS**, 1s. 6d.

— **VARIEGATUS**, 1s. 6d.

— **RANUNCULIFLORUS**, 1s. 6d.

— **RUBER PURPUREUS FL. PL.**, 1s. 6d.

— **SPECIOSUS**, 1s. 6d.

— **SPECTABILIS FL. PL.**, 1s. 6d.

— **VIOLACEUS ATROPURPUREUS FL. PL.**, 1s. 6d.

— **SEMI-PLENUS**, 1s. 6d.

see also pages 24 and 43.

HOTEIA JAPONICA, *vide* Astilbe barbata.

HYACINTHUS CANNICANS, 1s. 6d. per dozen.

HYDRANGEA ASPERA, 2s. 6d.

PANICULATA GRANDIFLORA, 1s. and 1s. 6d.

PEKINENSIS, 3s. 6d.

VOLUMBIS (SCANDENS), 1s. 6d.

see also page 42.

HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 2s. 6d.

HYPERICUM PATULUM, 1s. 6d.

IDESIA POLYCARPA (POLYCARPA MAXIMOWICZII), 2s. 6d.

IRIS ORISTATA, 1s. 6d.

HEXAGONA, 1s. 6d.

IBERICA, 1s. and 1s. 6d.

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders, the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 4s., 6s. and 9s. per dozen; choice mixed varieties, 2s. 6d. and 3s. 6d. per doz.

IRIS KÆMPFERI.

A magnificent collection of this handsome and attractive plant has been imported from Japan. Scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris; they can therefore be most highly recommended. 1s. 6d., 2s. 6d. & 3s. 6d.; choice varieties, 5s. & 7s. 6d.

IRIS PUMILA, 1s.

ROBINSONIANA, *vide* page 43.

SIBIRICA, 1s.

SUSIANA, 1s.

TECTORUM, 3s. 6d.

JUNCUS LÆTIVIRENS, 3s. 6d.

— ZEBRINUS, *vide* Scirpus Tabernæmontani zebrianus

KNIPHOFIA ALOIDES (Tritoma Uvaria), 9d.

ALOIDES (Tritoma Uvaria) GLAUDESCENS, 1s. 6d.

— (— —) GRANDIFLORA, 1s.

— (— —) NOBILIS, 2s. 6d.

BURCHELLI, 1s.

ROOPERI, 1s. 6d.

LARDIZABALA BITERNATA, 3s. 6d.**LIBERTIA FORMOSA, 6d.**

EXIOIDES, 6d.

LILIUMS.**AURANTIACUM, *vide* croceum.****AURATUM, 1s., 1s. 6d., 2s. 6d. and 3s. 6d.**

Dormant bulbs at the proper season, 6d., 9d., 1s. and 1s. 6d. each.

— CRUENTUM, the finest of the *auratum* section, each petal being marked down the centre with a broad band of the richest crimson, 15s. and 21s.

AURATUM ORNATUM, 10s. 6d.

— PICTUM, 7s. 6d.

— PLATYPHYLLUM, a handsome variety giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety, 3s. 6d. & 5s.

— VIRGINALE 7s. 6d.

— RUBRO-VITTATUM, 7s. 6d. and 10s. 6d.

— VIRGINALE (Wittei), 7s. 6d. and 10s. 6d.

BATEMANÆ 1s. and 1s. 6d.

BROWNII, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3s. 6d. and 5s.

BULBIFERUM, 1s.

BYZANTINUM, *vide* chalcedonicum.

CALIFORNICUM, 2s. 6d.

CALLOSUM 2s. 6d. and 3s. 6d.

CANADENSE, 1s. and 1s. 6d.

— RUBRUM, 2s. 6d.

CANDIDUM, 4d. and 6d.

— FLORE-PLENO, 6d.

CHALCEDONICUM (BYZANTINUM), an effective and showy Lily, with brilliant scarlet flowers. 1s. and 1s. 6d.

COLUMBIANUM, 1s. 6d. and 2s. 6d.

CONCOLOR 2s. 6d. and 3s. 6d.

— CORIDION, 2s. 6d.

CORDIFOLIUM, a rare Japanese Lily. 3s. 6d.

CROCEUM (AURANTIACUM), 6d.

DALMATIUM, *vide* Martagon dalmaticum

DAURICUM ERECTUM, 4d.

— FULGIDUM (SAPHO) 6d.

— GRANDIFLORUM, 6d.

— IMMACULATUM, 6d.

— INCOMPARABLE, 4d.

ELEGANS (THUNBERGIANUM), 1s. 6d.

— (—) ALICE WILSON, 5s.

— (—) ALUTACEUM, 6d.

— (—) ATROSANGUINEUM (FULGENS), 6d.

— (—) BICOLOR, 2s. 6d. and 3s. 6d.

— (—) CRUENTUM, 3s. 6d.

— (—) FORMOSUM, 1s. 6d.

— (—) HÆMATOCHROUM, 7s. 6d.

— (—) LATERTIUM (BILIOULATUM), 6d.

— (—) MACULATUM, 6d.

— (—) PICTUM, 6d.

— (—) PRINCE OF ORANGE (CITRINUM), 6d.


— (—) SANGUINEUM, 6d.

— (—) SCINTILLANS, 7s. 6d.

— (—) STAMINOSUM, 1s. 6d.

**LILIUM AURATUM.**

LILIUMS—continued.

**LILIUM LONGIFLORUM FLORIBUNDUM.****EXCELSUM**, *vide testaceum***EXIMIUM**, *vide longiflorum eximium***GIGANTEUM**, 5s., 7s. 6d. and 10s. 6d.**HANSONI**, bright golden-yellow, spotted with crimson, 5s.**HUMBOLDTII**, a splendid species from Humboldt county, California; quite hardy, and produces fine spikes, of from 6 to 20 large golden-yellow flowers, spotted with purple. 2s. 6d. and 3s. 6d.**ISABELLINUM**, *vide testaceum***JAPONICUM** (onorum), a beautiful sweet-scented White Lily, 7s. 6d.**KAMSHATICUM** (SARANA) The Black Lily, 3s. 6d.**KRAMERI**, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 1s. 6d. & 2s. 6d.**LANCIFOLIUM**, *vide speciosum***LEICHTLINI**, scarce, 3s. 6d. and 5s.**LONGIFLORUM**, 6d.

— Gigantic bulbs, 9d.

— **EXIMIUM**, 1s. and 1s. 6d.— **FLORIBUNDUM**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion, *vide illustration*. 9d., 1s. and 1s. 6d.

Extra size, 2s. 6d., 3s. 6d. and 5s.

— **FOLIIS ALBO-MARGINATIS**, 2s. 6d.— **VARIEGATIS**, 3s. 6d.**LONGIFLORUM HARRISII**, 9d., 1s. & 1s. 6d.— **WILSONI**, 1s. 6d. & 2s. 6d.**MARTAGON** (Turk's Cap Lily). 4d.— **ALBUM**, 3s. 6d. and 5s.— **AURANTIACUM**, *vide pyrenaicum*— **COCCINEUM**, *vide chalcedonicum*— **DALMATIUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 1s. 6d. & 2s. 6d.— **CATTANÆ**, purple, 2s. 6d. & 3s. 6d.**MONADELPHUM SZOVITZIANUM**, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers deliciously fragrant; one of the best of the Lilies. 1s. 6d. and 2s. 6d.

— gigantic bulbs, 3s. 6d.

NEILGHERRENSE, a magnificent Lily, one of the finest of its section; blossoms creamy-white, deliciously fragrant and nearly a foot long, admirably adapted for conservatory decoration. 3s. 6d. & 5s.**NEPALENSE**, very rare and extremely beautiful, 10s. 6d. and 15s.**UCHROLEUCUM**, this magnificent Lily, originally discovered by *Wallich*, proves to be one of the most beautiful of the Enliriou or trumpet-flowered group. The flowers are of very large size, spreading when open to a diameter of 8 to 9 inches, and are borne 4, 5 or more, in an alternate manner, on vigorous stems, attaining a height of 4 to 6 feet. The blossoms, which are deliciously scented with a slightly aromatic odour, have the lower or basal portion of the segments of a clear ochreous yellow, the remaining portion of the petals, which gracefully recurve, being of a milk-white colour. 3s. 6d. and 5s.**PARDALINUM**, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1s. & 1s. 6d.— **BOURGÆI**, 3s. 6d.**PARRYI**, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated, 3s. 6d. and 5s.**PARVUM**, yellow, slightly spotted, 2s. 6d. and 3s. 6d.**PEREGRINUM**, *vide testaceum***POMPONIUM**, an elegant species with bright scarlet flowers. 1s. and 1s. 6d.

Extra strong English grown bulbs, 2s. 6d. and 3s. 6d.

PUBERULUM, 2s. 6d.**PURPUREUM** (RUBESCENS), 3s. 6d. and 5s.**PYRENAICUM**, 6d.**ROSEUM**, *vide Thompsonianum*.**RUBESCENS**, *vide purpureum*.**SPECIOSUM** (LANCIFOLIUM) **ALBUM**, 1s. & 1s. 6d.— (—) **ALBUM CORYMBIFLORUM**, 1s.— (—) **NOVUM**, 5s.— (—) **CRUENTUM**, 2s. 6d.— (—) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety, 1s. 6d. and 2s. 6d.— (—) **SUPERBUM**, 5s.

LILIUMS—continued.

SPECIOSUM (LANCIFOLIUM) MELPOMENE,
3s. 6d. and 5s.

- () **PUNCTATUM**, 1s. 6d. and 2s. 6d.
- () **PURPURATUM**, 2s. 6d. & 3s. 6d.
- () **ROSEUM**, 6d., 9d. and 1s.
- () **RUBRUM**, 6d., 9d. and 1s.
- () **CORYMBIFLORUM**, 1s. 6d.
- () **SUPERBUM**, 1s. 6d. and 2s. 6d.
- () **SCHRYMAKERSI**, 1s. 6d.

SUPERBUM, 9d. and 1s.

— **PYRAMIDALE**, 2s. 6d.

SZOVITZIANUM, *vide monadelphum Szovitzianum*

TENUIFOLIUM, bright scarlet, of neat growth; a charming Lily, 1s. 6d. and 2s. 6d.

TESTACEUM (**EXOELESUM**, **ISABELLINUM**, **PEREGRINUM**), nankeen-coloured flowers, 1s. 6d.

THOMPSONIANUM (**ROSEUM**), 1s.

THUNBERGIANUM, *vide elegans*.

TIGRINUM, 4d.

— **FLORE-PLENO**, 4d.

— **FORTNUEI**, 6d. and 9d.

— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive, 6d. and 9d.

VENUSTUM, 1s. 6d.

WALLACEI, 1s. 6d.

WALLICHIANUM, 5s. and 7s. 6d.

WASHINGTONIANUM, flowers white, slightly flushed with lilae, very sweet-scented, 2s. 6d. and 3s. 6d.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3s. 6d.

MAGNOLIA CAMPBELLII, 10s. 6d. and 15s.

CONSPICUA, 3s. 6d.

LENNEI, 5s.

PURPUREA, 2s. 6d.

SOULANGEANA, 3s. 6d.

STELLATA (HALLEANA), 5s. and 7s. 6d.

of sorts, 3s. 6d. and 5s. to 10s. 6d.

MALUS FLORIBUNDUS, 1s. 6d.

HALLEANUS, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers, 2s. 6d.

MAXIMOWICZIA CHINENSIS, 1s. 6d.

MILLA BIFLORA, 5s. per dozen.

MONTBRETIA CROCOSMEFLORA, 6s. per dozen.

CROCOSMEFLORA AUREA, fine spikes of large golden-yellow flowers. 9d.

— **BOUQUET PARFAIT**, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermillion. 1s.

— **DRAP D'OR**, erect habit, fine flowers with chrome-yellow lobes. 2s. 6d.

— **ELDORADO**, very floriferous and of dwarf habit; large golden-yellow flowers. 2s. 6d.

— **ELEGANS**, brilliant yellow, exterior of tubes and buds vermillion. 9d.

— **ETOILE DE FEU**, large spikes of flowers, dark red on the exterior, the interior bright vermillion, centre clear yellow. 1s. 6d.

— **GERBE D'OR**, a dwarf and proliferous variety, producing magnificent golden-yellow flowers. 1s.

— **INCENDIE**, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety. 3s. 6d.

— **MÉTÉORE**, large flowers, lobes large and round, interior dark orange, exterior blood red. 2s. 6d.

— **PIRE**, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 1s. 6d.

MONTBRETIA CROCOSMEFLORA PLUIE D'OR, handsome spikes of ochreous yellow flowers; a new colour in Montbretias. 4s.

CROCOSMEFLORA PYRAMIDALIS, spikes of erect flowers of an apricot-salmon colour. 9d.

— **RAYON D'OR**, golden yellow; throat spotted red. 2s. 6d.

— **SOLFATARE**, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 2s. 6d.

— **SOLEIL COUCHANT**, brilliant golden-yellow flowers; dwarf habit. 3s. 6d.

— **THIARIDIE**, rich orange-yellow flowers, maculated in the centre with brown; very striking. 5s.

— **TRANSCENDENT**, bright orange-red, very floriferous. 2s. 6d.

POTTSHI, 6s. per dozen.

— **ORANDIFLORA**, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 1s. 6d.

SECURIGERA, Indian-yellow flowers. 2s. 6d.

NEVIUSIA ALABAMENSIS, 3s. 6d.

NYMPHÆA ALBA, 1s. 6d. and 2s. 6d.

OPUNTIA RAPINESQUIANA, 2s. 6d.

PÆONIA ARBOREA (Tree Peony), choice sorts, 5s. each, 42s. per dozen.

HERBACEOUS, 12s. and 18s. per dozen.

PANCRATIUM ILLYRICUM, 1s.

MARITIMUM, 9d.

PASSIFLORA OERULEA, 1s. 6d. and 2s. 6d.

CONSTANCE ELIOTT, 1s. 6d.

PHELLODENDRON AMURENSE, "The Cork Tree of the Amoor," 3s. 6d.

PHILADELPHUS CORONARIUS FOLIIS AUREIS, 1s. 6d.

GRANDIFLORUS SPECIOSISSIMUS PLENUS, 3s. 6d.

HYBRIDUS LEMOINEI, 2s. 6d.

KETELEERI FLORE-PLENO, 2s. 6d.

MICROPHYLLUS, 2s. 6d.

MULTIFLORUS PLENUS, 1s. 6d.

PRIMUMFLORUS, 3s. 6d.


ROSEFLORUS PLENUS, 2s. 6d.

PHILADELPHUS LEMOINEI ERECTUS.

This new variety is a cross between *Philadelphus microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers being white and very sweet-scented, with yellow anthers, being borne in axillary umbels the whole length of the branches. 5s.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per dozen.

**SPIRÆA ASTILBOIDES.**

One of the most handsome of hardy herbaceous perennials, which has been certificated both by the Royal Horticultural and Royal Botanic Societies on account of its great merit. The stems grow from two to three feet high, and are terminated by compound feathery branches of elegant white flowers, produced in the greatest profusion. A charming plant for pot culture. This is one of the Twelve New Plants with which Mr. W. B. gained the First Prize at the Great Show of the Royal Horticultural Society, held at Kensington, in 1882. 2s. 6d., 3s. 6d. and 5s.







- 1 Empress of India
- 2 Empress Frederick
- 3 Princess Alexandra
- 4 Princess Victoria

ent out by William Bull F.L.S. Established for new & Rare Plants. 536 King's Rd Chelsea London SW



PIERIS OVALIFOLIA DENSIFLORA, 3s. 6d. and 5s.
PIPER FUTOKADSURA, 3s. 6d. and 5s.
POLYCARPA MAXIMOWICZII, *vide* Idesia polycarpa
POLYGONUM MULTIFLORUM, 2s. 6d. and 3s. 6d.
 SAOHALINENSE, 1s. 6d. and 2s. 6d.
POPULUS CANADENSIS AUREA VAN GEERTII,
 foliage of an attractive golden hue. 2s. 6d.
POTENTILLA, handsome double-flowered
 kinds. 1s. 6d. and 2s. 6d.
PRIMULA AMERNA, *vide* P. Sieboldii
 CORTUSOIDES HYBRIDA, 2s. 6d.

PRIMULA FLORIBUNDA, *vide* page 45.
 JAPONICA, 1s. and 1s. 6d.
 — of sorts, 3s. 6d. each.
SIEBOLDII, 1s. 6d.
 — CERULEA ALBA, 3s. 6d.
 — HERMIA, 3s. 6d.
 — LACINIATA, 3s. 6d.
 — PINK BEAUTY, 3s. 6d.
PRUNUS SINENSIS ALBO-PLENA, 2s. 6d.
 SINENSIS ROSEO-PLENA, 2s. 6d.
 TRILOBA, 1s. 6d.

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1s. 6d. and 2s. 6d.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, the branches spreading and closely packed with spike-like greenish flowers. 1s. 6d., 2s. 6d. and 3s. 6d.

RHODODENDRONS, choice hybrids of sorts, to
 name, 3s. 6d. and 5s.
RHUS GLABRA LACINIATA, 1s. and 1s. 6d.

RIBES ALPINUM PUMILUM AUREUM, 5s.
ROSA RUOOSA ALBA, 1s. 6d. and 2s. 6d.
 RUOOSA (REGELIANA), 1s. 6d. and 2s. 6d.

RUBUS CRATÆGIFOLIUS.

Introduced from Manchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1s. 6d. each. 12s. per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3s. 6d.

RUBUS FRUTICOSUS KITTATINNY, 1s. 6d.

 FRUTICOSUS MAMMOTH, 2s. 6d.

 — SNYDER, 2s. 6d.

 — WILSON'S EARLY, 2s. 6d.

SAUROMATUM, *vide* Arisema.

SAXIFRAGA CILATA, 1s. 6d.

 McNABIANA, 3s. 6d.

 PELTATA, 1s. 6d.

SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis.

SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS,
 3s. 6d. and 5s.

} highly esteemed American Blackberries.

SEDUM SPURIUM SPLENDENS, 1s. 6d.

SENECIO PULCHER, 1s. 6d.

see also page 45.

SKIMMIA OBLATA, 2s. 6d. and 3s. 6d.

SPIRÆA AMURENSIS, 1s. 6d.

 ASTILBOIDES, *vide* page 56.

 BARBATA, *vide* Astilbe barbata.

 PALMATA, 1s. and 1s. 6d.

 — ALBA, 1s. 6d. and 2s. 6d.

SPIRÆA KAMTSCHATIKA (GIGANTEA).

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 3s. 6d.

STAPHYLEA COLCHIOA, 2s. 6d. and 3s. 6d.

 HYBRIDA COULOMBIERI, 3s. 6d.

STATICE LATIFOLIA, 1s.

STAUNTONIA LATIFOLIA, 2s. 6d.

STYRAX CALIFORNICA, 7s. 6d.

 JAPONICA, 5s.

SYRINGA JAPONICA, 3s. 6d.

 VULGARIS FL.-PL. ALPHONSE LAVALLEE, 2s. 6d.

 — COMTE HORACE DE


 CHOISEUL, 3s. 6d.

 — HYACINTHIFLORA PLENA, 1s. 6d.

 — FL.-PL. LEMOINEI, *vide* page 58.

SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 7s. 6d.



SYRINGA VULGARIS FLORE-PLENO LEMOINEL.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2s. 6d. each; 24s. per dozen.

SYRINGA VULGARIS FL.-PL. JEAN BART.

A very floriferous variety, the inflorescence being composed of very long thyrses grouped together, the flowers being very double, irregular in form, of a vinous rose colour; the buds carmine. 5s.

SYRINGA VULGARIS FL.-PL. LA TOUR
D'Auvergne, 3s. 6d.
VULGARIS FL.-PL. LEON SIMON, 3s. 6d.
—— LE GAULOIS, 1s. 6d.

SYRINGA VULGARIS FL.-PL. MADAME JULES
FINGER, 3s. 6d.
VULGARIS FL.-PL. MATHIEU DE DOMBABLE,
2s. 6d.

SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 2s. 6d.

SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER, 3s. 6d. | **SYRINGA VULGARIS FL.-PL. PYRAMIDAL**, 2s. 6d.

SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three-quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins. 3s. 6d.

SYRINGA VULGARIS FL.-PL. RENONCULE, 2s. 6d. | **SYRINGA VULGARIS FL.-PL. RUBELLA**, 2s. 6d.

SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.

A very dwarf brilliant coloured double lilac, a new shade of colour, buds Fuchsia-red, the flowers when open being rosy-pink. 3s. 6d.

SYRINGA VULGARIS FL.-PL. VIRGINITE.

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the Rose, *Souvenir de la Malmaison*. Quite a new tint in double lilacs. 3s. 6d.

TIGRIDIA CONCHIFLORA, 1s. 6d. per dozen.

GRANDIFLORA, 1s. 6d. per dozen.

—— ALBA, 1s. 6d. per dozen.

—— AURANTIACA, 1s. 6d. per dozen.

TRITOMA *vide* Kniphofia.

TRITONIA AUREA, *vide* CROCOSMA AUREA.

MINIATA bright crimson, 2s. 6d.

} These can be supplied, when dormant, by the dozen or hundred at the proper season.

TROPÆOLUM SPECIOSUM, 1s.
TUBEROSUM, 6d. and 9d.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *Vide* page 118.

VIBURNUM SIEBOLDII.

A bold and effective evergreen shrub, with dark brown warted branches, and opposite dark green flat leaves, which are thick, coriaceous, and laurel-like in character. The leaf-stalks are about an inch long, the blades broadly oblong oval, entire in the lower half, and obscurely and bluntly serrated towards the apex. It is a native of Japan. 3s. 6d. and 5s.

VITIS JAPONICA, *vide* Ampelopsis tricuspidata

| **VITIS VINIFERA PURPUREA**, 5s.

WEIGELA AMARILIS FOLIS VARIEGATIS, 1s. 6d.

AMARILIS LOOYMANSII AUREA, 1s. 6d.

KOSTERIANA FOLIS VARIEGATIS, 3s. 6d.

LONGIFOLIA ARGENTÆ-MARGINATA, 3s. 6d.

WEIGELA SIEBOLDII FOLIS ARGENTÆ-MARGINATIS, 2s. 6d.
ABEL CARRIERE, 1s. 6d.
AUG. WILHELM, 2s. 6d.
BERANGER, 2s. 6d.

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1s. 6d. each; 12s. per dozen.

WEIGELA CONGO, 1s. 6d.

DIDEROT, 1s. 6d.

EMILE GALLÉ, 1s. 6d.

HORTENSIS NIVEA, 1s. 6d.

LAVALLEI, 1s. 6d.

JEAN MACE, 1s. 6d.

MONTESQUIEU, 1s. 6d.

WISTARIA (GLYCINE) MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2s. 6d. and 3s. 6d.

WISTARIA MULTIJUGA ALBA, 2s. 6d. and 3s. 6d.
SINENSIS, 2s. 6d. and 3s. 6d.
(GLYCINE) SINENSIS ALBA, 2s. 6d. and 3s. 6d.
SINENSIS FLORE-PLENO, 3s. 6d.

XANTHOCERAS SORBIFOLIA, a handsome flowering shrub, 5s.

YUCCA MACROCARPA, 7s. 6d.

RECURVA, 3s. 6d. and 5s.

—— VARIEGATA, 7s. 6d.

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

Abyssinian Banana.....	Musa Ensète	<i>Abyssinia</i>
African Baobab Tree	Adansonia digitata	<i>Africa</i>
African Mangosteen	Garcinia Livingstonei	<i>Africa</i>
African Rubber	Landolphia Watsoniana	<i>Africa</i>
Allspice	Eugenia Pimenta	<i>W. Indies</i>
Arrowroot	Maranta arundinacea	<i>S. America</i>
Annatto Dye Plant	Bixa Orellana	<i>Tropical America</i>
Australian Banyan	Ficus macrophylla	<i>Australia</i>
Avocado Pear	Persea gratissima	<i>West Indies</i>
Balsam of Peru	Myroxylon Pereira	<i>Peru</i>
Banyan Tree	Ficus indica	<i>E. Indies</i>
Bark of Commerce	Cinchona officinalis	<i>Tropical America</i>
Bengal Quince.....	Egle Marmelos	<i>E. Indies</i>
Betle Pepper	Piper Bétle	<i>E. Indies</i>
Black Pepper	Piper nigrum	<i>E. Indies</i>
Brazil Nut.....	Bertholletia excelsa	<i>Brazil</i>
Cabbage Palm	Euterpe edulis	<i>Brazil</i>
Camphor	Camphora officinalis	<i>Japan</i>
Caoutchouc	Castilleja elastica	<i>Honduras</i>
Cape Chestnut.....	Calodendron capense	<i>Cape Colony</i>
Captain Cook's Tea Plant	Leptospermum scoparium	<i>New Zealand</i>
Cardamon	Anomum Cardamomum	<i>E. Indies</i>
Cascarilla Bark	Croton Elutéria	<i>Bahama Islands</i>
Cassia	Cinnamomum Cassia	<i>East Indies</i>
Cherimoyer	Anona Cherimolia	<i>Peru</i>
Chinese Plantain Tree	Musa Cavendishii	<i>China</i>
Cinnamon	Cinnamomum zeylanicum	<i>Ceylon</i>
Coca	Erythroxylon Coca	<i>Peru</i>
Cocoa	Theobroma Cacao	<i>Tropical America</i>
Coffee, Arabian	Coffea arabica	<i>Yemen</i>
Coffee, Liberian	Coffea liberica	<i>Liberia</i>
Contrayerva Root	Dorstenia Contrayerva	<i>S. America</i>
Cuba Bast.....	Paritum elatum	<i>W. Indies</i>
Cubeb Pepper	Piper Cubéba	<i>Java</i>
Cundurango	Gonolobus Cundurango	<i>S. America</i>
Date	Phoenix dactylifera	<i>Levant</i>
Durian	Durio zibethinus	<i>India</i>
Edible Eugenia	Eugenia edulis	<i>Brazil</i>
Edible-fruited Passion Flower.....	Passiflora edulis	<i>Brazil</i>
Edible Vangueria	Vangueria edulis	<i>Madagascar</i>
Fiddle Wood.....	Citharoxylon quadrangulare	<i>Jamaica</i>
Fig, Sacred	Ficus religiosa	<i>E. Indies</i>
Fustick Wood	Chlorophora (Maclura) tinctoria	<i>W. Indies</i>
Gamboge	Zanthoxylum pictorius	<i>E. Indies</i>
Gigantic Granadilla	Passiflora macrocarpa	<i>Rio Negro</i>

OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinale	E. Indies
Granadilla	Passiflora quadrangularis	W. Indies
Guarana Tea Plant	Paullinia sorbilis	Brazil
Guava	Psidium Cattleianum	Brazil
Ipecacuanha	Cephaelis Ipecacuanha	Brazil
Ivory Nut Palm	Phytelephas macrocarpa	Peru
Jack Fruit	Artocarpus integrifolius	W. Indies
Jalap	Exogonium purga	Mexican Andes
Japan Cinnamon	Cinnamomum sericeum	Japan
Japanese Pepper	Piper Futeokadsura	Japan
Kola Nut	Cola acuminata	Niger
Latanier Palm	Latania borbónica	Bourbon
Ledger's Bark	Cinchona Ledgeriana	S. America
Litchi	Nephelium Litchi	China
Loquat	Eriobotrya japonica	Japan
Mahogany Tree	Swietenia Mahagoni	W. Indies
Malabar Silk Cotton Tree	Bombax malabaricum	Malabar
Mango	Mangifera indica	E. Indies
Mangosteen	Garcinia Mangostana	Java
Manilla Hemp	Musa textilis	Philippine Isles
Matico	Artanthe elongata	Peru
Milk Tree	Galactodendron utilo	S. America
Mustard Tree of Scripture	Salvadora persica	Persia
Nardoo	Marsilea macropus	Australia
Natal Plum	Arduina grandiflora	Natal
Netted-leaved Custard Apple	Anona reticulata	S. America
Nutmeg	Myristica moschata	E. Indies
Palissander Wood	Machierium firmum	S. America
Para Rubber	Hévea brasiliensis	Brazil
Patchouli Scent Plant	Pogostemon Patchouli	E. Indies
Poison Nut	Thevetia ucriifolia	W. Indies
Queensland Nut	Macadamia ternifolia	Queensland
Queensland Plum	Davidsonia pruriens	Queensland
Rhea Fibre Plant	Böhmeria nivea	India
Rhubarb	Rheum officinale	China
Rose Apple	Eugenia Jambos	India
Sacred Indiau Fig	Ficus religiosa	India
Sand Box Tree	Hura crepitans	S. America
Sarsaparilla	Smilax Sarsaparilla	N. America
Satin Wood	Chloroxylon Swietenia	E. Indies
Snake Wood	Cecropia palmata	S. America
Soap Berry	Sapiudus Saponaria	W. Indies
Sour Sop	Anóna muricata	W. Indies
Star Apple	Chrysophyllum Cainito	W. Indies
Strychnine	Strychnos nux-vómica	East Indies
Sugar Cano	Saccharum officinarum	India
Sweet Sop	Anona squamosa	S. America.
Sycamore Tree of Scripture	Ficus Sycomorus	Egypt
Tamarind Tree	Tamarindus indica	E. Indies
Tea	Thea Bohea	China
Tea, Assam	Thea assamica	Assam
Tonga	Epipremnum mirabile	South Sea Islands
Touquin Bean	Dipterix odorata	Guiana
Traveller's Tree	Ravenala madagascariensis	Madagascar
Turpentine Tree	Pistacia Terebinthus	S. Europe
Upas Tree	Antiaris toxicaria	Java
Vanilla	Vanilla aromática	S. America
Violet Sugar Cane	Saccharum violaceum	India
Zerumbet Giuger	Zingiber Zerumbet	E. Indies

Purchasers of Official and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to anyone interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 3, 5, 10 and 15 guineas each, and upwards.

S, distinguishes the stove kinds; I, intermediate house; C, cool house.

Those marked thus (*) are winter-blooming kinds.

S	ACANTHEPHIPIUM	bicolor	East Indies	7s. 6d. and 10s. 6d.
I		javanicum	Java	7s. 6d. and 10s. 6d.
I	ACINETA	Barkeri	Mexico	7s. 6d., 10s. 6d. & 15s.
I		chrysantha	South America	10s. 6d. and 15s.
I		densa	South America	21s. and 31s. 6d.
I		erythroxantha	South America	105s.
I		Humboldtii (superba)	Colombia	5s., 7s. 6d. and 10s. 6d.
I	ACROPERA	Loddigesii	Mexico	5s. and 7s. 6d.
I		luteola	Mexico	7s. 6d. and 10s. 6d.
*C	ADA	aurantiaca	Pamplona	3s. 6d., 5s. and 7s. 6d.
					Fine plants,	21s. and 31s. 6d.
*C		aurantiaca punctata	Pamplona	
S	ÆERANTHUS	Leonis, vide Angraecum Leonis				
I	AERIDES	affine	Sylhet	5s., 7s. 6d. and 10s. 6d.
I		affine roseum	Sylhet	7s. 6d. and 10s. 6d.
I		— superbum	Sylhet	21s. and 31s. 6d.
S		Ballantinianum	East Indies	42s. and 63s.
S		crassifolium	Burmah	5s., 7s. 6d. and 10s. 6d.
I		crispum (Brookei)	Bombay	5s., 7s. 6d. and 10s. 6d.
S		cylindricum (Vandarum)	East Indies	31s. 6d. and 42s.
S		Emericii	Andaman Islands	21s. and 31s. 6d.
S		expansum Leonis	East Indies	5s., 7s. 6d. to 21s.
I		Fieldingii (Fox Brush)	East Indies	5s., 7s. 6d. and 10s. 6d.
					Fine plants,	21s. to 84s.
I		— rubrum	East Indies	84s. and 105s.
S		Godefroyanum	Cochin China	15s., 21s. and 31s. 6d.
S		Houlletianum	Cochin China	10s. 6d., 15s. and 21s.
C		japonicum	Japan	7s. 6d. and 10s. 6d.
S		Larpentæ	East Indies	42s. and 63s.
S		Lawrenceæ	East Indies	31s. 6d., 42s. and 63s.
I		Lindleyanum	Coonor	10s. 6d. and 15s.
S		Lobbii	Moulmein	7s. 6d., 10s. 6d. and 15s.
S		— magnificum	Moulmein	42s. and 63s.
S		— rubrum	Moulmein	42s. and 63s.
S		maculosum	Bombay	7s. 6d., 10s. 6d. and 15s.
S		— superbum	Bombay	
S		mitratum	East Indies	10s. 6d. and 15s.
S		nobile	India	21s. and 31s. 6d.
S		odoratum (cornutum)	East Indies	5s., 7s. 6d. and 10s. 6d.
S		— majus	East Indies	7s. 6d. and 10s. 6d.
S		odoratum purpurascens	East Indies	10s. 6d., 15s. and 21s.

<i>S</i>	AERIDES ornithorrhynchum	East Indies	21s. and 31s. 6d.
<i>S</i>	Picotianum	Cochin China	63s. and 84s.
<i>S</i>	quinquevulnerum	Philippine Islands	10s. 6d., 15s. and 21s.
<i>S</i>	Rohanianum	East Indies	15s. and 21s.
<i>S</i>	rubrum	Bombay	63s. and 84s.
<i>S</i>	Sanderianum	East Indies	31s. 6d., 42s. and 63s.
<i>S</i>	Savageanum	East Indies	
<i>S</i>	Schroederi	Bombay	
<i>S</i>	suavissimum	East Indies	15s. and 21s.
<i>S</i>	testaceum, <i>vide</i> Wightianum		
<i>S</i>	Vandarum, <i>vide</i> cylindricum		
<i>S</i>	Veitchii	East Indies	105s.
<i>S</i>	virens	Java	7s. 6d. and 10s. 6d.
<i>S</i>	— Dayanum	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	— superbum	East Indies	15s. and 21s.
<i>S</i>	Wightianum (testaceum)	East Indies	10s. 6d.
<i>I</i>	Warneri	Bombay	10s. 6d., 15s. and 21s.
<i>S</i>	AGANISIA cyanea	Brazil	42s. and 63s.
<i>S</i>	AMBLOSTOMA cernuum	Brazil	7s. 6d. and 10s. 6d.
<i>S</i>	ANGRÆCUM arcuatum	Africa	15s. and 21s.
<i>S</i>	articulatum	Madagascar	7s. 6d., 10s. 6d. to 21s.
<i>S</i>	bilobum	West Coast of Africa..	
<i>S</i>	calligerum	Madagascar	42s.
<i>S</i>	Chailluanum	West Coast of Africa..	21s., 31s. 6d. and 42s.
<i>S</i>	citratum	Madagascar	7s. 6d., 10s. 6d. & 15s.
<i>S</i>	— majus	Madagascar	15s. and 21s.
<i>S</i>	distichum	West Coast of Africa..	7s. 6d. and 10s. 6d.
<i>S</i>	Du Buyssoni	Madagascar	31s. 6d.
* <i>S</i>	eburneum (superbum)	Madagascar	21s. and 31s. 6d.
<i>S</i>	Ellisii	Madagascar	21s., 31s. 6d. and 42s.
<i>I</i>	falcatum	Japan	10s. 6d. and 15s.
<i>S</i>	fastuosum	Madagascar	31s. 6d. and 42s.
<i>S</i>	hyaloides	Madagascar	10s. 6d., 15s. and 21s.
<i>S</i>	Leonis (Aeranthus Leonis)	Comoro Island	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	modestum (Sanderianum)	West Coast of Africa..	10s. 6d., 15s. and 21s.
<i>S</i>	polystachys	West Coast of Africa..	21s. and 31s. 6d.
<i>S</i>	Scottianum	Comoro Island	10s. 6d., 15s. and 21s.
* <i>S</i>	sesquipedale	Madagascar	21s., 31s. 6d. and 42s.
		Fine plants,	3 to 5 guineas.
* <i>S</i>	— majus	Madagascar	84s. and 105s.
<i>S</i>	subulatum	West Coast of Africa..	
* <i>S</i>	virens (Brongniartianum)	Madagascar	21s. and 31s. 6d.
<i>I</i>	ANGULOA Clowesii	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	eburnea	Peru	63s. and 84s.
<i>I</i>	Ruckerii	South America	21s., 31s. 6d. and 42s.
<i>I</i>	— punctata	South America	42s. and 63s.
<i>I</i>	— retusa	South America	
<i>I</i>	— sanguinea	South America	63s. and 84s.
<i>I</i>	uniflora	Colombia	10s. 6d. and 15s.
<i>I</i>	— alba	Colombia	42s. and 63s.
<i>I</i>	— superba	Colombia	42s.
<i>S</i>	ANECTOCHILUS Dawsonianus, <i>vide</i> Goodyera		
<i>S</i>	Lowii	East Indies	15s. and 21s.
<i>S</i>	Petola	Borneo	10s. 6d., 15s. and 21s.
* <i>S</i>	ANSELLIA africana	Sierra Leone	21s., 31s. 6d. and 42s.
<i>S</i>	humilis, <i>vide</i> page 3		
<i>S</i>	— pallida, <i>vide</i> page 3		
<i>I</i>	lutea	Africa	21s. and 31s. 6d.

<i>I</i>	ARPOPHYLLUM giganteum	Mexico	15s. and 21s.
<i>I</i>	spicatum	Mexico	10s. 6d. and 15s.
<i>I</i>	ARUNDINA bambusæfolia	Assam	31s. 6d. and 42s.
<i>C</i>	BARKERIA elegans	Mexico	10s. 6d. and 15s.
* <i>C</i>	Lindleyana	Mexico	15s., 21s. and 31s. 6d.
<i>C</i>	melanocaulon	Mexico	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	spectabilis	Mexico	15s.
<i>S</i>	BATEMANNIA Burtii	Costa Rica	10s. 6d., 15s. and 21s.
<i>I</i>	BIFRENARIA atropurpurea	Brazil	21s. and 31s. 6d.
<i>I</i>	aurantiaca	South America	15s. and 31s.
<i>I</i>	vitellina	South America	15s.
<i>C</i>	BLETIA hyacinthina	China	5s. and 7s. 6d.
<i>I</i>	Sherrattiana	Colombia	10s. 6d. and 15s.
* <i>I</i>	Tankervilleæ, vide Phaius grandifolius		
<i>I</i>	verecunda	Florida	15s.
<i>I</i>	— alba	Florida	15s.
<i>I</i>	BOLLEA Lalindei	Colombia	21s.
<i>I</i>	BRASAVOLA cucullata	Mexico	10s. 6d. and 15s.
<i>S</i>	Digbyana	Honduras	10s. 6d. and 15s.
<i>I</i>	glaucæ	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— oculata	Mexico	15s.
<i>I</i>	nodosa	South America	7s. 6d. and 10s. 6d.
<i>I</i>	BRASSIA antherotes	South America	42s. and 63s.
<i>I</i>	brachiata, vide Wrayæ		
<i>I</i>	caudata	South America	21s. and 31s. 6d.
<i>I</i>	Keiliana	South America	42s. and 63s.
<i>I</i>	Lanceana	South America	42s.
<i>S</i>	Lawrenceana	Demerara	42s. and 63s.
<i>S</i>	maculata	West Indies	10s. 6d. and 15s.
<i>I</i>	signata	South America	31s. 6d.
<i>C</i>	verrucosa	Guatemala	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	Wrayæ (brachiata)	South America	31s. 6d. and 42s.
<i>S</i>	BROUGHTONIA sanguinea	Jamaica	7s. 6d. and 10s. 6d.
<i>S</i>	BULBOPHYLLUM Henshalli	East Indies	31s. 6d. and 42s.
<i>S</i>	Lobbii, vide Sarcopodium Lobbii		
<i>S</i>	Pechei, vide page 3		
<i>S</i>	reticulatum	East Indies	
<i>S</i>	umbellatum	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	BURLINGTONIA bahiensis	Brazil	
<i>I</i>	caloplectron, vide Rodriguezia caloplectron		
<i>I</i>	candida	Demerara	7s. 6d. and 10s. 6d.
<i>I</i>	decora	Brazil	15s. and 21s.
<i>I</i>	— imperialis	Brazil	21s. and 31s. 6d.
<i>I</i>	fragrans	Brazil	7s. 6d. and 10s. 6d.
<i>I</i>	venusta	Brazil	15s. and 21s.
<i>I</i>	CALANTHE curculigoides	Indian Archipelago	
<i>C</i>	discolor	Japan	31s. 6d. and 42s.
<i>S</i>	furcata	New Caledonia	21s., 31s. 6d. and 42s.
<i>I</i>	Masuca	Nepal, Sikkim	21s. and 31s. 6d.
<i>C</i>	pleiochroma	Japan	21s.
<i>C</i>	— brevior	Japan	21s.
* <i>I</i>	Regnieri	Cochin China	10s. 6d. and 15s.
* <i>I</i>	— amethystina	Cochin China	42s.
* <i>I</i>	— fulgens	Cochin China	42s.
* <i>I</i>	— purpurea	Cochin China	42s.
* <i>I</i>	— striata	Cochin China	42s.
<i>C</i>	Sieboldii, vide Phaius Sieboldii		

*I	CALANTHE Stevensiana	Cochin China	7s. 6d., 10s. 6d. and 15s.
C	Textori	Japan	21s.
*I	Turneri	India	10s. 6d. and 15s.
*I	— nivalis	India	10s. 6d. and 15s.
*I	Veitchii	Hybrid	3s. 6d., 5s. and 7s. 6d.
*I	— alba	Hybrid	
*I	— superba	Hybrid	10s. 6d.
S	veratrifolia	East Indies	21s., 31s. 6d. and 42s.
*I	vestita luteo-oculata	Tavoy, Java	5s. and 7s. 6d.
*I	— oculata gigantea	Tavoy, Java	21s.
*I	— rubro-oculata	Tavoy, Java	3s. 6d. and 5s.
I	CATASETUM Bungeorthii	Ecuador	21s., 31s. 6d. and 42s.
I	Bungeorthii roseo-oculatum	Ecuador	63s.
I	callosum	South America	21s.
I	cernuum, vide Myanthes cernuus		
I	Darwinianum	British Guiana	21s. and 31s. 6d.
I	discolor	South America	10s. 6d.
I	— viridiflorum	South America	21s.
I	Gnomus	South America	21s.
I	macrocarpum	Brazil	10s. 6d.
I	maculatum viridiflorum	South America	10s. 6d.
I	medium	Brazil	63s.
I	Erstedii	South America	21s.
I	sanguineum	Brazil	10s. 6d. and 15s.
I	— integrale	South America	15s.
I	serratum	South America	21s.
I	tabulare	South America	15s., 21s. and 31s. 6d.
I	tridentatum	South America	
I	Trulla	South America	21s.
I	CATTLEYA Aclandiae	Brazil	7s. 6d., 10s. 6d. and 15s.
I	amethystina, vide intermedia		
I	amethystoglossa	Brazil	10s. 6d., 15s. and 21s.
I	aurea, vide C. Dowiana aurea		
I	Bassetii, vide speciosissima		
I	bicolor	Brazil	7s. 6d., 10s. 6d. and 15s.
I	— grandiflora	Brazil	31s. 6d.
I	— Measuresiana	Brazil	31s. 6d. and 42s.
I	— oculata	Brazil	42s.
I	Boothiana, vide lobata		
I	Bowringiana	Central America	7s. 6d., 10s. 6d. and 15s.
I	— splendens	Central America	42s. and 63s.
I	— violacea	Central America	42s. and 63s.
I	bulbosa, vide Walkeriana		
I	calummata	Hybrid	
I	chocoensis	Colombia	10s. 6d., 15s. and 21s.
C	citrina	Oaxaca	3s. 6d., 5s. and 7s. 6d.
I	crispa	Brazil	10s. 6d., 15s. and 21s.
I	— superba	Brazil	21s., 31s. 6d. and 42s.
I	Crossiana	Hybrid	
I	dolosa	Brazil	10s. 6d. and 15s.
I	Dormaniana	Brazil	31s. 6d. and 42s.
S	Dowiana	Costa Rica	10s. 6d., 15s. and 21s.
S	— aurea	Colombia	10s. 6d., 15s. and 21s.
S	— — magnifica	Colombia	
I	— punctata	Costa Rica	
I	Eldorado	Rio Negro	7s. 6d., 10s. 6d. & 15s.
I	— aurea	Rio Negro	42s. and 63s.
I	— carnea	Rio Negro	31s. 6d. and 42s.

<i>I</i>	CATTLEYA	Eldorado conspicua	Rio Negro	63s. and 84s.
<i>I</i>		Eldorado Leeana	Rio Negro	63s.
<i>I</i>		picta	Rio Negro	84s.
<i>I</i>		rosca	Rio Negro	31s. 6d. and 42s.
<i>I</i>		rubella	Rio Negro	84s.
<i>I</i>		splendens	Rio Negro	21s., 31s. 6d. and 42s.
<i>I</i>		superba	Rio Negro	42s. and 63s.
<i>I</i>		Wallisii (alba)	Rio Negro	105s.
<i>I</i>		elegans, vide Lælia elegans		
<i>I</i>		Forbesii	Brazil	10s. 6d.
<i>I</i>		Gaskelliana	Venezuela	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		Alexandræ	Venezuela	
<i>I</i>		carnea	Venezuela	21s. and 31s. 6d.
<i>I</i>		delicata	Venezuela	21s. and 31s. 6d.
<i>I</i>		grandiflora	Venezuela	42s.
<i>I</i>		picta	Venezuela	21s. and 31s. 6d.
<i>I</i>		pulchra	Venezuela	21s. and 31s. 6d.
<i>I</i>		rosea	Venezuela	31s. 6d.
<i>I</i>		superba	Venezuela	21s. and 31s. 6d.
<i>I</i>		gigas	Colombia	5s., 7s. 6d. to 21s.
<i>I</i>		atropurpurea	Colombia	
<i>I</i>		Chelsoni	Colombia	
<i>I</i>		formosa	Colombia	
<i>I</i>		fulgens	Colombia	
<i>I</i>		imperialis	Colombia	21s., 31s. 6d. and 42s.
<i>I</i>		magnifica	Colombia	
<i>I</i>		marginata	Colombia	
<i>I</i>		Normanii	Colombia	
<i>I</i>		picturata	Colombia	
<i>I</i>		regalis	Colombia	
<i>I</i>		Reginæ	Colombia	
<i>I</i>		rosea	Colombia	
<i>I</i>		Sanderiana	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>		mirabile	Colombia	
<i>I</i>		splendens	Colombia	
<i>I</i>		tyrianthina	Colombia	
<i>I</i>		grandis, vide Lælia grandis		
<i>I</i>		granulosa	Brazil	15s. and 21s.
<i>I</i>		guttata	Brazil	15s. and 21s.
<i>I</i>		Harrisoniæ	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>		superba	Brazil	31s. 6d. and 42s.
<i>I</i>		Holfordii, vide C. luteola		
<i>I</i>		intermedia (amethystina)	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		labiata, vide C. Warnerii		
<i>I</i>		Lawrenceana	British Guiana	15s., 21s. and 31s. 6d.
<i>I</i>		oculata	British Guiana	
<i>I</i>		rosea	British Guiana	
<i>I</i>		Lemoniana, vide C. speciosissima		
<i>I</i>		Leopoldii	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>		lobata (Lælia Boothiana)	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>		Loddigesii	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		Luddemanniana, vide C. speciosissima		
<i>I</i>		luteola (Holfordii)	South America	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>		marginata, vide Lælia marginata		
<i>I</i>		maxima (Quindos)	Ecuador, Popayan	15s., 21s. and 31s. 6d.
<i>I</i>		albo-marginata	Ecuador	
<i>I</i>		peruviensis	Peru	21s., 31s. 6d. and 42s.
<i>I</i>		superba	Ecuador	42s. and 63s.

<i>I</i>	CATTLEYA Mendelii	South America	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	Mendelii Alexandræ	South America	
<i>I</i>	— ampliata	South America	
<i>I</i>	— conspicua	South America	
<i>I</i>	— delicata	South America	
<i>I</i>	— excellens	South America	
<i>I</i>	— gigantea	South America	
<i>I</i>	— grandis	South America	
<i>I</i>	— insignis	South America	
<i>I</i>	— magnifica	South America	
<i>I</i>	— majestica	South America	
<i>I</i>	— miniata	South America	
<i>I</i>	— ornata	South America	
<i>I</i>	— picta	South America	
<i>I</i>	— princeps	South America	
<i>I</i>	— Rex	South America	
<i>I</i>	— superba	South America	
<i>I</i>	— superbissima	South America	
<i>I</i>	— tincta	South America	21s., 31s. 6d. and 42s.
<i>I</i>	— triumphans	South America	
<i>I</i>	— Victoriæ	South America	
<i>I</i>	Mossiiæ	Venezuela	5s., 7s. 6d. and 10s. 6d.
		Fine plants, 21s., 31s. 6d., 42s. and 63s.	
<i>I</i>	— albo-marginata	Venezuela	63s. and 84s.
<i>I</i>	— Alexandræ	Venezuela	
<i>I</i>	— amœna	Venezuela	
<i>I</i>	— aurantiaca	Venezuela	15s., 21s. and 31s. 6d.
<i>I</i>	— aurea grandiflora	Venezuela	
<i>I</i>	— Chelsoni	Venezuela	
<i>I</i>	— Cleopatra	Venezuela	
<i>I</i>	— conspicua	Venezuela	
<i>I</i>	— delicata	Venezuela	21s. and 31s. 6d.
<i>I</i>	— aurantiaca	Venezuela	
<i>I</i>	— flammea	Venezuela	
<i>I</i>	— formosa	Venezuela	
<i>I</i>	— gigantea	Venezuela	
<i>I</i>	— grandiflora	Venezuela	21s. and 31s. 6d.
<i>I</i>	— grandis	Venezuela	
<i>I</i>	— insignis	Venezuela	
<i>I</i>	— Lawrenceana	Venezuela	63s. and 84s.
<i>I</i>	— magnifica	Venezuela	
<i>I</i>	— marginata	Venezuela	
<i>I</i>	— maxima	Venezuela	
<i>I</i>	— picta	Venezuela	
<i>I</i>	— picturata	Venezuela	63s. and 84s.
<i>I</i>	— princeps	Venezuela	
<i>I</i>	— pulcherrima	Venezuela	63s. and 84s.
<i>I</i>	— rosea	Venezuela	63s. and 84s.
<i>I</i>	— elegans	Venezuela	
<i>I</i>	— rubra	Venezuela	105s. and 147s.
<i>I</i>	— speciosa	Venezuela	
<i>I</i>	— splendens	Venezuela	42s. and 63s.
<i>I</i>	— superba	Venezuela	21s., 31s. 6d. and 42s.
<i>I</i>	— triumphans	Venezuela	
<i>I</i>	— venosa	Venezuela	
<i>I</i>	— Victoriæ	Venezuela	
<i>I</i>	nobilior	Brazil	31s. 6d. and 42s.
<i>I</i>	Percivaliana	Venezuela	7s. 6d., 10s. 6d. and 15s.

<i>I</i>	CATTLEYA Percivaliana bella	Venezuela	
<i>I</i>	Percivaliana magnifica	Venezuela	
<i>I</i>	— marginata	Venezuela	31s. 6d. and 42s.
<i>I</i>	— nigra	Venezuela	
<i>I</i>	— ornata	Venezuela	
<i>I</i>	— picta	Venezuela	
<i>I</i>	— rubro-nigra	Venezuela	
<i>I</i>	— splendens	Venezuela	
<i>I</i>	— rubra superba	Venezuela	
<i>I</i>	Perrinii , <i>vide</i> Lælia Perrinii		
<i>*I</i>	Pinelii , <i>vide</i> Lælia Pinelii		
<i>I</i>	Schilleriana (Regnellii)	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	Schofieldiana	Brazil	
<i>I</i>	Schröderæ	Colombia	10s. 6d., 15s. to 42s.
<i>I</i>	— albescens	Colombia	
<i>I</i>	— aurantiaca	Colombia	
<i>I</i>	— luteo-picta	Colombia	
<i>I</i>	— rosea	Colombia	
<i>I</i>	— superba	Colombia	42s. and 63s.
<i>S</i>	signata	Hybrid	
<i>I</i>	Skinneri	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— alba	Mexico	
<i>I</i>	— oculata	Mexico	42s. and 63s.
<i>I</i>	— splendens	Mexico	
<i>I</i>	speciosissima (Bassetii, Lemoniana, } Luddemanniana)	Caracas	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	Stelzneriana , <i>vide</i> Lælia elegans		
<i>S</i>	superba	Essequibo	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— splendens	Essequibo	10s. 6d., 15s. and 21s.
<i>S</i>	Thompsoniana	Hybrid	
<i>*I</i>	Trianæ	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>	— alba	Colombia	
<i>*I</i>	— ampliata	Colombia	42s. and 63s.
<i>*I</i>	— aurantiaca	Colombia	63s.
<i>*I</i>	— bella	Colombia	105s.
<i>*I</i>	— bogotensis	Colombia	21s., 31s. 6d. and 42s.
<i>*I</i>	— carnea	Colombia	31s. 6d. and 42s.
<i>*I</i>	— Cleopatra	Colombia	63s. and 84s.
<i>*I</i>	— conspicua	Colombia	
<i>*I</i>	— delicata	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>	— Duchess	Colombia	
<i>*I</i>	— elegans	Colombia	63s. and 84s.
<i>*I</i>	— excellens	Colombia	105s.
<i>*I</i>	— fimbriata	Colombia	
<i>*I</i>	— flammea	Colombia	
<i>*I</i>	— gemma	Colombia	
<i>*I</i>	— grandis	Colombia	42s. and 63s.
<i>*I</i>	— illustris	Colombia	105s.
<i>*I</i>	— insignis	Colombia	84s.
<i>*I</i>	— macrantha	Colombia	
<i>*I</i>	— magnifica	Colombia	84s. and 105s.
<i>*I</i>	— marginata	Colombia	42s. and 63s.
<i>*I</i>	— miniata	Colombia	
<i>*I</i>	— nivea	Colombia	
<i>*I</i>	— perfecta	Colombia	
<i>*I</i>	— picta	Colombia	63s. and 84s.
<i>*I</i>	— princeps	Colombia	
<i>*I</i>	— quadricolor	Colombia	31s. 6d. and 42s.
<i>*I</i>	— Trianæ Rosalind	Colombia	

*I	CATTLEYA	Trianae rosea	Colombia	31s. 6d. and 42s.
*I	—	superba	Colombia	81s. and 105s.
*I	—	rubescens	Colombia	63s.
*I	—	rubra	Colombia	42s.
*I	—	speciosa	Colombia	63s. and 84s.
*I	—	splendens	Colombia	42s. and 63s.
*I	—	superba	Colombia	31s. 6d. and 42s.
*I	—	tricolor	Colombia	
*I	—	tyrianthina	Colombia	31s. 6d. and 42s.
*I	—	Venus	Colombia	63s. and 84s.
*I	—	Vesta	Colombia	63s. to 105s.
*I	—	Victoria	Colombia	
*I	—	virginalis	Colombia	63s. and 84s.
I		velutina	Brazil	10s. 6d., 15s. and 21s.
I		Walkeriana (bulbosa)	Brazil	7s. 6d., 10s. 6d. and 15s.
I		Warnerii (labiata)	Brazil	7s. 6d., 10s. 6d. to 21s.
I	—	magnifica	Brazil	
I	—	picta	Brazil	
I	—	splendens	Brazil	
I		Warocqueana	South America	42s. and 63s.
I		xanthina, vide Lælia xanthina		
I	CHYSIS	aurea	Mexico	7s. 6d., 10s. 6d. and 15s.
I	—	bractescens	Pern	10s. 6d. and 15s.
I	—	chelsoniensis	Hybrid	21s. and 31s. 6d.
I	—	lævis	Mexico	21s.
I	CIRRHOPETALUM	imbricatum	Sierra Leone	63s.
I	—	ornatissimum	East Indies	42s.
I	—	Medusæ	Singapore	63s.
S		mundulum, vide page 3		
I	—	picturatum	East Indies	31s. 6d. and 42s.
S	—	pulchrum	Borneo	63s.
S	—	Thouarsii	Manilla	42s. and 63s.
S	—	umbellatum, vide Bulbophyllum		
S	CLEISOSTOMA	Wendlandorum	Borneo	10s. 6d.
S	CCELOGYNE	asperata (Lowii)	Borneo	15s., 21s. and 31s. 6d.
I	—	assamica	Assam	21s.
*I	—	barbata	Assam	7s. 6d., 10s. 6d. and 15s.
I	—	corrugata	Khasya	10s. 6d. and 15s.
*C	—	cristata	Nepal, Sylhet	5s., 7s. 6d. and 10s. 6d.
*C	—	Chatsworth variety	East Indies	10s. 6d., 15s. and 21s.
*C	—	hololeuca (alba)	East Indies	84s., 105s. and 147s.
*C	—	Lemoniana	East Indies	15s., 21s. and 31s. 6d.
*C	—	maxima	East Indies	
*C	—	Trentham variety	East Indies	10s. 6d., 15s. and 21s.
S	—	Dayana	Borneo	42s. and 63s.
I	—	elata	Assam	7s. 6d., 10s. 6d. to 21s.
I	—	fimbriata	East Indies	15s. and 21s.
*I	—	fiacida	Assam	10s. 6d. and 15s.
I	—	Gardneriana	East Indies	21s., 31s. 6d. and 42s.
I	—	lentiginosa	Moulmain	7s. 6d. and 10s. 6d.
I	—	Massangeana	Assam	15s., 21s. and 31s. 6d.
Remarkably fine specimens, from 5 to 20 guineas				
I	—	ocellata	Assam	5s. and 7s. 6d.
I	—	ovalis	East Indies	
I	—	Ruckerii	East Indies	
I	—	Sanderiana	East Indies	31s. 6d. and 42s.
I	—	speciosa	Java	7s. 6d., 10s. 6d. and 15s.
I	—	major	Java	21s. and 31s. 6d.
I	—	tomentosa	East Indies	10s. 6d.

<i>C</i>	<i>COLAX</i>	<i>jugosus</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>COMPARETTIA</i>	<i>macroplectron</i>	South America	10s. 6d., 15s. and 21s.
<i>S</i>	<i>CORYANTHES</i>	<i>macrantha</i>	Caracas	42s.
<i>S</i>		<i>speciosa</i>	South America	21s., 31s. 6d. and 42s.
<i>C</i>	<i>CRYPTOCHILUS</i>	<i>sanguineus</i>	Assam	21s.
<i>S</i>	<i>CYCNOCHES</i>	<i>chlorochilon</i>	South America	15s., 21s. and 31s. 6d.
<i>I</i>	<i>CYMBIDIUM</i>	<i>affine, vide C. Mastersii affine</i>		
<i>I</i>		<i>albucæflorum, vide C. madidum</i>		
<i>I</i>		<i>aloifolium</i>	East Indies	5s. and 7s. 6d.
<i>S</i>		<i>canaliculatum</i>	Queensland	10s. 6d. and 15s.
<i>I</i>		<i>Devonianum</i>	Assam	
* <i>C</i>		<i>eburneum</i>	East Indies	10s. 6d., 15s. and 21s.
* <i>C</i>		— <i>Dayanum</i>	East Indies	
* <i>C</i>		— <i>maculatum</i>	East Indies	
* <i>C</i>		— <i>pictum</i>	East Indies	
<i>S</i>		<i>elegans</i>	East Indies	
* <i>C</i>		<i>giganteum</i>	Assam	21s. and 31s. 6d.
<i>C</i>		<i>Hookerianum</i>	Sikkim, Himalaya	63s., 84s. and 105s.
<i>C</i>		<i>Lowianum</i>	Burmah	7s. 6d., 10s. 6d. and 15s.
			Very fine specimens, from 3 to 40 guineas each	
<i>C</i>		— <i>atropurpureum</i>	Burmah	
<i>C</i>		— <i>eximium</i>	Burmah	
<i>C</i>		— <i>Victoriæ</i>	Burmah	
<i>I</i>		<i>madidum (albucæflorum)</i>	Queensland	
* <i>C</i>		<i>Mastersii</i>	East Indies	10s. 6d., 15s. and 21s.
*		— <i>affine</i>	East Indies	15s., 21s. to 42s.
<i>S</i>		<i>pendulum atropurpureum</i>	Java	
<i>I</i>		<i>tigrinum</i>	East Indies	21s. and 31s. 6d.
* <i>C</i>	<i>CYPERORCHIS</i>	<i>Mastersii, vide Cymbidium Mastersii</i>		
<i>I</i>	<i>CYPRIPEDIUM</i>	<i>Ainsworthii</i>	Hybrid	31s. 6d., 42s. and 63s.
<i>I</i>		<i>albo-purpureum</i>	Hybrid	21s., 31s. 6d. and 42s.
* <i>I</i>		<i>amandum</i>	Hybrid	42s. and 63s.
<i>I</i>		<i>Amesianum</i>	Hybrid	63s. and 84s.
<i>I</i>		<i>apiculatum</i>	Hybrid	
* <i>I</i>		<i>Argus</i>	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		<i>Arthurianum</i>	Hybrid	63s., 84s. and 105s.
<i>I</i>		<i>Ashburtoniæ</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>		<i>auroreum</i>	Hybrid	
<i>I</i>		<i>barbatum</i>	Mount Ophir	3s. 6d. and 5s.
<i>I</i>		— <i>biflorum</i>	Mount Ophir	10s. 6d., 15s. and 21s.
<i>I</i>		— <i>grandiflorum</i>	Java	15s., 21s. and 31s. 6d.
<i>I</i>		— <i>nanum</i>	Java	42s.
<i>I</i>		— <i>majus</i>	Mount Ophir	10s. 6d.
<i>I</i>		— <i>nigrum</i>	Mount Ophir	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		— <i>pictum</i>	Mount Ophir	15s.
<i>I</i>		— <i>plumosum</i>	Mount Ophir	21s. and 31s. 6d.
<i>I</i>		— <i>pulcherrimum</i>	Mount Ophir	15s. and 21s.
<i>I</i>		— <i>purpureum</i>	Mount Ophir	10s. 6d. and 15s.
<i>I</i>		— <i>superbum</i>	Mount Ophir	7s. 6d. and 10s. 6d.
<i>I</i>		— <i>violaceum</i>	Mount Ophir	21s. and 31s. 6d.
* <i>I</i>		— <i>Warnerianum</i>	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>		<i>Bartetii</i>	Hybrid	84s. and 105s.
<i>S</i>		<i>bellatulum</i>	Siam	7s. 6d., 10s. 6d. to 21s.
<i>S</i>		— <i>roseum</i>	Siam	
<i>C</i>		<i>Boxallii</i>	Burmah	5s., 7s. 6d. to 15s.
<i>C</i>		— <i>atratum</i>	Burmah	31s. 6d. and 42s.
* <i>I</i>		<i>Bullenianum</i>	Borneo	3s. 6d. and 5s.
<i>I</i>		<i>callosum</i>	Siam	10s. 6d., 15s. and 21s.

<i>I</i>	<i>CYPRIPEDIUM callosum coloratum</i> ..	Siam.....	42s.
<i>I</i>	<i>callosum pictum</i>	Siam.....	42s.
<i>I</i>	— <i>sublaeve</i>	Siam.....	63s.
<i>I</i>	<i>calophyllum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	<i>calurum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	<i>cardinale</i>	Hybrid	63s.
* <i>I</i>	<i>caricinum, vide C. Pearcei</i>		
<i>I</i>	<i>caudatum</i>	Panama	10s. 6d., 15s. to 31s. 6d.
<i>I</i>	— <i>major</i>	Panama	
<i>I</i>	— <i>nigrum</i>	Panama	
<i>I</i>	— <i>roseum</i>	Panama	15s., 21s. and 31s. 6d.
<i>I</i>	<i>chloroneurum</i>	Hybrid.....	21s., 31s. 6d. and 42s.
<i>I</i>	<i>ciliolare</i>	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>conchiferum</i>	Hybrid	15s., 21s. and 31s. 6d.
<i>I</i>	<i>concolor</i>	Moulmein	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>Regnierii</i>	Moulmein	10s. 6d. and 15s.
* <i>I</i>	<i>Crossianum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>superbum</i>	Hybrid	31s. 6d. and 42s.
<i>S</i>	<i>Curtisii</i>	Sumatra	10s. 6d., 15s. to 42s.
<i>C</i>	<i>Dauthierii</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Dayanum</i>	Borneo	21s. and 31s. 6d.
<i>I</i>	<i>Dominii</i>	Hybrid.....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Druryi</i>	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	<i>Elliotianum</i>	Hybrid.....	21s., 31s. 6d. and 42s.
<i>I</i>	<i>Euryale</i>	Hybrid	
<i>S</i>	<i>euryandrum</i>	Hybrid.....	31s. 6d., 42s. and 63s.
<i>S</i>	<i>gemmaferum</i>	Hybrid.....	84s. and 105s.
<i>S</i>	<i>Godefroyæ</i>	Siam	10s. 6d. and 15s.
<i>S</i>	— <i>ampliatum</i>	Siam	
<i>S</i>	<i>grande</i>	Hybrid.....	31s. 6d., 42s. and 63s.
<i>C</i>	<i>Harrisianum</i>	Hybrid.....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>nigrum</i>	Hybrid.....	42s. and 63s.
<i>C</i>	— <i>superbum</i>	Hybrid.....	
<i>S</i>	<i>Hartwegii</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Haynaldianum</i>	East Indies	10s. 6d., 15s. & 21s.
<i>I</i>	<i>hirsutissimum</i>	Assam	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Hookeræ</i>	Borneo	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>hybridum</i>	Hybrid.....	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>marginatum</i>	Hybrid.....	21s. and 31s. 6d.
* <i>C</i>	<i>insigne</i>	Nepal	3s. 6d. and 5s.
* <i>C</i>	— <i>albo-marginatum</i>	Nepal	10s. 6d. and 15s.
* <i>C</i>	— — <i>majus</i>	Nepal	42s.
* <i>C</i>	— <i>Freemanii</i>	Nepal	
* <i>C</i>	— <i>guttulatum</i> ..	Nepal	15s. and 21s.
* <i>C</i>	— <i>maculatum</i>	Nepal	15s. and 21s.
* <i>C</i>	— <i>Maulei</i>	Nepal	10s. 6d., 15s. and 21s.
* <i>C</i>	— — <i>Chantinii (punctatum violaceum)</i> }	Nepal	15s., 21s. and 31s. 6d.
* <i>C</i>	— <i>maximum</i>	Nepal	10s. 6d.
* <i>C</i>	— <i>ornatum</i>	Nepal	42s.
* <i>C</i>	— <i>pictum</i>	Nepal	21s.
* <i>C</i>	— <i>picturatum</i>	Nepal	31s. 6d.
* <i>C</i>	— <i>punctatum</i>	Nepal	15s.
* <i>C</i>	— — <i>violaceum, vide Maulei Chantinii</i> }		
<i>I</i>	<i>Io</i>	Hybrid.....	63s.
<i>I</i>	— <i>grande</i>	Hybrid.....	
<i>S</i>	<i>javanico-superbiens</i>	Hybrid.....	63s., 84s. and 105s.

<i>I</i>	CYPRIPEDIUM javanicum	Java	10s. 6d. and 15s.
<i>S</i>	<i>lævigatum</i> (philippinense)	Philippine Islands	7s. 6d. and 10s. 6d.
<i>I</i>	<i>Laforcadei</i>	Hybrid	
<i>I</i>	<i>Lawrenceanum</i>	Borneo	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— <i>coloratum</i>	Borneo	63s.
<i>I</i>	— <i>expansum</i>	Borneo	42s.
<i>I</i>	— <i>majus</i>	Borneo	
<i>I</i>	— <i>marmoratum</i>	Borneo	
<i>I</i>	— <i>superbum</i>	Borneo	21s. and 31s. 6d.
<i>*I</i>	<i>Leeanum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>*I</i>	— <i>superbum</i>	Hybrid	31s. 6d., 42s. and 63s.
<i>S</i>	<i>Lindleyanum</i>	British Guiana	10s. 6d., 15s. and 21s.
<i>I</i>	<i>longifolium</i>	Costa Rica	7s. 6d. and 10s. 6d.
<i>S</i>	<i>Lowii</i>	Borneo	10s. 6d., 15s. and 21s.
<i>S</i>	<i>marmorophyllum</i>	Hybrid	31s. 6d., 42s. and 63s.
<i>S</i>	<i>Mastersianum</i>	East Indies	
<i>I</i>	<i>Measuresianum</i>	Hybrid	
<i>*S</i>	<i>Meirax</i>	Hybrid	42s., 63s. and 84s.
<i>*S</i>	<i>melanophthalmum</i>	Hybrid	31s. 6d. and 42s.
<i>S</i>	<i>Morganiae</i>	Hybrid	
<i>*S</i>	<i>nitens</i>	Hybrid	21s.
<i>*S</i>	— <i>superbum</i>	Hybrid	42s.
<i>S</i>	<i>nitidissimum</i>	Hybrid	42s., 63s. and 84s.
<i>*S</i>	<i>niveum</i>	East Indies	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	<i>œnanthum</i>	Hybrid	15s. and 21s.
<i>I</i>	— <i>superbum</i>	Hybrid	42s.
<i>S</i>	<i>Parishii</i>	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	<i>pavoninum</i>	Hybrid	
<i>I</i>	<i>Pearcei</i> (caricinum)	Peru	10s. 6d. and 15s.
<i>S</i>	<i>philippinense</i> , <i>vide</i> <i>lævigatum</i>		
<i>I</i>	<i>politum</i>	Hybrid	63s. and 84s.
<i>I</i>	<i>porphyreum</i>	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i>	<i>præstans</i>	New Guinea	42s. and 63s.
<i>I</i>	<i>purpuratum</i>	Hong Kong	21s., 31s. 6d. and 42s.
<i>I</i>	<i>regale</i>	Hybrid	105s.
<i>S</i>	<i>Robelenii</i>	Malay Archipelago	7s. 6d. and 10s. 6d.
<i>I</i>	<i>Roezlii</i>	South America	10s. 6d. and 15s.
<i>S</i>	<i>Rothschildianum</i>	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Sallierii</i>	Hybrid	31s. 6d. and 42s.
<i>S</i>	<i>Sanderianum</i>	Malay Archipelago	15s. and 21s.
<i>S</i>	<i>Saundersianum</i>	Hybrid	
<i>C</i>	<i>Schlimii</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>album</i>	Colombia	21s., 31s. 6d. and 42s.
<i>I</i>	<i>Schroderæ</i>	Hybrid	42s., 63s. and 84s.
<i>C</i>	<i>Sedeni</i>	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>C</i>	— <i>candidulum</i>	Hybrid	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>superbum</i>	Hybrid	15s. and 21s.
<i>I</i>	<i>Seegerianum</i>	Hybrid	
<i>I</i>	<i>selligerum</i>	Hybrid	7s. 6d., 10s. 6d. & 15s.
<i>I</i>	— <i>majus</i>	Hybrid	63s. and 84s.
<i>*I</i>	<i>Spicerianum</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>	— <i>grandiflorum</i>	East Indies	63s.
<i>*I</i>	— <i>magnificum</i>	East Indies	
<i>*I</i>	— <i>prasinum</i>	East Indies	63s.
<i>*I</i>	— <i>virescens</i>	East Indies	63s.
<i>*I</i>	— <i>viride</i>	East Indies	
<i>I</i>	<i>stenophyllum</i>	Hybrid	15s. and 21s.
<i>S</i>	<i>Stonei</i>	Borneo	10s. 6d. and 15s.
<i>S</i>	— <i>macranthum</i>	Borneo	

<i>S</i>	CYPRIPEDIUM	<i>Stoneli roseum</i>	Borneo	
<i>I</i>		<i>superbiens</i> (Veitchii)	Java	15s., 21s. & 31s. 6d.
<i>I</i>		<i>superciliare</i>	Hybrid	10s. 6d., 15s. & 21s.
<i>I</i>		— <i>ornatum</i>	Hybrid	31s. 6d. and 42s.
<i>I</i>		<i>Swanianum</i>	Hybrid	15s. and 21s.
<i>S</i>		<i>Tautzianum lepidum</i>	Hybrid	
<i>S</i>		<i>tonsum</i>	Sumatra	42s. and 63s.
* <i>C</i>		<i>venustum</i>	Nepal	5s. and 7s. 6d.
* <i>C</i>		— <i>pardinum</i>	Nepal	21s.
<i>I</i>		<i>vernixium</i>	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>vexillarium</i>	Hybrid	31s. 6d., 42s. and 63s.
<i>C</i>		<i>villosum</i>	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		— <i>aureum</i>	Moulmein	63s. and 84s.
* <i>S</i>		<i>virens</i>	Borneo	10s. 6d. and 15s.
<i>I</i>		<i>Williamsianum</i>	Hybrid	63s., 84s. and 105s.
<i>I</i>	CYRTOPODIUM	<i>Andersoni</i>	Brazil	15s. and 21s.
<i>I</i>		<i>punctatum</i>	South America	15s., 21s. and 31s. 6d.
<i>I</i>		<i>St. Legerianum</i>	Paraguay	15s., 21s. and 31s. 6d.
<i>S</i>	CYRTOPTERA	<i>Regnieri</i>	Cochin China	21s. and 31s. 6d.
<i>I</i>	DENDROBIUM	<i>aggregatum</i>	East Indies	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		<i>aggregatum majus</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>Ainsworthii</i>	Hybrid	7s. 6d., 10s. 6d. to 21s.
<i>I</i>		— <i>roseum</i>	Hybrid	31s. 6d., 42s. and 63s.
<i>I</i>		<i>albo-sanguineum</i>	Moulmein	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		<i>album (aqueum)</i>	East Indies	21s. and 31s. 6d.
<i>S</i>		<i>anosmum (Dayanum)</i>	Manilla	21s. and 31s. 6d.
<i>S</i>		<i>aurantiacum</i>	East Indies	10s. 6d. and 15s.
<i>I</i>		<i>aureum (heterocarpum)</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>barbatulum</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>		<i>Bensoniæ</i>	Arracan Hills	5s., 7s. 6d. and 10s. 6d.
<i>S</i>		— <i>nigrum</i>	Arracan Hills	42s.
<i>S</i>		<i>bicameratum</i>	Burmah	10s. 6d.
<i>S</i>		<i>bigibbum</i>	Torres Straits	10s. 6d. and 15s.
<i>S</i>		— <i>superbum</i>	Torres Straits	31s. 6d. and 42s.
<i>I</i>		<i>binoculare</i>	Burmah	21s. and 31s. 6d.
<i>S</i>		<i>Brymerianum</i>	Burmah	10s. 6d., 15s. and 21s.
<i>I</i>		<i>Calceolaria</i>	East Indies	10s. 6d. and 15s.
<i>I</i>		<i>Cambridgeanum, vide D. ochreatum</i>		
<i>S</i>		<i>capillipes</i>	Moulmein	7s. 6d. and 10s. 6d.
<i>I</i>		<i>cariniferum</i>	East Indies	7s. 6d. and 10s. 6d.
<i>I</i>		<i>chrysanthum</i>	Nepal	7s. 6d. and 10s. 6d.
<i>I</i>		<i>Chrysotis, vide D. Hookerianum</i>		
<i>S</i>		<i>chrysotoxum</i>	Moulmein	5s., 7s. 6d. and 10s. 6d.
<i>S</i>		— <i>superbum</i>	Moulmein	10s. 6d. and 15s.
<i>S</i>		<i>ciliatum</i>	Moulmein	7s. 6d. and 10s. 6d.
<i>I</i>		<i>clavatum</i>	East Indies	15s., 21s. and 31s. 6d.
* <i>S</i>		<i>crassinode</i>	Arracan & Siam Mountains	5s., 7s. 6d. and 10s. 6d.
* <i>S</i>		— <i>album</i>	Arracan & Siam Mountains	
* <i>S</i>		— <i>Barberianum</i>	Arracan & Siam Mountains	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>crepidatum</i>	East Indies	5s. and 7s. 6d.
<i>S</i>		<i>cretaceum</i>	Burmah	5s. and 7s. 6d.
<i>S</i>		<i>crystallinum</i>	Arracan Mountains ..	7s. 6d. and 10s. 6d.
<i>S</i>		<i>cucullatum, vide D. Pierardii</i>		
<i>S</i>		<i>cumulatum</i>	Moulmein	31s. 6d.
<i>I</i>		<i>cupreum</i>	East Indies	21s. and 31s. 6d.
<i>S</i>		<i>Dalhousianum</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>		<i>Dayanum, vide D. anosmum</i>		
<i>S</i>		<i>Dearei</i>	Philippine Islands	7s. 6d., 10s. 6d. and 15s.

<i>I</i>	DENDROBIUM densiflorum	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	Devonianum	Khasya	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	dixanthum	East Indies	10s. 6d. and 15s.
<i>I</i>	Dominianum	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>	Draconis (eburneum)	Burmah	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	Endocharis	Hybrid	15s., 21s. and 31s. 6d.
<i>I</i>	Falconeri	East Indies	7s. 6d. and 10s. 6d.
<i>S</i>	Farmeri	India	10s. 6d., 15s. and 21s.
<i>S</i>	— album	India	
<i>S</i>	— aureum	India	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	fimbriatum	Nepal	10s. 6d. and 15s.
<i>I</i>	— oculatum	Nepal	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	Findleyanum	Moulmein	10s. 6d. and 15s.
<i>S</i>	— roseum	Moulmein	
<i>I</i>	formosum giganteum	Burmah	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	Freemanii	Assam	10s. 6d., 15s. and 21s.
<i>I</i>	Gibsonii	Tenasserim	21s. and 31s. 6d.
<i>I</i>	Griffithianum	East Indies	42s. and 63s.
<i>I</i>	Guibertii	East Indies	
<i>S</i>	Harveyanum	Burmah	15s.
<i>S</i>	hedyosmum	East Indies	10s. 6d. and 15s.
<i>I</i>	heterocarpum, vide aureum		
<i>*C</i>	Hillii, vide speciosum Hillii		
<i>I</i>	Hookerianum (chrysotis)	Assam and Sikkim ..	15s. and 21s.
<i>C</i>	infundibulum	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	Jamesianum	Moulmein	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	japonicum, vide moniliforme		
<i>S</i>	Jenkinsii	Gualpara	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	Kingianum	Australia	10s. 6d., 15s. and 21s.
<i>I</i>	— album	Australia	31s. 6d. and 42s.
<i>I</i>	lasioglossum	Burmah	31s. 6d. and 42s.
<i>S</i>	Leechianum	Hybrid	63s. and 84s.
<i>I</i>	Linawianum (moniliforme, Hort.) ..	China and Japan ..	10s. 6d., 15s. and 21s.
<i>I</i>	lituiflorum	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	longicorne	Khasya Hills	15s. and 21s.
<i>S</i>	Lowii	East Indies	15s. and 21s.
<i>I</i>	luteolum	Moulmein	10s. 6d. and 15s.
<i>S</i>	macrophyllum (superbum)	Manilla	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	— giganteum	Manilla	21s. and 31s. 6d.
<i>S</i>	MacCarthiae	Ceylon	21s. and 31s. 6d.
<i>I</i>	marmoratum	Assam	7s. 6d. and 10s. 6d.
<i>C</i>	moniliforme (japonicum)	Japan	7s. 6d.
<i>I</i>	moniliforme, Hort., vide Linawianum		
<i>S</i>	monophyllum	Queensland	
<i>I</i>	moschatum	East Indies	10s. 6d. and 15s.
<i>*I</i>	nobile	Assam	5s. and 7s. 6d.
<i>*I</i>	— albescens	Assam	
<i>*I</i>	— caerulescens	Assam	15s., 21s. and 31s. 6d.
<i>*I</i>	— elegans	Assam	21s.
<i>*I</i>	— excellens	Assam	
<i>*I</i>	— grandiflorum	Assam	21s. and 31s. 6d.
<i>*I</i>	— insignis	Assam	
<i>*I</i>	— nobiliss	Assam	63s., 84s. and 105s.
<i>*I</i>	— pendulum	Assam	21s. and 31s. 6d.
<i>*I</i>	— pulcherrimum	Assam	21s. and 31s. 6d.
<i>*I</i>	— roseum	Assam	42s. and 63s.
<i>*I</i>	— rubellum	Assam	31s. 6d. and 42s.
<i>*I</i>	— splendens	Assam	

*I	DENDROBIUM nobile Wallichianum ..	Assam	15s. and 21s.
I	nodatum (Aphrodite)	Moulmein	7s. 6d. and 10s. 6d.
I	ochreatum (Cambridgeanum)	Chittagong	7s. 6d. and 10s. 6d.
I	Parishii	Moulmein	7s. 6d., 10s. 6d. and 15s.
I	— Dives	Moulmein	21s.
S	Parthenium	Borneo	31s. 6d. and 42s.
I	Paxtonii	Khasya	10s. 6d. and 15s.
S	Phalænopsis	New Guinea	42s. and 63s.
I	philippinense	East Indies	10s. 6d. and 15s.
*I	Pierardi	Delta of Ganges	3s. 6d., 5s. and 7s. 6d.
I	primulinum	East Indies	7s. 6d., 10s. 6d. and 15s.
I	— giganteum	East Indies	10s. 6d. and 15s.
I	pulchellum	Assam	7s. 6d. and 10s. 6d.
S	purpureum	New Guinea	31s. 6d.
S	— candidulum	New Guinea	42s.
S	rigidum	Queensland	
I	secundum	East Indies	7s. 6d. and 10s. 6d.
S	senile	Moulmein	15s. and 21s.
*C	speciosum	Australia	10s. 6d. and 15s.
*C	— Hillii	Australia	21s. and 31s. 6d.
S	splendidissimum grandiflorum	Hybrid	105s.
S	suavissimum	Burmah	7s. 6d., 10s. 6d. and 15s.
S	superbiens	Torres Straits	
S	superbum, <i>vide</i> macrophyllum		
S	tetragonum	North Australia	21s.
I	thyrsiflorum	Burmah	5s., 7s. 6d. and 10s. 6d.
I	— carneum	Burmah	21s.
I	— Walkerianum	Burmah	
S	tortile	East Indies	7s. 6d., 10s. 6d. and 15s.
S	— roseum	East Indies	7s. 6d., 10s. 6d. and 15s.
I	transparens	Nepal	7s. 6d. and 10s. 6d.
S	Treacherianum	Borneo	42s. and 63s.
S	undulatum	Queensland	
I	Veitchianum	Java	7s. 6d. and 10s. 6d.
I	— stenopterum	Java	42s.
*I	Wardianum	Burmah	3s. 6d., 5s. and 7s. 6d.
*I	— cinnabarium	Burmah	63s. and 81s.
*I	— grandiflorum	Burmah	15s. and 21s.
I	DENDROCHILUM, <i>vide</i> Platyclinis		
S	DIACRIUM bicornutum	West Indies	10s. 6d., 15s. and 21s.
S	DICHÆA vaginata	Mexico	10s. 6d.
C	DISA grandiflora	Cape of Good Hope ..	10s. 6d., 15s. and 21s.
C	racemosa	Cape of Good Hope ..	10s. 6d., 15s. and 21s.
I	EPIDENDRUM aromaticum	Guatemala	10s. 6d.
C	atropurpureum, <i>vide</i> macrochilum		
S	bicornutum, <i>vide</i> Diacrium bicornutum		
I	Brasavolæ	Guatemala	10s. 6d., 15s. and 21s.
I	Christii	South America	21s.
I	ciliare	South America	7s. 6d. and 10s. 6d.
I	cochleatum	West Indies	7s. 6d. and 10s. 6d.
I	Cooperianum	Brazil	21s. and 31s. 6d.
I	criniferum	Costa Rica	15s. and 21s.
I	cuspidatum	Costa Rica	7s. 6d. and 10s. 6d.
I	dichromum	Bahia	7s. 6d., 10s. 6d. and 15s.
I	diotum	South America	21s.
I	evectum	South America	10s. 6d. and 15s.
I	falcatum (Parkinsonianum)	Mexico	10s. 6d., 15s. and 21s.

<i>I</i> EPIDENDRUM fals-loquum	South America	21s. and 31s. 6d.
<i>I</i> Frederici Giulielmi	Peru	10s. 6d., 15s. and 21s.
<i>I</i> glumaceum	South America	31s. 6d. and 42s.
<i>I</i> ibaguense	Colombia	21s. and 31s. 6d.
<i>I</i> leuochilum	South America	
<i>C</i> macrochilum (atropurpurem)	South America	10s. 6d., 15s. and 21s.
<i>C</i> myrianthum	Guatemala	63s. and 84s.
<i>I</i> nemorale	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i> — superbum	Mexico	21s. and 31s. 6d.
<i>I</i> nutans	South America	10s. 6d.
<i>I</i> paniculatum	South America	15s. and 21s.
<i>I</i> patens	South America	10s. 6d., 15s. and 21s.
<i>I</i> prismatocarpum	Chiriqui	10s. 6d., 15s. and 21s.
<i>I</i> — superbum	Chiriqui	42s. and 63s.
<i>I</i> pseudo-epidendrum auratum	South America	
<i>I</i> radiatum roseum	South America	15s.
<i>I</i> raniferum	Mexico	31s. 6d. and 42s.
<i>I</i> rhizophorum (radicans)	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>I</i> selligerum	South America	10s. 6d.
<i>I</i> Stamfordianum	South America	7s. 6d., 10s. 6d. and 15s.
<i>I</i> — Wallacei	South America	10s. 6d., 15s. and 21s.
<i>I</i> syringothyrsus	South America	10s. 6d., 15s. and 21s.
<i>I</i> tovarense	Venezuela	10s. 6d. and 15s.
<i>C</i> vitellinum majus	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i> Wallisii	Colombia	21s., 31s. 6d. to 63s.
<i>I</i> xanthinum	South America	31s. 6d., 42s. and 63s.
<i>I</i> ERIA acervata	East Indies	15s.
<i>I</i> clavicaulis	Assam	15s. and 21s.
<i>I</i> convallarioides	Nepal	15s. and 21s.
<i>I</i> odoratissima	East Indies	10s. 6d. and 15s.
<i>I</i> stellata	East Indies	10s. 6d., 15s. and 21s.
<i>S</i> ESMERALDA bella	East Indies	
<i>S</i> Clarkei	East Indies	31s. 6d. and 42s.
<i>S</i> EULOPHIA Dregeana	Natal	21s.
<i>I</i> scripta	Madagascar	21s. and 31s. 6d.
<i>S</i> GALEANDRA Devoniana	Guiana	10s. 6d., 15s. and 21s.
<i>I</i> GONGORA atropurpurea	South America	15s. and 21s.
<i>I</i> portentosa	South America	15s. and 21s.
<i>I</i> punctata	South America	15s. and 21s.
<i>I</i> quinquenervis	South America	
<i>S</i> GOODYERA (Anæctochilus) Dawsoniana	East Indies	10s. 6d. and 15s.
<i>I</i> discolor	South America	5s. and 7s. 6d.
<i>S</i> Rollissonii		
<i>S</i> GRAMMATOPHYLLUM Ellisii	Madagascar	42s. and 63s.
<i>S</i> Measuresianum	Phillipine Islands	
<i>S</i> speciosum	East Indies	
<i>S</i> GYMNADENIA macrantha	Sierra Leone	10s. 6d.
<i>S</i> HABENARIA militaris	Cochin China	105s.
<i>I</i> HARTWEGIA purpurea	Mexico	15s. and 21s.
<i>C</i> HELICIA sanguinolenta	Andes of Guayaquil ..	10s. 6d., 15s. and 21s.
<i>I</i> HOULLETIA Brocklehurstiana	Brazil	21s.
<i>C</i> odoratissima	Colombia	10s. 6d., 15s. and 21s.
<i>I</i> — antioquiensis	Colombia	
<i>I</i> HUNTLEYA cerina, vide Pescatoria cerina		
<i>I</i> IONOPSIS paniculata	Brazil	10s. 6d., 15s. and 21s.
<i>S</i> IPSEA speciosa	Ceylon	10s. 6d. and 15s.

<i>S</i>	KERFERSTEINIA	<i>graminea</i>	Colombia	10s. 6d., 15s. and 21s.
* <i>C</i>	LÆLIA	<i>acuminata</i>	Mexico	10s. 6d. and 15s.
* <i>C</i>		<i>acuminata rosea</i>	Mexico	10s. 6d. and 15s.
* <i>C</i>		<i>albida</i>	Guatemala	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>		<i>bella</i>	Guatemala	10s. 6d. and 15s.
* <i>C</i>		<i>grandiflora</i>	Guatemala	15s. and 21s.
* <i>C</i>		<i>Marianæ</i>	Guatemala	10s. 6d. and 15s.
<i>I</i>		<i>amanda</i>	Brazil	63s. and 84s.
* <i>C</i>		<i>anceps</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>		<i>alba</i>	Mexico	
* <i>C</i>		<i>Barkeriana</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
* <i>C</i>		<i>conspicua</i>	Mexico	105s.
* <i>C</i>		<i>Dawsonii</i>	Mexico	
* <i>C</i>		<i>delicata</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>grandiflora</i>	Mexico	
* <i>C</i>		<i>Hillii</i>	Mexico	42s. and 63s.
* <i>C</i>		<i>insignis</i>	Mexico	84s.
* <i>C</i>		<i>major</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>oculata</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>Percivaliana</i>	Mexico	42s. and 63s.
* <i>C</i>		<i>pulcherrima</i>	Mexico	42s.
* <i>C</i>		<i>Sanderiana</i>	Mexico	63s. and 84s.
* <i>C</i>		<i>Schroderiana</i>	Mexico	
* <i>C</i>		<i>splendens</i>	Mexico	42s. and 63s.
* <i>C</i>		<i>Stella</i>	Mexico	42s., 63s. and 84s.
* <i>C</i>		<i>rosea</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>rubra</i>	Mexico	42s. and 63s.
* <i>C</i>		<i>Williamsiana, vide Stella</i>		
* <i>C</i>		<i>autumnalis</i>	Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>		<i>atrorubens</i>	Mexico	15s., 21s. and 31s. 6d.
* <i>C</i>		<i>superba</i>	Mexico	42s.
<i>I</i>		<i>Boothiana, vide Cattleya lobata</i>		
<i>I</i>		<i>cinnabarina</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>crispa, vide Cattleya crispa</i>		
<i>I</i>		<i>crispilabia (Lawrenceana)</i>	Brazil	31s. 6d. and 42s.
* <i>I</i>		<i>Dayana</i>	Brazil	5s., 7s. 6d., and 10s. 6d.
* <i>I</i>		<i>superba</i>	Brazil	21s.
<i>I</i>		<i>elegans</i>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>		<i>alba</i>	Brazil	31s. 6d., 42s. and 63s.
<i>I</i>		<i>carnea</i>	Brazil	63s. and 84s.
<i>I</i>		<i>Dayana</i>	Brazil	
<i>I</i>		<i>irrorata</i>	Brazil	
<i>I</i>		<i>macroloba</i>	Brazil	
<i>I</i>		<i>miranda</i>	Brazil	147s.
<i>I</i>		<i>prasiata</i>	Brazil	
<i>I</i>		<i>rosea</i>	Brazil	
<i>I</i>		<i>sanguinea</i>	Brazil	
<i>I</i>		<i>Schilleriana</i>	Brazil	63s. and 84s.
<i>I</i>		<i>Stelzneriana</i>	Brazil	84s. and 105s.
<i>I</i>		<i>Wolstenholmiæ</i>	Brazil	
* <i>I</i>		<i>Eyermanniana</i>	Mexico	21s., 31s. 6d. and 42s.
<i>I</i>		<i>flava</i>	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>		<i>furfuracea</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>		<i>Gouldiana</i>	Mexico	
<i>I</i>		<i>grandis</i>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>		<i>tenebrosa</i>	Brazil	42s. and 63s.
<i>I</i>		<i>harpophylla</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>Lindleyana</i>	Brazil	42s.

<i>I</i> LÆLIA lobata , <i>vide</i> <i>Cattleya lobata</i>			
<i>C</i>	<i>majalis</i> (Flor de Maio).....	Oaxaca.....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>rubra</i>	Oaxaca.....	21s. and 31s. 6d.
* <i>I</i>	<i>marginata</i>	Oaxaca.....	5s., 7s. 6d. and 10s. 6d.
* <i>I</i>	— <i>rubra</i>	Oaxaca.....	63s.
<i>I</i>	<i>Patinii</i>	Colombia.....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Perrinii</i>	Brazil.....	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	— <i>marginata</i>	Brazil.....	21s. and 31s. 6d.
<i>I</i>	— <i>superba</i>	Brazil.....	31s. 6d. and 42s.
* <i>I</i>	<i>Pinelii</i> (præstans, punila).....	Brazil.....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>purpurata</i>	Brazil.....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>alba</i>	Brazil.....	31s. 6d. and 42s.
<i>I</i>	— — <i>excellens</i>	Brazil.....	
<i>I</i>	— — <i>gloriosa</i>	Brazil.....	
<i>I</i>	— <i>ampliata</i>	Brazil.....	
<i>I</i>	— <i>atropurpurea</i>	Brazil.....	
<i>I</i>	— <i>atrosanguinea</i>	Brazil.....	
<i>I</i>	— <i>bella</i>	Brazil.....	
<i>I</i>	— <i>Brysiana</i>	Brazil.....	
<i>I</i>	— <i>Chelsoni</i>	Brazil.....	
<i>I</i>	— <i>erubescens</i>	Brazil.....	
<i>I</i>	— <i>fulgens</i>	Brazil.....	
<i>I</i>	— <i>grandis</i>	Brazil.....	
<i>I</i>	— <i>Imperialis</i>	Brazil.....	
<i>I</i>	— <i>magnifica</i>	Brazil.....	
<i>I</i>	— <i>marginata</i>	Brazil.....	
<i>I</i>	— <i>maxima</i>	Brazil.....	
<i>I</i>	— <i>Nelisii</i>	Brazil.....	
<i>I</i>	— <i>nigra</i>	Brazil.....	
<i>I</i>	— <i>nobilior</i>	Brazil.....	
<i>I</i>	— <i>picturata</i>	Brazil.....	
<i>I</i>	— <i>rosea</i>	Brazil.....	
<i>I</i>	— <i>rubicunda</i>	Brazil.....	
<i>I</i>	— <i>Russelliana</i>	Brazil.....	
<i>I</i>	— <i>Schröderiana</i>	Brazil.....	
<i>I</i>	— <i>splendens</i>	Brazil.....	
<i>I</i>	— <i>superba</i>	Brazil.....	
<i>I</i>	— <i>versicolor</i>	Brazil.....	
<i>I</i>	— <i>Victoriæ</i>	Brazil.....	
<i>I</i>	— <i>Wyattiana</i>	Brazil.....	
<i>I</i>	<i>Schilleriana</i> , <i>vide</i> <i>L. elegans</i>		
<i>I</i>	<i>superbiens</i>	Malacatan.....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>xanthina</i> (<i>Cattleya xanthina</i>).....	Brazil.....	10s. 6d., 15s. and 21s.
<i>I</i>	LEPTOTES bicolor	South America.....	7s. 6d. and 10s. 6d.
* <i>I</i>	LIMATODIS rosea	Moulmein.....	5s. and 7s. 6d.
<i>I</i>	LISSOCHILUS Krebsii	Natal.....	15s. and 21s.
<i>C</i>	LYCASTE aromatica	Mexico.....	10s. 6d. and 15s.
<i>I</i>	<i>Barringtoniæ</i>	West Indies.....	15s. and 21s.
<i>I</i>	<i>Cobbiana</i>	South America.....	
<i>C</i>	<i>costata</i>	South America.....	15s., 21s. and 31s. 6d.
<i>C</i>	<i>cruenta</i>	Guatemala.....	10s. 6d. and 15s.
<i>C</i>	— <i>major</i>	Guatemala.....	
<i>C</i>	<i>Deppei</i>	Mexico.....	7s. 6d. and 10s. 6d.
<i>C</i>	<i>fulvescens</i>	Colombia.....	
<i>C</i>	<i>gigantea</i>	South America.....	10s. 6d., 15s. and 21s.
<i>C</i>	(<i>Maxillaria</i>) <i>Harrisoniæ</i>	South America.....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	(—) — <i>eburnea</i>	South America.....	15s. and 21s.

C LYCASTE (Maxillaria) Harrisoniæ

	pubigera	South America	31s. 6d.
<i>C</i>	(Maxillaria) Harrisoniæ purpurea	South America	31s. 6d.
<i>C</i>	lanipes	Guayaquil	10s. 6d., 15s. and 21s.
<i>I</i>	Lawrenceana	South America	21s. and 31s. 6d.
<i>I</i>	leucantha	South America	10s. 6d., 15s. and 21s.
* <i>C</i>	mesochlæna	Guayaquil	21s. and 31s. 6d.
* <i>I</i>	plana Measuresiana	Bolivia	31s. 6d. and 42s.
* <i>C</i>	Skinneri	Guatemala	3s. 6d., 5s. and 7s. 6d.
* <i>C</i>	— alba	Guatemala	63s., 84s. and 105s.
* <i>C</i>	— albo-marginata	Guatemala	
* <i>C</i>	— amœna	Guatemala	
* <i>C</i>	— aureola	Guatemala	
* <i>C</i>	— delicata	Guatemala	21s. and 31s. 6d.
* <i>C</i>	— fulgens	Guatemala	
* <i>C</i>	— grandis	Guatemala	42s. and 63s.
* <i>C</i>	— insignis	Guatemala	84s.
* <i>C</i>	— maculata	Guatemala	31s. 6d.
* <i>C</i>	— magnifica	Guatemala	
* <i>C</i>	— marginata	Guatemala	
* <i>C</i>	— marmorata	Guatemala	
* <i>C</i>	— maxima	Guatemala	
* <i>C</i>	— picta	Guatemala	42s. and 63s.
* <i>C</i>	— princeps	Guatemala	
* <i>C</i>	— purpurata	Guatemala	42s. and 63s.
* <i>C</i>	— radiata	Guatemala	
* <i>C</i>	— rosea	Guatemala	15s. and 21s.
* <i>C</i>	— ——— superba	Guatemala	
* <i>C</i>	— rubella	Guatemala	21s. and 31s. 6d.
* <i>C</i>	— ——— picta	Guatemala	
* <i>C</i>	— rubro-marginata	Guatemala	
* <i>C</i>	— splendens	Guatemala	42s. and 63s.
* <i>C</i>	— superba	Guatemala	15s. and 21s.
* <i>C</i>	— tincta	Guatemala	42s. and 63s.
* <i>C</i>	— venusta	Guatemala	
* <i>C</i>	— Vesta	Guatemala	
* <i>C</i>	— vivicans	Guatemala	
<i>I</i>	(Maxillaria) tetragona	Brazil	
<i>C</i>	tricolor	South America	31s. 6d.
<i>S</i>	MACODES Petola, vide Anæctochilus Petola		
<i>C</i>	MASDEVALLIA abbreviata	Colombia	5s. and 7s. 6d.
<i>C</i>	— amabilis	Colombia	3s. 6d. and 5s.
<i>C</i>	— lineata	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>	— anchorifera	Colombia	42s.
<i>C</i>	Backhousiana, vide Chimæra Backhousiana		
<i>C</i>	Barlæana	Peru	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— bella	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	Benedictii, vide psittacina		
<i>C</i>	Bonplandii	Colombia	5s. and 7s. 6d.
<i>C</i>	calura	Colombia	
<i>I</i>	candida, vide tovarensis		
<i>C</i>	Carderi	Colombia	63s.
<i>C</i>	chelsoni	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	Chimæra	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	— Backhousiana	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— gigantea	Colombia	42s. and 63s.
<i>C</i>	— Roezii	Colombia	21s. and 31s. 6d.
<i>C</i>	— Wallisii	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— Winniana	Colombia	15s. and 21s.

C MASDEVALLIA Colibri, vide Trochilus

<i>C</i>	<i>corniculata</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Crossii, vide racemosa</i>		
<i>C</i>	<i>cucullata</i>	Colombia	63s. and 84s.
<i>C</i>	<i>Davisii</i>	South America	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>Dayana</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>demissa</i>	South America	21s. and 31s. 6d.
<i>C</i>	<i>elephanticeps</i>	Colombia	
<i>C</i>	<i>Ephippium, vide Trochilus</i>		
<i>C</i>	<i>erythrochæte</i>	Colombia	15s. and 21s.
<i>C</i>	<i>Estradæ</i>	South America	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Fraseri</i>	Hybrid	31s. 6d.
<i>C</i>	<i>Gorgona, vide nycterina</i>		
<i>C</i>	<i>Harryana</i>	Colombia	3s. 6d., 5s. and 7s. 6d.
<i>C</i>	— <i>acanthifolia</i> .—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rosé colour; remarkably attractive		
		Colombia	42s. and 63s.
<i>C</i>	— <i>acuminata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>atropurpurea</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>atrosanguinea</i>	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>aurantiaca</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>cærulescens</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>atroviolacea</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>concolor</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>gigantea</i>	Colombia	84s. and 105s.
<i>C</i>	— <i>grandiflora</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>magnifica</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>maxima</i>	Colombia	63s. and 84s.
<i>C</i>	— <i>superba</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>coccinea</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	— <i>Comet</i>	Colombia	84s. and 105s.
<i>C</i>	— <i>conchiflora</i> .—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance		
			7s. 6d. and 10s. 6d.
<i>C</i>	— <i>conspicua</i>	Colombia	
<i>C</i>	— <i>decora</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>delicata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>Denisoniana</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>elegans</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>Flambeau</i>	Colombia	
<i>C</i>	— <i>flammea</i>	Colombia	
<i>C</i>	— <i>formosa</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>gemma</i>	Colombia	
<i>C</i>	— <i>gloriosa</i>	Colombia	
<i>C</i>	— <i>illustris</i>	Colombia	
<i>C</i>	— <i>insignis</i>	Colombia	
<i>C</i>	— <i>lilacina</i>	Colombia	10s. 6d. and 15s.
<i>C</i>	— <i>luteo-oculata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>magnifica</i>	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>Meteor</i>	Colombia	
<i>C</i>	— <i>miniata</i>	Colombia	
<i>C</i>	— <i>mirabilis</i>	Colombia	
<i>C</i>	— <i>oculata</i>	Colombia	15s. and 21s.
<i>C</i>	— <i>ornata</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>patens</i>	Colombia	
<i>C</i>	— <i>princeps</i>	Colombia	
<i>C</i>	— <i>purpurea</i>	Colombia	7s. 6d. and 10s. 6d.

C MASDEVALLIA Harryana

	<i>purpurea magnifica</i>	Colombia	
C	<i>Harryana regalis</i> .—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson	Colombia	31s. 6d. and 42s.
C	— <i>Reginæ</i>	Colombia	
C	— <i>rosacea</i>	Colombia	42s.
C	— <i>rosea</i>	Colombia	21s. and 31s. 6d.
C	— <i>rotundiflora</i>	Colombia	
C	— <i>salmonæa</i>	Colombia	
C	— <i>sanguinea</i>	Colombia	7s. 6d. and 10s. 6d.
C	— <i>aurantiaca</i>	Colombia	63s. and 84s.
C	— <i>splendens</i>	Colombia	21s., 31s. 6d. and 42s.
C	— <i>superba</i>	Colombia	42s. and 63s.
C	— <i>triumphans</i>	Colombia	63s. and 84s.
C	— <i>venusta</i>	Colombia	
C	— <i>versicolor</i> .—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson	Colombia	15s., 21s. and 31s. 6d.
C	— <i>violacea</i>	Colombia	31s. 6d. and 42s.
C	— <i>magnifica</i>	Colombia	63s. and 84s.
C	— <i>oculata</i>	Colombia	42s. and 63s.
C	— <i>superba</i>	Colombia	42s. and 63s.
C	— <i>vivicans</i>	Colombia	31s. 6d. and 42s.
C	— <i>Walkeriana</i> .—A very handsome variety, with gigantic flowers $2\frac{1}{2}$ inches across	Colombia	31s. 6d. and 42s.
C	<i>Houtteana, vide psittacina</i>		
C	<i>igneæ</i>	Colombia	5s., 7s. 6d. and 10s. 6d.
C	— <i>aurantiaca</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
C	— <i>citrina</i>	Colombia	
C	— <i>Massangeana</i>	Colombia	10s. 6d., 15s. and 21s.
C	— <i>militaris</i>	Colombia	31s. 6d. and 42s.
C	— <i>purpurea</i>	Colombia	42s. and 63s.
C	— <i>splendens</i>	Colombia	63s. and 84s.
C	— <i>penanthe</i>	Colombia	15s. and 21s.
C	— <i>speciosa</i>	Colombia	
C	— <i>Stobartiana</i>	Colombia	21s. and 31s. 6d.
C	<i>inflata</i>	Colombia	42s. and 63s.
C	<i>infra</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
C	— <i>purpurea</i>	Colombia	21s. and 31s. 6d.
C	<i>ionocharis</i>	South America	15s., 21s. and 31s. 6d.
C	<i>leontoglossa</i>	Colombia	21s.
C	<i>Lindeni</i>	Colombia	3s. 6d., 5s. and 7s. 6d.
C	<i>macrura</i>	Colombia	21s., 31s. 6d. and 42s.
C	<i>maculata</i>	South America	3s. 6d. and 5s.
C	— <i>flava</i>	South America	7s. 6d. and 10s. 6d.
C	— <i>superba</i>	South America	
C	<i>muscosa</i>	South America	
C	<i>nycterina</i> (Gorgona)	Colombia	10s. 6d. and 15s.
C	<i>oethodes</i>	Colombia	5s.
C	<i>Peristeria</i>	Colombia	10s. 6d., 15s. and 21s.
C	<i>polysticta</i>	Colombia	3s. 6d., 5s. and 7s. 6d.
C	— <i>brevior</i>	Colombia	10s. 6d. and 15s.
C	— <i>caudata</i>	Colombia	10s. 6d. and 15s.
C	<i>porcelliceptis</i>	Colombia	31s. 6d. and 42s.
C	<i>psittacina</i> (Benedictii, Houtteana) ..	Colombia	7s. 6d., 10s. 6d. to 21s.
C	<i>racemosa</i> (Crossii)	Colombia	21s., 31s. 6d. and 42s.
C	<i>radiosa</i>	Colombia	21s. and 31s. 6d.

<i>C</i>	MASDEVALLIA <i>Reichenbachiana</i>	South America	10s. 6d. and 15s.
<i>C</i>	<i>rosea</i>	Ecuador	10s. 6d. and 15s.
<i>C</i>	<i>Schlimii</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>severa</i>	Colombia	42s. and 63s.
<i>C</i>	<i>Shuttleworthii</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>xanthocorys</i>	Colombia	15s. and 21s.
<i>C</i>	<i>simula</i>	South America	15s. and 21s.
<i>C</i>	<i>spectrum</i>	South America	
<i>C</i>	<i>swerticifolia</i>	Colombia	10s. 6d. and 15s.
<i>C</i>	<i>torta</i>	Colombia	42s. and 63s.
<i>I</i>	<i>tovarensis</i> (<i>candida</i>)	Venezuela	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>triadactylites</i>	South America	21s. and 31s. 6d.
<i>I</i>	<i>triangularis</i>	Venezuela	5s. and 7s. 6d.
<i>C</i>	<i>trichæte</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	<i>Trochilus</i> (<i>Colibri</i> , <i>Ephippium</i>)	Colombia	15s., 21s. and 31s. 6d.
<i>C</i>	<i>Veitchiana</i>	Peru	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflora</i>	Peru	21s., 31s. 6d. and 42s.
<i>C</i>	<i>Vespertilio</i>	Colombia	31s. 6d.
<i>I</i>	<i>Wagneriana</i>	Venezuela	3s. 6d., 5s. and 7s. 6d.
<i>C</i>	<i>Wallisii</i> , <i>vide M. Chimæra Wallisii</i>		
<i>C</i>	<i>xanthina</i>	Colombia	21s. and 31s. 6d.
<i>C</i>	MAXILLARIA <i>grandiflora</i>	South America	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Harrisoniæ</i> , <i>vide Lycaste Harrisoniæ</i>		
<i>I</i>	<i>leontoglossa</i> , <i>vide Xylobium</i>		
<i>I</i>	<i>lepidota</i>	South America	10s. 6d. and 15s.
* <i>C</i>	<i>luteo-alba</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflora</i>	Colombia	21s.
<i>C</i>	— <i>purpurea</i>	Colombia	21s.
<i>C</i>	<i>nigrescens</i>	Merida	7s. 6d. and 10s. 6d.
<i>C</i>	<i>picta</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>Sanderiana</i>	South America	
<i>I</i>	<i>scabrilinguis</i>	South America	
<i>I</i>	<i>squalens</i>	South America	5s. and 7s. 6d.
<i>I</i>	<i>tenuifolia</i>	Mexico	10s. 6d. and 15s.
<i>I</i>	<i>tetragona</i> , <i>see Lycaste tetragona</i>		
<i>C</i>	<i>Turneri</i>	Mexico	10s. 6d. and 15s.
<i>C</i>	<i>venusta</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	MESOSPINIDIUM <i>roseum</i>	Mexico	10s. 6d.
* <i>C</i>	<i>sanguineum</i>	Ecuador	7s. 6d. and 10s. 6d.
<i>C</i>	<i>vulcanicum</i>	Ecuador	15s. and 21s.
<i>C</i>	— <i>grandiflorum</i>	Peru	15s., 21s. and 31s. 6d.
<i>S</i>	MICROSTYLIS <i>calophylla</i>	East Indies	10s. 6d. and 15s.
<i>S</i>	<i>metallica</i>	Borneo	10s. 6d. and 15s.
<i>I</i>	MILTONIA <i>candida</i>	Brazil	15s. and 21s.
<i>I</i>	<i>candida punctata</i>	Brazil	
<i>I</i>	<i>Clowesii</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>major</i>	Brazil	15s. and 21s.
<i>I</i>	— <i>pauciguttata</i>	Brazil	42s. and 63s.
<i>I</i>	<i>cuneata</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>festiva</i>	Brazil	21s.
<i>I</i>	<i>flavescens</i> (<i>stellata</i>)	Brazil	10s. 6d. and 15s.
<i>I</i>	<i>Moreliana</i>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>atropurpurea</i>	Brazil	
<i>I</i>	— <i>atrorubens</i>	Brazil	
<i>I</i>	<i>Phalænopsis</i> , <i>vide Odontoglossum Phalænopsis</i>		
<i>I</i>	<i>Regnellii</i> (<i>cereola</i>)	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>purpurea</i>	Brazil	42s. and 63s.
<i>I</i>	<i>Roetzlii</i> , <i>vide Odontoglossum Roetzlii</i>		
<i>I</i>	<i>Russelliana</i>	Brazil	

<i>I</i>	MILTONIA <i>spectabilis</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>spectabilis</i> <i>aspirata</i>	Brazil	
<i>I</i>	— <i>bicolor</i>	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>intermedia</i>	Brazil	31s. 6d.
<i>I</i>	— <i>marginata</i>	Brazil	
<i>I</i>	— <i>virginalis</i>	St. Catherine's	21s. and 31s. 6d.
<i>I</i>	<i>vexillaria</i> , <i>vide</i> <i>Odontoglossum vexillarium</i>		
<i>I</i>	MORMODES <i>buccinator</i>	Mexico	15s. and 21s.
<i>I</i>	<i>luxatum</i>	Mexico	21s. and 31s. 6d.
<i>I</i>	— <i>eburneum</i>	Mexico	21s. and 31s. 6d.
<i>I</i>	— <i>punctatum</i>	Mexico	31s. 6d. and 42s.
<i>I</i>	<i>pardinum</i>	Mexico	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>unicolor</i>	Mexico	21s. and 31s. 6d.
<i>I</i>	MYANTHES <i>cernuus</i> (<i>Catasetum cernuum</i>)	Brazil	31s. 6d.
<i>I</i>	NANODES <i>Medusæ</i>	South America	21s. and 31s. 6d.
<i>S</i>	NEPHELAPHYLLUM <i>pulchrum</i>	Java	15s. and 21s.
* <i>C</i>	ODONTOGLOSSUM <i>Alexandræ</i> , <i>vide</i> <i>O. crispum</i>		
<i>C</i>	<i>amabile</i> (<i>hybrid</i>)	Colombia	
<i>C</i>	<i>Andersonianum</i>	Bogota	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>lobatum</i>	Bogota	
<i>C</i>	<i>angustatum</i>	Colombia	42s.
<i>C</i>	<i>Arnoldianum</i>	Colombia	21s., 31s. 6d. and 42s.
* <i>C</i>	<i>asperum</i> (<i>hybrid</i>)	Mexico	15s., 21s. and 31s. 6d.
<i>C</i>	<i>astranthum</i>	Colombia	
<i>C</i>	<i>baphicanthum</i> (<i>hybrid</i>)	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	<i>bellinum</i> (<i>hybrid</i>)	Colombia	
* <i>C</i>	<i>bictonense</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
* <i>C</i>	— <i>album</i>	Guatemala	10s. 6d., 15s. and 21s.
<i>C</i>	<i>blandum</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>blepharicanthum</i>	Venezuela	42s. and 63s.
* <i>C</i>	<i>Bluntii</i> , <i>vide</i> <i>O. crispum</i>		
<i>C</i>	<i>cariniferum</i>	South America	7s. 6d., 10s. 6d. and 15s.
* <i>C</i>	<i>Cervantesii</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— <i>decorum</i>	Mexico	21s. and 31s. 6d.
<i>C</i>	<i>Chestertoni</i> (<i>hybrid</i>)	Colombia	42s. and 63s.
<i>C</i>	<i>cirrosum</i>	Ecuador	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>gemmatum</i>	Ecuador	63s.
<i>C</i>	— <i>Hrubyanum</i>	Ecuador	
<i>C</i>	— <i>Klabochorum</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	<i>citrosum</i> (<i>pendulum</i>)	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>album</i>	Mexico	
<i>C</i>	— <i>carneum</i>	Mexico	
<i>C</i>	— <i>grandiflorum</i>	Mexico	
<i>C</i>	— <i>punctatum</i>	Mexico	
<i>C</i>	— <i>maximum</i>	Mexico	
<i>C</i>	— <i>roseum</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>rubrum</i>	Mexico	
<i>C</i>	— — <i>grandiflorum</i>	Mexico	
<i>C</i>	<i>constrictum</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>Coradinei</i>	Colombia	15s. and 21s.
<i>C</i>	— <i>hemileucum</i>	Colombia	
<i>C</i>	— <i>maculatum</i>	Colombia	
<i>C</i>	— <i>stenoglossum</i>	Colombia	31s. 6d.
* <i>C</i>	<i>cordatum</i>	Mexico	10s. 6d., 15s. & 21s.
* <i>C</i>	— <i>aureum</i>	Mexico	81s. and 105s.
* <i>C</i>	— <i>Kienastianum</i>	Mexico	105s.
* <i>C</i>	— <i>nigrum</i>	Mexico	84s.
* <i>C</i>	— <i>pictum</i>	Mexico	63s.

<i>C</i>	ODONTOGLOSSUM hieroglyphicum ..	Colombia	
* <i>C</i>	Humeanum	Mexico	21s., 31s. 6d. and 42s.
<i>C</i>	Hunnewellianum	Colombia	10s. 6d., 15s. 6d. and 21s.
<i>C</i>	hystrix (radiatum)	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	Imperator (hybrid)	Colombia	
<i>C</i>	ioplocon	Colombia	
* <i>C</i>	insigne (hybrid)	Colombia	
<i>I</i>	Inseayi leopardinum	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— splendens	Mexico	42s., 63s. and 84s.
<i>I</i>	Karwinskii	South America	15s. and 21s.
<i>I</i>	Krameri	Costa Rica	42s. and 63s.
<i>C</i>	lanceans (hybrid)	South America	
<i>C</i>	lacteam (hybrid)	South America	
<i>C</i>	lepidum (hybrid)	South America	
<i>C</i>	ligulare	South America	
<i>C</i>	Lindeni	Colombia	10s. 6d.
<i>C</i>	Lindleyanum	Colombia	3s. 6d. and 5s.
<i>C</i>	— speciosum	Colombia	15s. and 21s.
* <i>C</i>	Londesboroughianum	Mexico	
<i>C</i>	Lucienianum	South America	63s.
<i>C</i>	luteo-purpureum	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	— conspicuum	Colombia	
<i>C</i>	— dentatum	Colombia	
<i>C</i>	— nobilis	Colombia	
* <i>C</i>	maculatum	Mexico	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— anceps	Mexico	63s. and 84s.
* <i>C</i>	— aureum	Mexico	84s. and 105s.
* <i>C</i>	— erosum	Mexico	84s. and 105s.
* <i>C</i>	— stenanthum	Mexico	21s. and 31s. 6d.
* <i>C</i>	— superbum	Mexico	21s. and 31s. 6d.
* <i>C</i>	— triumphans	Mexico	
<i>C</i>	madrense (maxillare)	Mexico	10s. 6d., 15s. and 21s.
<i>C</i>	— majus	Mexico	42s. and 63s.
<i>C</i>	membranaceum	Mexico	10s. 6d. and 15s.
<i>C</i>	mirabile (hybrid)	Colombia	
<i>C</i>	mirandum	Colombia	7s. 6d. and 10s. 6d.
<i>C</i>	mulus	Colombia	
<i>C</i>	— crocatum	Colombia	
<i>C</i>	— cuspidatum	Colombia	
<i>C</i>	nævium	Ocaña	31s. 6d., 42s. and 63s.
<i>C</i>	— majus, vide O. gloriosum album		
<i>C</i>	nebulosum	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— candidum	Mexico	15s. and 21s.
<i>C</i>	— grandiflorum	Mexico	
<i>C</i>	— pardinum	Mexico	21s., 31s. 6d. and 43s.
<i>C</i>	— punctatum	Mexico	31s. 6d. and 42s.
<i>C</i>	Noezlianum	Peru	21s., 31s. 6d. and 42s.
<i>C</i>	odoratum	Colombia	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— giganteum	Colombia	
<i>C</i>	Orstedii	Costa Rica	5s. and 7s. 6d.
<i>C</i>	— majus	Costa Rica	10s. 6d., 15s. and 21s.
<i>C</i>	pendulum vide O. citrosimum		
<i>C</i>	Pescatorei	Colombia	3s. 6d., 5s. to 21s.
<i>C</i>	— aurantiacum	Colombia	
<i>C</i>	— formosum	Colombia	
<i>C</i>	— grandiflorum	Colombia	42s. and 63s.
<i>C</i>	— insigne	Colombia	
<i>C</i>	— limbosum	Colombia	

<i>C</i>	ODONTOGLOSSUM <i>Pescatorei oculatum</i>	Colombia	63s. and 84s.
<i>C</i>	<i>Pescatorei nivale</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>speciosum</i>	Colombia	
<i>C</i>	— <i>splendens</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>stupendum</i>	Colombia	
<i>C</i>	— <i>tinctum</i>	Colombia	
<i>I</i>	<i>Phalænopsis (Miltonia Phalænopsis)</i>	Ocaña	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	— <i>splendens</i>	Ocaña	
<i>C</i>	<i>polyxanthum</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	<i>pretiosum, vide O. Schleiperianum</i>		
<i>C</i>	<i>princeps (hybrid)</i>	Colombia	
* <i>C</i>	<i>pulchellum</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>Egertoni (tenue)</i>	Mexico	3s. 6d. and 5s.
* <i>C</i>	— <i>majus</i>	Mexico	10s. 6d., 15s. and 21s.
<i>C</i>	<i>radiatum, vide O. hystrix</i>		
<i>C</i>	<i>ramosissimum</i>	Colombia	31s. 6d. and 42s.
<i>C</i>	— <i>album</i>	Colombia	42s. and 63s.
<i>C</i>	<i>ramulosum</i>	Ocaña	15s. and 21s.
<i>C</i>	<i>Reichenheimii</i>	Mexico	21s. and 31s. 6d.
<i>S</i>	<i>Roezlii (Miltonia Roezlii)</i>	Colombia	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>album</i>	Colombia	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>delicatum</i>	Colombia	10s. 6d. and 15s.
<i>S</i>	— <i>nigrum</i>	Colombia	105s.
<i>S</i>	— <i>roseum</i>	Colombia	21s. and 31s. 6d.
<i>S</i>	— <i>splendens</i>	Colombia	63s. and 84s.
<i>C</i>	<i>roseum vide Mesospinidium roscum</i>		
* <i>C</i>	<i>Rossii majus</i>	Mexico	3s. 6d., 5s. and 7s. 6d.
* <i>C</i>	— <i>musaicum</i>	Mexico	
* <i>C</i>	— <i>nivosum</i>	Mexico	
* <i>C</i>	— <i>pictum</i>	Mexico	
* <i>C</i>	— <i>rubescens</i>	Mexico	31s. 6d. and 42s.
* <i>C</i>	— <i>splendens</i>	Mexico	21s. and 31s. 6d.
* <i>C</i>	— <i>virginale</i>	Mexico	
<i>C</i>	<i>rubescens (hybrid)</i>	South America	
<i>C</i>	<i>Ruckerianum (hybrid)</i>	Colombia	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>giganteum (hybrid)</i>	Colombia	84s. and 105s.
<i>C</i>	<i>Sanderianum</i>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	<i>sceptrum</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>crenatum</i>	Colombia	
<i>C</i>	<i>Schillerianum</i>	Venezuela	63s.
<i>C</i>	<i>Schleiperianum (pretiosum)</i>	Colombia	
<i>C</i>	— <i>flavidum</i>	Costa Rica	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>spectabile (hybrid)</i>	South America	84s. and 105s.
* <i>C</i>	<i>tripudians</i>	Peru	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— <i>grandiflorum</i>	Peru	15s. and 21s.
<i>C</i>	<i>triumphans</i>	Ocaña	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Uroskinneri</i>	Guatemala	10s. 6d., 15s. & 21s.
<i>I</i>	<i>vexillarium (Miltonia vexillaria)</i>	Colombia	5s., 7s. 6d., 10s. 6d., 15s.
			and various sizes from 21s. upwards.
<i>I</i>	— <i>albescens</i>	Colombia	
<i>I</i>	— <i>amabile</i>	Colombia	
<i>I</i>	— <i>amœnum</i>	Colombia	
<i>I</i>	— <i>bicolor</i>	Colombia	42s. and 63s.
<i>I</i>	— <i>chelsoniense</i>	Colombia	
<i>I</i>	— <i>Cobbianum</i>	Colombia	105s.
<i>I</i>	— <i>conspicuum</i>	Colombia	
<i>I</i>	— <i>erubescens</i>	Colombia	
<i>I</i>	— <i>giganteum</i>	Colombia	84s. and 105s.

<i>I</i>	ODONTOGLOSSUM <i>vexillarium insigne</i>	Colombia	84s. and 105s.
<i>I</i>	<i>vexillarium maculatum</i>	Colombia	
<i>I</i>	— <i>marginatum</i>	Colombia	
<i>I</i>	— <i>marmoratum</i>	Colombia	
<i>I</i>	— <i>pictum</i>	Colombia	
<i>I</i>	— <i>picturatum</i>	Colombia	
<i>I</i>	— <i>pulcherrimum</i>	Colombia	42s. and 63s.
<i>I</i>	— <i>radiatum</i>	Colombia	
<i>I</i>	— <i>roseum</i>	Colombia	42s., 63s. and 84s.
<i>I</i>	— <i>rubellum</i> (<i>Autumn-flowering</i>)	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>rubrum</i>	Colombia	
<i>I</i>	— <i>splendens</i>	Colombia	
<i>I</i>	— <i>superbum</i>	Colombia	42s. and 63s.
<i>I</i>	— <i>venosum</i>	Colombia	
<i>C</i>	<i>Victor</i> (<i>hybrid</i>)	Colombia	
<i>C</i>	<i>Wallisii</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Wilckeanum</i> (<i>hybrid</i>)	Colombia	42s., 63s. and 84s.
<i>C</i>	— <i>albans</i> (<i>hybrid</i>)	Colombia	
<i>C</i>	— <i>pallens</i> (<i>hybrid</i>)	Colombia	
<i>C</i>	<i>Williamsianum</i>	Costa Rica	
<i>C</i>	ONCIDIUM <i>æmulum, vide O. superbiens</i>		
<i>S</i>	<i>altissimum</i>	West Indies	7s. 6d. and 10s. 6d.
<i>S</i>	<i>ampliatum</i>	Panama	7s. 6d. and 10s. 6d.
<i>S</i>	— <i>majus</i>	Panama	10s. 6d. and 15s.
<i>I</i>	<i>anciferum</i>	South America	15s. and 21s.
<i>I</i>	<i>auriferum</i>	South America	10s. 6d., 15s. and 21s.
<i>C</i>	<i>aurosus</i> (<i>excavatum</i>)	Ecuador	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Balderramæ</i>	Colombia	
<i>I</i>	<i>barbatum</i>	Brazil	10s. 6d. and 15s.
<i>*C</i>	<i>Barkeri, vide O. tigrinum</i>		
<i>I</i>	<i>bicallosum</i>	Guatemala	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>bicolor</i>	Brazil	10s. 6d. and 15s.
<i>I</i>	<i>bifolium</i>	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	<i>cæsius</i>	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	<i>carthaginense</i>	Mexico	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Cavendishianum</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>	<i>cheirophorum</i>	Ecuador	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>chrysomorphum</i>	South America	21s. and 31s. 6d.
<i>C</i>	<i>concolor</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>cornigerum</i>	Brazil	15s. and 21s.
<i>I</i>	— <i>longiracemosum</i>	Brazil	42s.
<i>C</i>	<i>crispum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflorum</i>	Brazil	15s. and 21s.
<i>C</i>	— <i>nigrum</i>	Brazil	42s.
<i>C</i>	— <i>punctatissimum</i>	Brazil	63s.
<i>C</i>	<i>cucullatum</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>grandiflorum</i>	South America	21s. and 31s. 6d.
<i>C</i>	— <i>maculosum</i>	South America	21s. and 31s. 6d.
<i>C</i>	— <i>panduratum</i>	South America	31s. 6d. and 42s.
<i>C</i>	— <i>purpureum</i>	South America	42s. and 63s.
<i>C</i>	<i>curtum</i>	Brazil	21s., and 31s. 6d.
<i>C</i>	<i>dasytyle</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Diadema, vide serratum</i>		
<i>I</i>	<i>divaricatum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Enoi</i>	Colombia	
<i>C</i>	<i>excavatum, vide aurosus</i>		
<i>C</i>	<i>falcipetalum</i>	Venezuela	
<i>C</i>	<i>flexuosum</i>	Brazil	5s., 7s. 6d. and 10s. 6d.

<i>C</i>	ONCIDIUM Forbesii	Brazil	5s., 7s. 6d. to 21s.
<i>C</i>	Forbesii grandiflorum	Brazil	31s. 6d. and 42s.
<i>I</i>	Forstermannii	South America	21s. and 31s. 6d.
<i>I</i>	fuscatum	Colombia	7s. 6d. to 21s.
<i>C</i>	Gardnerianum	Brazil	15s., 21s. and 31s. 6d.
<i>C</i>	grandiflorum	Colombia	
<i>C</i>	Harrisonianum	Mexico	15s. and 21s.
<i>C</i>	hastatum, vide stelligerum		
<i>C</i>	incurvum	Oaxaca	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	janeirense, vide longipes		
<i>I</i>	Jonesianum	South America	7s. 6d. and 10s. 6d.
<i>I</i>	juncifolium	South America	10s. 6d., 15s. and 21s.
<i>S</i>	Kramerianum	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>S</i>	— resplendens	Colombia	
<i>C</i>	lamelligerum	Ecuador	15s., 21s. and 31s. 6d.
<i>I</i>	lanceans	South America	15s. and 21s.
<i>S</i>	Lanceanum	Surinam	10s. 6d., 15s. and 21s.
<i>S</i>	— superbum	Surinam	21s. and 31s. 6d.
<i>I</i>	leucochilum	Mexico	21s. and 31s. 6d.
<i>C</i>	— splendens	Mexico	63s. and 84s.
<i>C</i>	Limminghii	Venezuela	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	longipes (janeirense)	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— major	Brazil	21s. and 31s. 6d.
<i>S</i>	luridum (guttatum)	West Indies	10s. 6d., 15s. and 21s.
<i>C</i>	macranthum	Ecuador	10s. 6d., 15s. and 21s.
		Fine large plants	31s. 6d. to 10 guineas each
<i>C</i>	— aurosum	Ecuador	
<i>C</i>	— grandiflorum	Ecuador	
<i>C</i>	— hastiferum	Ecuador	42s., 63s. and 84s.
<i>C</i>	Marshallianum	Brazil	10s. 6d., 15s. and 21s.
<i>S</i>	microchilum	Brazil	21s. and 31s. 6d.
<i>I</i>	micropogon	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>	monachicum	South America	21s. and 31s. 6d.
<i>I</i>	nigratum	British Guiana	10s. 6d., 15s. and 21s.
<i>C</i>	nubigenum	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	— splendens	Ecuador	21s. and 31s. 6d.
<i>I</i>	oblongatum	Brazil	42s.
<i>I</i>	obryzatum	Colombia	21s. and 31s. 6d.
<i>*C</i>	ornithorrhynchum	Guatemala	3s. 6d., 5s. and 7s. 6d.
<i>S</i>	Papilio	Panama	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	— majus	Panama	10s. 6d., 15s. and 21s.
<i>C</i>	Phalænopsis	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>	phylloglossum	Colombia	
<i>I</i>	phymatochilum	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>	pictum	South America	
<i>C</i>	plagianthum	Colombia	
<i>C</i>	prætextum	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— aureum	Brazil	
<i>C</i>	— maculosum	Brazil	15s. and 21s.
<i>C</i>	— superbum	Brazil	15s. and 21s.
<i>I</i>	pubes	Brazil	7s. 6d. and 10s. 6d.
<i>I</i>	— elatum	Brazil	21s.
<i>C</i>	pulchellum	Colombia	
<i>I</i>	pulvinatum	Brazil	10s. 6d. and 15s.
<i>I</i>	pumilum	Brazil	21s. and 31s. 6d.
<i>I</i>	pyramense	South America	15s. and 21s.
<i>I</i>	reflexum	Mexico	10s. 6d. and 15s.
<i>I</i>	roseum, vide carthaginense		

<i>I</i>	ONCIDIUM <i>sarcodes</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>sarcodes decorum</i>	Brazil	42s.
<i>I</i>	— <i>splendens</i>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>superbum</i>	Brazil	31s. 6d. and 42s.
<i>I</i>	<i>Schillerianum</i>	South America	15s. and 21s.
<i>I</i>	<i>Schlimii</i>	South America	10s. 6d. and 15s.
<i>C</i>	<i>sculptum</i>	South America	63s.
<i>C</i>	<i>serratum</i> (<i>Diadema</i>)	Peru	15s., 21s. and 31s. 6d.
<i>I</i>	<i>sessile</i>	Santa Martha	15s., 21s. and 31s. 6d.
<i>I</i>	<i>sphacelatum</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>sphegiferum</i>	South America	15s. and 21s.
<i>I</i>	<i>splendidum</i>	Guatemala	10s. 6d., 15s. and 21s.
<i>I</i>	<i>stelligerum</i> (<i>hastatum</i>)	Mexico	15s. and 21s.
<i>C</i>	— <i>amœnum</i>	Mexico	42s. and 63s.
<i>C</i>	— <i>Ernestii</i>	Mexico	63s.
<i>C</i>	— <i>ornatum</i>	Mexico	42s. and 63s.
<i>C</i>	— <i>pictum</i>	Mexico	42s. and 63s.
<i>C</i>	<i>superbiens</i> (<i>œmulum</i>)	Colombia	42s. and 63s.
<i>C</i>	<i>tetracopis</i>	Colombia	
* <i>C</i>	<i>tigrinum</i> (<i>Barkeri</i>)	Mechoacan	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>undulatum</i>	Columbia	15s., 21s. and 31s. 6d.
* <i>I</i>	<i>unguiculatum</i>	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>unicorne</i>	Brazil	5s. and 7s. 6d.
<i>C</i>	<i>varicosum</i>	Brazil	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	— <i>pictum</i>	Brazil	31s. 6d. and 42s.
<i>C</i>	— <i>Rogersii</i>	Brazil	
<i>C</i>	<i>Wallisii</i>	Columbia	
<i>I</i>	<i>Weltoni</i>	Colombia	10s. 6d. to 21s.
<i>C</i>	<i>Wentworthianum</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>zebrinum</i>	Colombia	10s. 6d., 15s. and 21s.
<i>I</i>	ORNITHOCEPHALUS <i>grandiflorus</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	ORNITHIDIUM <i>coccineum</i>	Brazil	15s. and 21s.
<i>I</i>	PALUMBINA <i>candida</i>	Mexico	10s. 6d. and 15s.
<i>S</i>	PAPHINIA <i>cristata</i>	West Indies	10s. 6d., 15s. and 21s.
<i>S</i>	<i>cristata grandis</i>	Brazil	10s. 6d., 15s. and 21s.
<i>S</i>	PERISTERIA <i>elata</i> (<i>The Dove Flower</i>)	Panama	10s. 6d., 15s. and 21s.
<i>El Spirito Santo</i> (<i>Holy Ghost Flower</i>) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.			
<i>S</i>	<i>selligera</i>	South America	63s.
<i>I</i>	PESCATORIA (<i>Huntleya</i>) <i>cerina</i>	South America	15s. and 21s.
<i>I</i>	PHAIUS <i>albus</i> , <i>vide</i> <i>Thunia alba</i>		
<i>S</i>	<i>Bensoniæ</i> , <i>vide</i> <i>Thunia Bensoniæ</i>		
<i>S</i>	<i>bicolor</i>	Ceylon	42s., 63s. and 84s.
<i>I</i>	<i>Blumei</i>	Assam	
* <i>I</i>	<i>grandifolius</i> (<i>Bletia Tankervillæ</i>)	Hong Kong	7s. 6d. and 10s. 6d.
<i>S</i>	<i>Henryii</i>	Madagascar	31s. 6d. and 42s.
<i>S</i>	<i>Humblotii</i>	Madagascar	21s., 31s. 6d. and 42s.
<i>S</i>	<i>luridus</i>	Ceylon	21s. and 31s. 6d.
<i>S</i>	<i>Marshallianus</i> , <i>vide</i> <i>Thunia Marshalliana</i>		
<i>S</i>	<i>pauciflorus</i>	Java	21s.
<i>C</i>	<i>Sieboldii</i>	Japan	10s. 6d. and 15s.
<i>C</i>	— <i>maculatus</i>	Japan	10s. 6d., 15s. and 21s.
<i>S</i>	<i>tuberculosus</i>	Madagascar	31s. 6d. and 42s.
<i>I</i>	<i>Wallichii</i>	Sylhet	21s. and 31s. 6d.
<i>I</i>	<i>Woodfordii</i>	East Indies	10s. 6d. and 15s.
<i>I</i>	— <i>maculatus</i>	East Indies	15s. and 21s.
<i>S</i>	PHALÆNOPSIS <i>amabilis</i> (<i>Aphrodite</i>)	Sunda Islands	10s. 6d. and 15s.

<i>S</i>	PHALÆNOPSIS Boxallii	East Indies	
<i>S</i>	Esmeralda	Cochin China	10s. 6d. and 15s.
<i>S</i>	— Regnieri	Cochin China	10s. 6d., 15s. and 21s.
<i>S</i>	grandiflora	Borneo	10s. 6d. and 15s.
<i>S</i>	leucorhoda	East Indies	105s.
<i>S</i>	Lowii	East Indies	21s.
<i>S</i>	Lüddemanniana	Philippine Islands	10s. 6d. and 15s.
<i>S</i>	Mannii	East Indies	63s.
<i>S</i>	Parishii	East Indies	42s. and 63s.
<i>S</i>	rosea	East Indies	15s. and 21s.
<i>S</i>	Sanderiana	East Indies	15s. and 21s.
* <i>S</i>	Schilleriana	Manilla	15s. and 21s.
<i>S</i>	speciosa	Andaman Islands	
<i>S</i>	Stuartiana	East Indies	
<i>S</i>	— nobilis	East Indies	
<i>S</i>	tetraspis	East Indies	21s., 31s. 6d. and 42s.
<i>S</i>	violacea	East Indies	21s. and 31s. 6d.
<i>S</i>	PHOLIDOTA imbricata	East Indies	5s. and 7s. 6d.
<i>C</i>	PILUMNA (Trichopilia) fragrans	Merida	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	laxa, vide Trichopilia laxa		
<i>I</i>	nobilis	South America	10s. 6d., 15s. and 21s.
<i>I</i>	PLATYCLINIS (Dendrochilum)		
	arachnites	East Indies	7s. 6d., 10s. 6s. and 15s.
<i>I</i>	Cobbiana	East Indies	10s. 6d. and 15s.
<i>I</i>	— gigantea	East Indies	63s. and 84s.
<i>I</i>	cucumerina	East Indies	15s. and 21s.
<i>I</i>	filiformis	Manilla	21s. and 31s. 6d.
* <i>S</i>	glumacea	Philippine Islands	10s. 6d., 15s. and 21s.
<i>S</i>	uncata	East Indies	10s. 6d. and 15s.
* <i>C</i>	PLEIONE Hookeri	East Indies	21s.
* <i>C</i>	humilis	East Indies	10s. 6d.
* <i>C</i>	— tricolor	Assam	21s.
* <i>C</i>	lagenaria	Khasya	5s. and 7s. 6d.
* <i>C</i>	maculata	Assam, Khasya	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	Reichenbachiana	East Indies	7s. 6d. and 10s. 6d.
* <i>C</i>	Wallichiana	Arracan Mountains	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	PLEUROTALLIS Barberiana	South America	21s.
<i>I</i>	scapha	South America	105s.
<i>I</i>	tridentata	South America	10s. 6d.
<i>S</i>	PROMENÆA citrina	Brazil	10s. 6d. and 15s.
<i>S</i>	Rollissonii	Brazil	31s. 6d. and 42s.
<i>S</i>	stapelioides	Brazil	10s. 6d. and 15s.
<i>S</i>	RENANTHERA coccinea	Cochin China	21s. and 31s. 6d.
<i>S</i>	Storiei	Philippine Islands	
<i>C</i>	RESTREPIA antennifera	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	elegans	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>	leopardina	Colombia	10s. 6d. and 15s.
<i>I</i>	ophiocephala	Mexico	21s.
<i>S</i>	RODRIGUEZIA planifolia	South America	7s. 6d. and 10s. 6d.
<i>S</i>	secunda	West Indies	7s. 6d. and 10s. 6d.
<i>S</i>	SACCOLABIUM ampullaceum	Rangoon	7s. 6d. and 10s. 6d.
<i>S</i>	bellinum	Burmah	
<i>S</i>	bigibbum	Burmah	
<i>S</i>	Blumei	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— Dayanum	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	— javanense	Java	21s. and 31s. 6d.

<i>S</i>	SACCOLABIUM <i>Blumei</i> lilacinum	East Indies	21s. and 31s. 6d.
<i>S</i>	— <i>Blumei</i> longiracemosum	East Indies	21s. and 31s. 6d.
<i>S</i>	— <i>majus</i>	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <i>pulchrum</i>	East Indies	15s., 21s. and 31s. 6d.
<i>S</i>	— <i>rubrum</i>	East Indies	31s. 6d. and 42s.
<i>S</i>	— <i>splendens</i>	East Indies	42s. and 63s.
<i>S</i>	<i>calceolare</i>	Khasi Hills	42s. and 63s.
<i>S</i>	<i>cæleste</i>	Cochin China	15s., 21s. and 31s. 6d.
<i>S</i>	<i>curvifolium</i>	Nepal, Ceylon	10s. 6d., 15s. and 21s.
<i>*S</i>	<i>giganteum</i> (<i>Vanda densiflora</i>)	East Indies	7s. 6d., 10s. 6d. and 15s.
<i>*S</i>	— <i>illustre</i>	East Indies	15s., 21s. and 31s. 6d.
<i>S</i>	<i>guttatum</i>	East Indies	21s., 31s. 6d. and 42s.
<i>S</i>	— <i>giganteum</i>	East Indies	
<i>S</i>	— <i>Holfordianum</i>	East Indies	63s.
<i>S</i>	— <i>superbum</i>	Ceylon	63s. and 84s.
<i>S</i>	<i>Harrisonianum</i>	Pulo, Copang	21s., 31s. 6d. and 42s.
<i>S</i>	<i>miniatum citrinum</i>	Cochin China	
<i>S</i>	<i>præmorsum</i>	Java	42s. and 63s.
<i>S</i>	<i>retusum</i>	Java	42s. and 63s.
<i>S</i>	<i>violaceum</i>	Manilla	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>Wightianum</i> , <i>vide</i> <i>Ærides Wightianum</i>		
<i>S</i>	SARCANTHUS <i>laxus</i>	East Indies	15s. and 21s.
<i>S</i>	SARCOCHILUS <i>Hartmanni</i>	North Australia	
<i>S</i>	SARCOPODIUM <i>Lobbii</i>	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	SCHOMBURGKIA <i>gloriosa</i>	South America	31s. 6d. and 42s.
<i>I</i>	— <i>tibicinis</i>	Mexico	15s., 21s. and 31s. 6d.
<i>I</i>	SCUTICARIA <i>Dodgsonii</i>	West Indies	42s. and 63s.
<i>I</i>	— <i>Hadwenii</i>	Brazil	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>Steelii</i>	Brazil	10s. 6d., 15s. and 21s.
	SELENIPEDIUM , <i>vide</i> <i>Cypripedium</i>		
<i>I</i>	SOBRALIA <i>leucoxantha</i>	South America	
<i>I</i>	— <i>macrantha</i>	Guatemala	21s. and 31s. 6d.
<i>I</i>	— <i>nana</i>	Guatemala	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>splendens</i>	Guatemala	42s. and 63s.
<i>C</i>	SOPHRONITIS <i>cernua</i>	Brazil	7s. 6d. and 10s. 6d.
<i>*C</i>	— <i>grandiflora</i>	Brazil	5s., 7s. 6d. to 21s.
<i>*C</i>	— <i>coccinea</i>	Brazil	
<i>*C</i>	— <i>marginata</i>	Brazil	
<i>*C</i>	— <i>militaris</i>	Brazil	
<i>*S</i>	— <i>rosea</i>	Brazil	31s. 6d. and 42s.
<i>*C</i>	— <i>superba</i>	Brazil	
<i>C</i>	<i>violacea</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	SPATHOGLOTTIS <i>Angustorum</i> , <i>vide</i> <i>S. Vieillardii</i>		
<i>S</i>	— <i>aurea</i> (<i>Kimballiana</i>)	Borneo	84s. and 105s.
<i>S</i>	— <i>Fortunei</i>	Hong Kong	21s. and 31s. 6d.
<i>S</i>	— <i>pacifica</i>	Pacific Islands	
<i>S</i>	— <i>plicata</i>	Cochin China	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>Regnieri</i>	Cochin China	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>Vieillardii</i> (<i>Angustorum</i>)	New Caledonia	42s. and 63s.
<i>I</i>	STANHOPEA <i>aurea</i>	South America	10s. 6d. and 15s.
<i>I</i>	— <i>Bucephalus</i>	South America	10s. 6d. and 15s.
<i>I</i>	— <i>chrysops</i>	South America	
<i>I</i>	— <i>decora</i>	South America	
<i>I</i>	— <i>ecornuta</i>	South America	42s.
<i>I</i>	— <i>grandiflora</i> (<i>eburnea</i>)	South America	10s. 6d.
<i>I</i>	— <i>graveolens</i>	South America	10s. 6d.
<i>I</i>	— <i>guttulata</i>	South America	10s. 6d. and 15s.

<i>I</i>	STANHOPEA insignis	Brazil	10s. 6d. and 15s.
<i>I</i>	<i>maculata</i>	South America	15s.
<i>C</i>	<i>oculata</i>	Xalapa	10s. 6d. and 15s.
<i>I</i>	<i>picta</i>	South America	
<i>I</i>	<i>punctata</i>	South America	10s. 6d.
<i>I</i>	<i>Ruckeriana</i>	South America	15s.
<i>I</i>	<i>saccata</i>	Guatemala	15s. and 21s.
<i>C</i>	<i>tigrina</i>	Xalapa	10s. 6d. and 15s.
<i>C</i>	— <i>superba</i>	Xalapa	10s. 6d. and 15s.
<i>I</i>	<i>Wardiana</i>	La Guayra	10s. 6d. and 15s.
<i>S</i>	THRIXSPERMUM Berkeleyi	Andaman Islands	42s.
<i>S</i>	<i>indusiatum</i>	Malay Archipelago ..	15s. and 21s.
<i>I</i>	THUNIA (Phaius) alba	India	7s. 6d. and 10s. 6d.
<i>I</i>	<i>alba striata</i>	India	5s. and 7s. 6d.
<i>S</i>	<i>Bensoniæ</i>	Moulmein	15s. and 21s.
<i>S</i>	— <i>splendens</i>	Moulmein	21s. and 31s. 6d.
<i>S</i>	— <i>variegata</i>	Moulmein	63s.
<i>S</i>	<i>intermedia</i>	India	
<i>S</i>	<i>Marshalliana</i>	India	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>ionophlebia</i>	India	42s. and 63s.
<i>S</i>	— <i>sulphurea</i>	India	
<i>S</i>	— <i>tricolor</i>	India	63s. and 84s.
<i>S</i>	<i>pulchra</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Veitchiana</i>	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>	TRICHOCENTRUM albo-purpureum ..	South America	10s. 6d., 15s. and 21s.
<i>S</i>	TRICHOGLOTTIS fasciata	East Indies	63s. and 84s.
<i>C</i>	TRICHOPILIA coccinea	Costa Rica	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>coccinea marginata</i> (very rare)....	Costa Rica	
<i>I</i>	<i>crispa</i> (gloxiniæflora)	Costa Rica	31s. 6d., 42s. and 63s.
<i>I</i>	— <i>marginata</i>	Costa Rica	
<i>C</i>	<i>fragrans, vide Pilumna fragrans</i>		
<i>I</i>	<i>Galeottiana (picta)</i>	Costa Rica	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>luteola</i>	Costa Rica	
<i>I</i>	(<i>Pilumna</i>) <i>laxa</i>	South America	5s. and 7s. 6d.
<i>I</i>	<i>lepida</i>	South America	
<i>I</i>	<i>suavis</i>	Costa Rica	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>superba</i>	Costa Rica	15s., 21s. and 31s. 6d.
<i>C</i>	<i>tortilis</i>	Mexico	10s. 6d. and 15s.
<i>*C</i>	TRICHOSMA suavis	Assam	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	TRIGONIDIUM ringens	Assam	15s. and 21s.
<i>I</i>	UROPEDIUM Lindenii	Colombia	21s. and 31s. 6d.
<i>S</i>	VANDA Amesiana	Eastern Archipelago..	10s. 6d., 15s. to 31s. 6d.
<i>S</i>	<i>Batemanii</i>	Moluccas	15s. and 21s.
<i>S</i>	<i>Bensonii</i>	Burmah	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Boxallii</i>	East Indies	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Cathcartii</i>	Sikkim	42s. and 63s.
<i>I</i>	<i>cærulea</i>	Khasya	15s., 21s. and 31s. 6d.
<i>I</i>	<i>cærulescens</i>	Burmah	21s. and 31s. 6d.
<i>S</i>	<i>concolor</i>	East Indies	31s. 6d., 42s. and 63s.
<i>S</i>	<i>Denisoniana</i>	India	15s., 21s. and 31s. 6d.
<i>*S</i>	<i>densiflora, vide Saccolabium giganteum</i>		
<i>S</i>	<i>gigantea</i>	Moulmein & Rangoon	15s. and 21s.
<i>S</i>	<i>Hookeriana</i>	Borneo	21s., 31s. 6d. and 42s.
<i>S</i>	<i>insignis</i>	Timor	21s. and 31s. 6d.
<i>S</i>	<i>Kimballiana</i>	Eastern Archipelago ..	10s. 6d., 15s. to 31s. 6d.
<i>S</i>	<i>Massaiana</i>	East Indies	42s. and 63s.

<i>S</i>	VANDA Parishii	Burmah	15s., 21s. and 31s. 6d.
<i>S</i>	Parishii Marriottiana	Burmah	21s., 31s. 6d. and 42s.
<i>S</i>	parviflora, <i>vide</i> <i>Ærides</i> Wightianum		
<i>S</i>	Roxburghii	Bengal	21s. and 31s. 6d.
<i>S</i>	— tessellata	Bengal	21s. and 31s. 6d.
<i>S</i>	Sanderiana	Eastern Archipelago ..	
<i>S</i>	suavis	Java	31s. 6d. and 42s.
<i>S</i>	— (Chatsworth variety)	Java	31s. 6d. and 42s.
<i>S</i>	— maxima	Java	
<i>S</i>	teres	Sylhet	10s. 6d., 15s. and 21s.
<i>S</i>	— Andersoni	Sylhet	21s. and 31s. 6d.
<i>I</i>	tricolor	Java	15s., 21s. and 31s. 6d.
<i>I</i>	— aurea	Java	
<i>I</i>	— chelsoniensis	Java	
<i>I</i>	— formosa	Java	31s. 6d. and 42s.
<i>I</i>	— guttata	Java	
<i>I</i>	— insignis	Java	15s., 21s. and 31s. 6d.
<i>I</i>	— limbata	Java	
<i>I</i>	— marginata	Java	
<i>I</i>	— meleagris	Java	
<i>I</i>	— multiflora	Java	31s. 6d. and 42s.
<i>I</i>	— nebulosa	Java	42s. and 63s.
<i>I</i>	— ochracea	Java	
<i>I</i>	— planilabris	Java	
<i>I</i>	— splendens	Java	
<i>I</i>	— superba	Java	31s. 6d. and 42s.
<i>I</i>	undulata	Assam	42s. and 63s.
<i>S</i>	VANILLA aromatica	Brazil	5s. and 7s. 6d.
<i>S</i>	planifolia	South America	5s. and 7s. 6d.
<i>I</i>	WARREA Lindeniana	Colombia	15s. and 21s.
<i>I</i>	tricolor	Brazil	10s. 6d. and 15s.
<i>I</i>	WARSCEWICZELLA discolor	Colombia	15s. and 21s.
<i>I</i>	XYLOBIUM (Maxillaria) leontoglossum	South America	7s. 6d. and 10s. 6d.
<i>I</i>	ZYGOPETALUM Clayii	Hybrid	63s.
<i>I</i>	crinitum cœruleum	Brazil	21s. and 31s. 6d.
<i>I</i>	— roseum	Brazil	21s. and 31s. 6d.
<i>I</i>	— superbum	Brazil	21s. and 31s. 6d.
<i>I</i>	Gautieri	Brazil	15s. and 21s.
<i>I</i>	intermedium	Brazil	10s. 6d., 15s. and 21s.
*C	Mackayi	Brazil	10s. 6d. and 15s.
*C	— majus	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>	maxillare	Brazil	10s. 6d. and 15s.
<i>I</i>	rostratum	South America	21s. and 31s. 6d.
<i>I</i>	Sedenii	Hybrid	63s. and 84s.
<i>I</i>	Wendlandi	Costa Rica	

CHOICE ORCHIDS.

EAST INDIAN
MEXICAN

WEST INDIAN
PERUVIAN

COLOMBIAN
BRAZILIAN

Collections made at 3, 4, 6, 9 and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at

3, 4, 6, 9 and 12 guineas per dozen.

SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

BEST FIBROUS PEAT FOR ORCHIDS, 10s. per sack.

NEW AND CHOICE ACHIMENES.

BOUQUET CERISE, habit branching and very floriferous, the plants being covered with a multitude of cerise-coloured flowers. 3s. 6d.

BRILLIANT, flowers reddish-scarlet, throat punctulated orange; the most red of all the Achimenes. 3s. 6d.

COQUETTE, flowers violet-purple, with a ring of fiery purple at the mouth of the throat. 3s. 6d.

PHŒBUS, very large flowers, purple, merging into orange at the centre; the throat is dark yellow, the mouth of the throat marked blackish-crimson. 2s. 6d.

VIOLETTA, rich violet-purple flowers, the centre of each lobe and the mouth of the throat being very darkly veined. 2s. 6d.

Good selections made at 6s., 9s. and 12s. per dozen, according to sorts.

New and choice sorts, 18s. and 30s. per dozen, according to sorts.

ADMIRATION
ALEXANDRA
AMROISE VERSCHAFFELT
ARGUS
AURORA
AUTUMNALIS
CARL WOLFARTH
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
DIADEM
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FIREFLY
FRANÇOIS CARDINAUX
FEAU BRUNOW
GEORGIANA
GIBSONII
GRANDIS
HENDERSONI
JAREQUIA MAXIMA
LABYRINTHICUM
LADY LYTTLETON
LEOPARD



LONCIFLORA
— MACRANTHA
— MAJOR

LONCIFLORA ROSEA
LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MAROARITE
MARVEL
MAUVE PERFECTION
— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
NINA
ONDINE
PARSONSII
PURPUREA MULTIFLORA
RIVAL
ROSEA ELLEOANS
— MAONIFICA
ROSE QUEEN
SIR TREHERNE THOMAS
SKINNERI
SPARKLER
STELLA
UNIQUE
VENUSTA
VIVICANS

EUCODONIAS.

A free-flowering and dwarf growing section of Gesneraceous plants, with attractive flowers intermediate between *Tydas* and *Gloxinias*. 1s. and 1s. 6d. each.

EHRENBERGII
NÆGELIODES

— NÆGELIODES DIAMANTINA
— LILACINELLA

— NÆGELIODES NANA MULTIFLORA
— VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose-coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3s. 6d.

SOUVENIR DE MADAME JOIGNOT, this variety has handsome bronze-green leaves, the Achimene-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3s. 6d.

NEW AND CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

MELAS, a handsome variety, the mouth of the throat dark purplish crimson; lobes rich violet; the base of throat prettily spotted with crimson. 5s.


PHASIS, a fine flower with white throat rayed into the lobes, the rays surrounded with purple; lobes crimson shading off to rose. 5s.

TAMPICO, a very bright and handsome variety; lobes fiery crimson shading to rose, throat spotted with crimson. 5s.

TERANO, flowers well made and richly coloured; lobes deep rose shaded with violet, throat spotted and shaded with violet and crimson. 5s.

VIRGINALIS, a beautiful pure white variety, the flowers being of good substance and abundantly produced. 5s.

ALPHA	LA FRANCE
AMETHYST	LYDIA
BARON DE ROTHS-	MAD. BLEU
CHILD	MALABAR
BERENICE	MENTOR
CALYPSO	MILTON
CASILDA	MODIOLA
CASINO	MOGUL
CHATEAUBRIAND	MON CAPRICE
CHAUCE	NEPTUNE
CLEOPATRA	ODIN
CORDON LAVANDE	OSCAR
CYGNET	PARTHENIA
DIDON	PRINCE DE GALLES
DRYDEN	RUBIS
ELFIN	SABRINA
ETHEL	STANLEY
FANTOME	TAMAR
FLORE	TEMPLAR
HECLA	TENNYSON
HYDRA	VELINDRA
JUPITER	



GLOXINIA.

Choice selections made by Mr. W. B. at 18s., 30s. and 42s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 9s., 12s. and 18s. per dozen; 35s., 50s. and 70s. per 100.


GLOXINIA INSIONIS, bluish lilac, marked with a large crimson blotch at the base. 2s. 6d.

MACULATA SOEPTRUM, a magnificent hybrid, producing clear lilac, well-formed blooms. 1s. 6d.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s., 24s., 30s. and 42s. per dozen, according to sorts.

AILSA	HOTSPUR
ALARM	LORENZO
AMAZON	MANCUSO
APOLLON	MARQUIS DE GUIADIARO
CECILIA	MINERVE
CLOVIS	M. RICHARD LARIOS
COQUETTE	PAREPA
DAPHNE	ROBERT LE DIABLE
ELAINE	THALIE
GIGANTEA	UKARA



NEW AND CHOICE REGAL PELARGONIUMS.

This name is applied to that magnificent group of Pelargoniums, the flowers of which are of large size, with very rich and showy colours, and which, although they are not really double, yet have the appearance of being so from their full and crispy form, and the extra number of their frilled petals.

FOR NEW VARIETIES *vide* page 4.

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1s.
CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1s.
CHAMPION, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 2s. 6d.
DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson. 1s.
DOROTHY, fine large flower, full and round, of a soft shade of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 5s.
DUCHESS OF TECK, immense semi-double white flowers, petals undulated. 2s. 6d.

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1s.
EMPEROR OF RUSSIA, petals dark maroon, surrounded with crimson purple, margined with blush white. 1s. 6d.
EMPRESS FREDERICK, *vide* page 4.
EMPRESS OF INDIA, *vide* page 4.
JUBILEE, fine full flowers, petals blush pink; upper petals blotched with maroon, surrounded with fiery crimson. 1s. 6d.
MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1s.
MAID OF KENT, flowers pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 1s.
MISS LILY CANNELL, crimson-scarlet petals shaded with rosy-purple and edged with white, light centre. 1s.

NEW AND CHOICE REGAL PELARGONIUMS—continued.

PRINCE GEORGE, large trusses of finely fringed white flowers, faintly suffused with blush, all the petals spotted with purplish lake, the two upper petals more heavily marked than the others. 7s. 6d.

PRINCE HENRY, bright fiery carmine flowers with light centre, all the petals edged with white. 2s. 6d.

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, upper petals flushed crimson. 2s. 6d.

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1s. 6d.

PRINCE OF WALES, bright vermilion with light centre and edge to the petals, the superior ones marked with light crimson and darkly blotched. 1s.

PRINCESS ALEXANDRA, *vide* page 4.

PRINCESS BEATRICE (PERKINS), a beautiful and attractive flower, petals blush white. 2s. 6d.

PRINCESS OF WALES, flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon. 2s. 6d.

PRINCESS MAUD, full orange carmine flowers, margined with white, white centre surrounded with violet; upper petals blotched and feathered with maroon. 1s. 6d.

PRINCESS VICTORIA, *vide* page 4.

QUEEN VICTORIA, crisy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1s. 6d.

STARLIGHT, a charming smooth-petalled flower of a pretty shade of rosy pink, the lower petals spotted with fiery crimson veined with maroon; upper petals blotched with maroon surrounded with fiery crimson. 3s. 6d.

VOLONTE NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. 1s. 6d.

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

ALFONSO, pure white free-blooming variety, upper petals marked with rich rosy-crimson, under petals faintly feathered with rose; a large finely formed flower. 2s. 6d.

ANGUS, delicate rose; upper petals blotched dark crimson and shaded rose; under petals spotted with dark crimson. 1s.

ARBACES, a very attractive flower of a bright rosy-purple colour, with light margin; the upper petals blotched and feathered with dark crimson. 1s.

ARDENS, upper petals fiery crimson, heavily blotched and feathered maroon; edged with rosy-magenta; lower petals soft crimson; spotted maroon; light centre. 3s. 6d.

ARGUS, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 5s.

ARVON, upper petals bright crimson, blotched with blackish-maroon and edged with rose; under petals soft rose, spotted crimson. 1s.

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1s. 6d.

CYPRIA, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1s. 6d.

DACIA, upper petals dark maroon shaded with bright crimson, margined rose; under petals rosy-pink, spotted with crimson. 1s. 6d.

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1s. 6d.

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1s. 6d.

DINORAH, upper petals blotched with maroon, surrounded with bright rosy-purple, and edged with rose; under petals light rose, spotted with bright rosy-purple. 1s. 6d.

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2s. 6d.

EBOR, upper petals maroon margined with white; lower petals white heavily veined with violet-purple, spotted with dark crimson; light centre. 2s. 6d.

ELLA, upper petals fiery crimson margined with white, blotched with maroon; lower petals veined crimson-lake, white margin; spotted maroon. 5s.

ELVINA, upper petals rich bright crimson, blotched with maroon and margined with white; under petals blush, tinted rose and spotted with crimson. 1s. 6d.

ENSIGN, all the petals blotched with maroon, surrounded with crimson and rose. 1s. 6d.

FORWARD, upper petals maroon edged with soft rose; under petals rosy-crimson, heavily spotted with maroon. 1s. 6d.

HECLA, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1s. 6d.

IO, upper petals rich purplish-crimson, blotched with maroon and margined with blush-white; lower petals white, suffused and veined with rosy-purple. 5s.

JESSICA, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson. 1s. 6d.

NEW AND CHOICE SPOTTED PELARGONIUMS—continued.

- KENNETH**, upper petals purplish-erimson, margined and feathered crimson; under petals violet-erimson, edged with rosy-lavender; white centre. 1s. 6d.
- LEONIS**, flower soft rosy-purple, surrounded with pale rose, the upper petals blotched with maroon. 1s. 6d.
- MABEL**, flower bright rose, upper petals blotched with blackish-maroon; lower petals spotted with erimson-lake. 2s. 6d.
- MAGPIE**, white, with distinct dark purple spots on each petal. 3s. 6d.
- MALCOLM**, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1s. 6d.
- MARSUS**, upper petals white, blotched with rosy-erimson; under petals bluish-white, spotted with erimson. 1s. 6d.
- MEDINA**, upper petals maroon, shaded with crimson and edged with rose; under petals rose, blotched with dark crimson. 1s. 6d.
- MINARET**, upper petals crimson, with maroon blotch; under petals rosy-erimson marked and spotted with maroon. 1s. 6d.
- MYRA**, upper petals dark maroon surrounded with bright crimson and edged with rose; lower petals soft pink, spotted with erimson; light centre. 2s. 6d.
- PERA**, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson and slightly blotched maroon. The edges of all the petals prettily fringed. 5s.
- PHENIX**, deep rosy-purple, upper petals blotched and feathered with dark crimson; under petals edged with white, light centre. 1s. 6d.
- PINNACE**, light scarlet-erimson; upper petals blotched with maroon and edged with rose; under petals earmine, spotted erimson. 1s. 6d.
- PIONEER**, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1s. 6d.
- PLATEAU**, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1s. 6d.
- RUBIS**, centre of upper petals dark maroon, surrounded with fiery crimson, margined with bright rose; lower petals clear rose spotted with erimson. 5s.
- RUMOUR**, upper petals earmine-erimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark erimson. 1s. 6d.
- SCOTS GUARD**, deep orange-scarlet, dark spots, white eye; very bright. 3s. 6d.
- SIRIUS**, upper petals fiery crimson, edged with rose and blotched maroon; lower petals rose, spotted with erimson. 2s. 6d.
- SPORTSMAN**, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 2s. 6d.
- SPOTTED BEAUTY**, soft rose, bottom petals with small rosy-erimson spots. 3s. 6d.
- TENNYSON**, upper petals dark maroon, margined with rose and edged with white; under petals pure clear white, with a small blotch of bright lake in the centre of each. 1s. 6d.
- TREASURE**, upper petals violet-purple, blotched maroon and edged lavender; under petals light rosy-purple, spotted maroon. 2s. 6d.
- TYRANT**, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark erimson. 1s. 6d.
- VINCENT**, upper petals maroon, edged with rosy-erimson; under petals rich rosy-erimson; the centre shaded with violet. 1s. 6d.
- ZENOBIA**, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-erimson spotted with maroon, rose centre. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

- ACHIEVEMENT**, bright orange-scarlet lower petals, dark top, narrow scarlet edge, pure white centre; good shape. 2s. 6d.
- ADVENTURER**, maroon spot on top petals; narrow rose edge; rose lower petals; white centre, large and fine form. 1s. 6d.
- AMPHION**, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower petals rose; light centre. 2s. 6d.
- ATALANTA**, upper petals maroon, edged bright rose; under petals deep rose. 1s. 6d.
- BANQUET**, upper petals crimson-maroon, edged with rose; under petals bright rose. 1s. 6d.
- BLUE BEARD**, very large light purple flowers with white eye; upper petals dark. 2s.
- CARMINE**, lower petals crimson-scarlet, upper petals darker; good habit. 2s. 6d.
- CECILIA**, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink. 1s. 6d.
- CHARTER**, rich maroon upper petals margined with violet-rose; under petals violet-rose; shaded crimson; large white centre. 1s. 6d.

NEW AND CHOICE SHOW PELARGONIUMS—continued.

- CLAUDIA**, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 5s.
- COMUS**, upper petals dark crimson, margined with bright crimson; lower petals bright pink shaded with crimson. 1s. 6d.
- CONSPIRATOR**, upper petals dark maroon, lower petals rosy salmon; light edges and centre; free and fine. 2s. 6d.
- COSSACK**, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1s. 6d.
- CREUSA**, light rose; the upper petals blotched with dark crimson; light centre. 1s. 6d.
- CRUSADER**, lower petals bright crimson; dark upper petals, light eye; very dwarf. 2s. 6d.
- DIANA**, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 5s.
- DUKE OF CLARENCE**, scarlet with white eye; upper petals maroon; flowers very round and smooth. 2s. 6d.
- EDIE**, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 2s. 6d.
- ELAINE**, pure white flower, upper petals blotched with purplish-crimson. 3s. 6d.
- EMBASSY**, pure white, the two upper petals blotched with deep violet-maroon. 1s. 6d.
- ENTERPRISE**, deep rose, dark blotch, purple edge, light eye. 3s. 6d.
- EXPRESS**, lower petals purplish-rose, upper petals black, with wire edge of rose. 2s. 6d.
- EXQUISITE**, deep orange scarlet, dark top, white eye, fine shape and quality. 2s. 6d.
- FRANCES**, rosy-purple, white eye, large dark blotch on top petals; a fine flower. 2s. 6d.
- HUMPHREY**, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1s. 6d.
- INDIAN YELLOW**, light orange-salmon, darker top petals; light centre. 2s. 6d.
- JOSEPHINE**, warm rose, shaded orange; dark-top petals, light centre. 3s. 6d.
- JUNIUS**, upper petals very dark maroon, with a wire edge of crimson; lower petals rosy-crimson veined with deep crimson. 5s.
- LAURETTA**, upper petals bright crimson blotched with blackish-maroon and edged with pale rose; under petals soft rose. 1s. 6d.
- LEANDER**, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale bluish. 2s. 6d.
- LORA**, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1s. 6d.
- MADIELINA**, upper petals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1s. 6d.
- MALCOLM**, deep orange-scarlet, light centre, good shape. 1s. 6d.
- MARION**, rosy-purple with white eye, dark top petals; wire edge of rose. 2s. 6d.
- MATHON**, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1s. 6d.
- MIRANA**, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2s. 6d.
- MURILLO**, maroon upper petals, surrounded with crimson and margined with rose; under petals bright rose; pure white centre. 1s. 6d.
- MYSTERY**, rosy-salmon, upper petals blotched with dark maroon and edged with rose, light eye. 1s. 6d.
- NABOB**, fiery crimson, the upper petals shaded with dark crimson and blotched with fiery maroon; light centre. 2s. 6d.
- ORIENT**, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 2s. 6d.
- PAREPA**, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2s. 6d.
- PAULINE**, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1s. 6d.
- PELICAN**, lower petals deep, lilac rose, very dark upper petals, rose edges large, white centre; a distinct variety. 2s. 6d.
- PERIM**, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1s. 6d.
- PLATO**, soft rose, white eye, dark blotch on upper petals. 2s. 6d.
- RUSTIC**, a fine flower; upper petals rich crimson, blotched and shaded maroon; under petals rich crimson; light centre, shaded with violet. 1s. 6d.
- RUTULIA**, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1s. 6d.
- SYMMETRY**, lilac rose lower petals; upper petals maroon; pale edges, light centre. 3s. 6d.
- TEMPLAR**, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2s. 6d.
- THEODOSIA**, upper petals velvety crimson, blotched with blackish-maroon and edged with rose; under petals bright rose. 1s. 6d.
- TRIUMPH**, deep rich scarlet, dark top, a bright shining flower of good quality. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 19s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

Selections made by Mr. W. B. from general collection at 18s., 24s., and 30s. per dozen, according to sorts.

CAPE SPECIES, HYBRID, SELF-COLOURED, STRIPED AND PERPETUAL-FLOWERING PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 30s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERING IVY-LEAVED PELARGONIUMS.

- ALICE CROUSSE, petals of great size, violet-purple and amaranth, very floriferous; extra. 1s.
 ALMA, bright salmon-scarlet, the centre lit up with vermilion in a most pleasing manner. 1s. 6d.
 ALPHONSE FAILLE, dark cerise, shaded with carmine and amaranth. 1s.
 ANDRÉ THEURIET, reddish-violet flowers, of fine shape; good habit. 1s.
 BASTIEN-LEPAGE, very large semi-double flowers, rosy-mauve, top petals marked with purple. 1s.
 BERTHELOT, large full violet-magenta flowers, of good form, very floriferous. 1s.
 CAMILLE FLAMMARION, cup-shaped rosy-magenta flowers, centre lit up with golden-orange. 2s. 6d.
 CHARLES GRAD, enormous double flowers, large imbricated petals, brilliant satiny-magenta. 5s.
 CHATRIAN, very large bright carmine scarlet flowers. 5s.
 COMUS, soft rosy-purple flower, upper petals feathered with dark maroon. 1s.
 CRAMOISI, large trusses of rose amaranth flowers; very floriferous. 3s. 6d.
 CRÉPUSCULE, bright rosy-salmon flowers, very large and double. 1s.
 CUVIER, large and full dark violet flowers; a vigorous grower. 9d.
 DE QUATREFAGES, very floriferous, large violet purple flowers; extra. 9d.
 DIAMANT, large lilac mauve double flowers; dwarf habit. 3s. 6d.
 EDOUARD CHARTON, porcelain-lilac flowers, very double and of fine form; dwarf habit. 5s.
 EMILE LEMOINE, fine trusses of bright-scarlet flowers. 1s.
 ERNEST BERGMAN, fine trusses of extra large flowers, large regular crimson-lake petals; extra. 1s. 6d.
 ERNEST COUTANT, brilliant orange-red double flowers; large imbricated petals. 5s.
 FLAMBEAU, large trusses of granite-red flowers; very distinct. 1s. 6d.
 FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 1s. 6d.
 FÜRSTIN JOSEPHINE VON HOHENZOLLERN, finely shaped reddish-magenta flowers. 1s.
 GALILÉE, deep rose feathered in the top petals with crimson. 9d.
 GAY-LUSSAC, clear crimson-lake, flowers very double and of good shape; dwarf vigorous habit. 1s. 6d.
 GÉNÉRAL BRIÈRE DE L'ISLE, beautiful carmine double flowers, shaded with gold. 1s.
 GLOFFÉE, flowers compact and very double, of fine rosette shape; purple amaranth. 1s. 6d.
 GLADIATEUR, flowers full and round, of a violet purple colour. 3s. 6d.
 GLOIRE DE LORRAINE, bright cerise, brightened with scarlet, large and double; extra. 2s. 6d.
 LA MAUVE, flowers bluish mauve, long petals, veined with violet. 3s. 6d.
 LAPLACE, flowers cup-shaped crimson-lake; of vigorous habit and extremely floriferous. 1s. 6d.
 LAVOISIER, very large full flowers of perfect form; fine trusses of orange-salmon flowers. 1s.
 MADAME BOUCHARLAT, large full flower of a bright rosy-cerise shade; very floriferous. 1s.
 MARINER, rich rosy-magenta, upper petals feathered with dark crimson; fine flower. 1s.
 META, bright cerise flowers, upper petals faintly feathered with maroon. 1s. 6d.
 MICHELET, cerise-scarlet, suffused with magenta, a pleasing colour. 1s.
 RAPHAËL, large flowers of perfect shape, rosy-salmon, bright centres; very floriferous. 1s.
 SABINE, bright rosy-carmine, a large well-formed round flower of a most pleasing colour. 1s.
 SATELLITE, rosy-pink, upper petals feathered with purplish-crimson. 1s.
 SIR RICHARD WALLACE, very double Ranunculus-shaped flowers of a vinous rose-carmine; very floriferous and of great beauty. 7s. 6d.
 VETERAN, large trusses of semi-double flowers, bright orange-carmine, very floriferous. 1s. 6d.
 WRANGLER, soft pink, faintly marked in upper petals with crimson. 1s.

CHOICE SINGLE FLOWERING IVY-LEAVED PELARGONIUMS.

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

Selections, 12s. and 18s. per dozen.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE ZONAL PELARGONIUMS.

- ADAM MICKIEWICZ, very large trusses of rosy-magenta flowers. 5s.
 A. DE LA DEVANSAYE, flowers brilliant salmon-orange, margined with white, white eye. 2s. 6d.
 ADMIRATION, large trusses of clear salmon-rose flowers; centre salmon. 2s. 6d.
 ADRIEN DE MORTILLET, large rosy-magenta flowers, marked with orange. 1s. 6d.
 ALEXANDRE DUMAS, good round flowers, reddish-scarlet, brighter upper petals; white centre. 3s. 6d.
 ALPHONSE DAUDET, a beautiful variety with large trusses of reddish-salmon flowers. 1s. 6d.
 ARMAND DE PONTMARTIN, immense trusses of large and round pure white flowers. 5s.
 AURELIEN SCHOLL, rose, centre shaded violet, maculated with white on the upper petals. 3s. 6d.
 BARBEY D'AUZEUILLY, enormous trusses of vinous rose flowers, a bright ring surrounding the centre. 5s.
 BEAUTY OF CLYFFE HALL, rich deep orange-scarlet, with white eye. 1s. 6d.
 BENJAMIN CONSTANT, flowers bright scarlet, of immense size. 5s.
 BRUTUS, large trusses of scarlet amaranth flowers, very floriferous. 1s. 6d.
 CALYPSO, large trusses of medium-sized flowers, pure white. 1s. 6d.
 CARBONARO, large trusses of round flowers, of a reddish shade. 1s. 6d.
 CHARLES FOUCHARD, intense dark scarlet, of dwarf habit. 3s. 6d.
 CHERUBINI, large salmon-vermilion flowers. 1s. 6d.
 COPERNIC, large trusses of orange-rose flowers, shaded carmine, white centre. 2s. 6d.
 EDEN, large crimson-scarlet flowers, white centre; top petals maculated with orange. 1s. 6d.
 EDMOND BLOUIN, dark salmon, edged red, dwarf habit. 5s.
 EMILE GEBHART, immense trusses of orange-scarlet flowers, violet centre. 5s.
 FOURNAISE, brilliant orange-scarlet; enormous trusses. 1s. 6d.
 GUY DE MAUPASSANT, flowers round, of perfect form, orange-salmon, rose centre. 3s. 6d.
 HENRI DE PARVILLE, large trusses of rosy-purple flowers. 3s. 6d.
 JACQUES CALLOT, very bright salmon, netted with white; large trusses; extra. 2s.
 JEAN RICHEPIN, soft salmon flowers, bright centre, the upper petals marked rose. 3s. 6d.
 JEANNE D'ARC, fiery-orange, maculated with white on top petals; white centre. 2s.
 JULES FERRY, enormous trusses of dark reddish-scarlet flowers. 1s.
 LA LORRAINE, enormous trusses of soft rose flowers; good habit. 2s. 6d.
 LA VESTALE, large pure white flowers, of perfect shape. 2s. 6d.
 LOUIS CHANTRIER, large clear rose flowers, of good shape. 5s.
 L'IMMORTHEL, rose tinted with dark lilac in the centre, large trusses, plant of dwarf habit. 2s. 6d.
 MADAME A. PAILLET, creamy-white, shaded with rosy-violet. 5s.
 MDE. LAURENT, carmine-crimson, tinted violet. 1s. 6d.
 MDE. LA MARQUISE DE MORTEMART, satiny rose, shaded with crimson, centre blush white. 1s. 6d.
 MDLLE. ANNA KAPFF, porcelain white, shaded lilac on the margins. 1s. 6d.
 M. EIFFEL, rosy lake, upper petals maculated with red, a beautiful colour. 1s. 6d.
 M. HERVE MANGON, large flowers, salmon bordered with white, dwarf and floriferous. 1s.
 M. POIRIER, enormous trusses of round flowers, rich carmine, shaded violet, a new colour. 3s. 6d.
 M. TUPINIER, large cerise flowers. 1s. 6d.
 M. V. NOULENS, orange-salmon flower, shaded rose-vermilion, maculated blush-violet. 1s. 6d.
 PALAIS DE L'INDUSTRIE, soft rosy-pink, white centre, surrounded with crimson-scarlet. 1s. 6d.
 PAUL GINISTY, enormous trusses of large clear magenta flowers, upper petals shaded with orange. 5s.
 PERLE, large trusses of well-shaped pure white flowers, very floriferous. 1s. 6d.
 PORT-ROYAL, rosy-salmon, white centre, surrounded with orange; distinct. 2s. 6d.
 RENAISSANCE, rosy red, white centre, upper petals shaded reddish-orange; very free. 1s. 6d.

NEW AND CHOICE ZONAL PELARGONIUMS—continued.

- RENE MAIZEROY**, enormous trusses of round orange salmon flowers, netted with white; distinct white centre; dwarf habit and very floriferous. 3s. 6d.
SOLEIL COUCHANT, bright orange-scarlet, flowers large and round; dwarf and floriferous. 2s. 6d.
SOUVENIR DE MIRANDE, very distinct, whitish-salmon, margined rose-cerise. 1s.
TROPHÉE, large trusses of rose flowers, shaded lilac in centre. 1s. 6d.
VICTOR CHERBULIEZ, very large spherical trusses of soft rose flowers, the upper petals nearly white. 5s.
VULCAIN, bright reddish purple, immenso trusses. 3s. 6d.
VICTOR HUGO, large trusses of bright orange-scarlet flowers, dwarf, and very floriferous. 1s.
WHITE PERFECTION, a free-flowering white variety of good habit. 1s. 6d.

Selections made by Mr. W. B. from General Collection of Zonal Pelargoniums at 9s., 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

- AEROLITHE**, irregular orange-scarlet semi-double flowers. 1s.
ADMIRAL SEYMOUR, dark amaranth-purple colour, marked with red in the upper petals. 1s.
ALBERT GAUDRY, dwarf and floriferous, clear-rose flowers, light centre. 1s. 6d.
BELLE NANCEIENNE, large trusses of soft rose flowers, centre salmon-carmine. 1s.
BONNAT, large spherical trusses of brilliant carmine flowers. 1s. 6d.
BOUGEREAU, large trusses of beautiful rose flowers, the upper petals maculated with white. 1s. 6d.
BUFFALO BILL, cream-coloured flowers, marbled with rose. 3s. 6d.
CATULLE MENDES, rosy-purple, upper petals marked with white, very floriferous. 3s. 6d.
CENTAURE, very large round trusses of bright rose flowers, vigorous habit. 1s. 6d.
CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1s. 9s. per dozen.
COMTE DE FLANDRE, delicate rose, shaded with bright red; very floriferous. 1s.
COMTESSE DE FLANDRE, flowers beautiful rosy-scarlet; very neat and pretty. 1s.
COMTE D'HAINAULT, an exceedingly dwarf variety, with rosy-purple flowers. 1s.
DE LACÉPÈDE, light lilac rose flowers. 1s. 6d.
DIRECTOR W. SCHÜLE, large reddish-madder flowers. 1s.
ECLAIREUR, bright red, shaded with scarlet. 1s. 6d.
ERNEST BAHLSSEN, blush tinted violet. 1s. 6d.
GENERAL BRIÈRE DE L'ISLE, well-shaped rosy-salmon flowers. 1s.
GENERAL DE COURCY, brick-red in centre shading to salmon, marbled with white. 1s.
GEROME, large trusses of double rosy-violet flowers. 1s. 6d.
GIL BLAS, fine compact truss of bright cherry-coloured flowers, brightened with fiery crimson. 1s.
GLOIRE DE FRANCE, dark salmon, shading to whitish-rose; extra large trusses. 1s.
HENRI DE BORNIER, large trusses of blush white flowers; dwarf habit and very floriferous. 5s.
HENRI MEILHAC, large trusses of perfectly shaped flowers, salmon tinted with apricot, centre orange, very floriferous. 2s. 6d.
JEAN BOUCHET, globular trusses of dark rosy-violet flowers. 2s. 6d.
KHÉDIVE, a fine full flower of a soft rose colour; dwarf and free-blooming. 1s.
L'ABBE GRÉGOIRE, dark crimson, marked bright reddish-amaranth in the upper petals. 1s.
L'ANDALOUSE, large trusses of creamy white flowers, very free. 1s.
LA FAVORITE, large trusses of well-made pure white flowers. 2s. 6d.
LA JEANNETTE, dwarf and free; large full flowers of the most pure snowy whiteness. 1s.
LE CID, fine trusses of very bright crimson flowers; vigorous habit. 1s. 6d.
LE POITEVIN, fine trusses of brilliant cerise flowers, shaded with magenta. 1s.
LE PROPHÈTE, plant very vigorous; fine trusses of bright madder flowers. 1s. 6d.
LOUIS FIGUIER, large compact trusses, dark red bordered with rose. 1s.
LUCIFER, large trusses of a peculiar shade of red, very floriferous. 3s. 6d.
MADAME DUPONT, trusses of rosette-like flowers, fiery scarlet. 1s. 6d.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS—continued.

- MADAME DE NAUROIS, rosy-carmine flowers, maculated with white, light centre. 1s.
 MADAME GRILLET, soft rose flowers, good truss. 1s.
 MADAME GUILBERT, large trusses of pure rose flowers. 1s.
 MADAME MENOIREAU, pure white, centre bright rose. 1s.
 MELCHIOR DE VOGUÉ, large trusses soft rose flowers, shaded lilac. 5s.
 M. BAROU, reddish-orange, lit up with violet. 1s. 6d.
 M. BERGER, large trusses of dark cerise flowers; dwarf habit. 2s. 6d.
 M. DE BOFFLEY, bright apricot colour, shaded orange. 1s. 6d.
 M. DE LEYBARDIE, rosy-violet, the upper petals marked with white. 1s.
 M. FABRE, orange-cerise, shaded violet. 1s.
 M. J. DELAUX, rosy-purple, shaded with carmine, upper petals marked with white. 1s.
 M. JEAN LIABAUD, large trusses of purplish-violet flowers. 1s.
 M. JOVIS, centre bright salmon, margins yellowish-white. 1s. 6d.
 M. M. MATHIEU, magenta-cerise flower, centre orange. 1s. 6d.
 M. MOISSAN, large trusses of reddish orange flowers; good habit. 2s. 6d.
 MONTESQUIEU, large flowers of a rose-mauve colour, light centre. 3s. 6d.
 PAUL ARENE, very dwarf and floriferous; well-formed milk-white flowers. 1s. 6d.
 PETIT JEAN, enormous trusses of Solferino-coloured flowers, the upper petals fiery red. 1s.
 PH. GEDULDIG, reddish-carmine, shaded in the centre with violet. 1s.
 PRESIDENT CARNOT, bright vermilion, shaded cardinal. 1s. 6d.
 PRESIDENT DUTAILLY, dark amaranth, bordered maroon. 1s.
 PRINCESSE CLEMENTINE, extremely double scarlet-vermilion flowers, very floriferous. 1s.
 PROUVE, very large trusses of bright cerise flowers, darkly blotched on the upper petals. 1s.
 RAFFAELLO MERCATELLI, reddish-salmon, semi-double flowers. 1s.
 ROMULUS, dark violet, maculated with red. 1s.
 RUBENS, rose madder, shaded orange, white reverse. 1s. 6d.
 RUY BLAS, centre bright salmon, the rest of the flower peach-rose. 3s. 6d.
 SACHER-MASOCH, immense trusses of dark rose-coloured flowers. 5s.
 SAINT-SAËNS, large trusses of bright red flowers, margined with salmon. 3s. 6d.
 SECRETAIRE NICOLAS, orange-madder; fine trusses. 1s.
 SERGENT BOBILLLOT, beautiful rosy-purple flowers; fine trusses. 1s.
 SOUVENIR DE LOUIS VAN HOUTTE, beautiful carmine-rose flowers; very floriferous. 1s.
 SULLY-PRUDHOMME, large trusses of bright carmine flowers. 5s.
 THEODORE DE BANVILLE, medium-sized trusses of dark cerise flowers. 5s.
 TUNISIE, erect trusses of double flowers, white shaded with salmon. 1s. 6d.
 VIVIAND MOREL, amaranth, centre deep red. 1s.
 WILHELM PFITZER, orange salmon of a new shade, plant dwarf and very floriferous. 3s. 6d.
 WILLIAM KELWAY, enormous trusses of fiery scarlet flowers. 3s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 9s., 12s. and 18s. per dozen.

SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 30s. per dozen, according to sorts.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years. The measurements of a few of the plants are given below :—

Prices on application, or an inspection invited.

DICKSONIA ANTARCTICA.		DICKSONIA ANTARCTICA.		CYATHEA BURKEI.	
No.	Height of Stem.	No.	Height of Stem.	No.	Height of Stem.
1	3 ft. 4 in.	19	3 ft. 4 in.	31	6 ft. 2 in.
2	2 ft. 8 in.	20	7 ft. 10 in.	32	7 ft. 10 in.
3	3 ft. 9 in.	21	7 ft. 10 in.	33	6 ft.
4	4 ft. 2 in.	22	1 ft. 10 in.	34	8 ft. 4 in.
5	3 ft. 6 in.	23	2 ft. 9 in.	35	6 ft. 9 in.
6	3 ft. 5 in.	24	4 ft. 5 in.	36	9 ft. 2 in.
7	6 ft. 4 in.	25	4 ft. 4 in.	37	8 ft. 8 in.
8	6 ft. 6 in.	CYATHEA DEALBATA.		CYATHEA DREGEL.	
9	6 ft. 8 in.				
10	7 ft. 10 in.	No.	Height of Stem.	No.	Height of Stem.
11	8 ft. 3 in.	26	4 ft. 2 in.	38	6 ft. 4 in.
12	10 ft. 6 in.	27	5 ft.	39	7 ft. 8 in.
13	13 ft.	28	3 ft. 8 in.	40	6 ft. 6 in.
14	5 ft.	29	4 ft. 8 in.		
15	10 ft. 6 in.	30	2 ft. 9 in.		
16	6 ft. 2 in.				
17	6 ft. 6 in.				
18	6 ft. 10 in.				

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 18s., 30s. and 42s. per dozen.

ADIANTUM AMABILE, 1s. 6d.

ANEITENSE, 3s. 6d.

ASSIMILE CRISTATUM, *vide* page 107.

BELLUM, 3s. 6d.

CARDIOCHLÆNA, 3s. 6d.

COLLISII, 3s. 6d. and 5s.

CONOINNUM, 1s. 6d. and 2s. 6d.

— LATUM, 2s. 6d. and 3s. 6d.

OURVATUM, 3s. 6d.

DOLABRIFORME, 3s. 6d.

ADIANTUM FARLEYENSE, 2s. 6d., 3s. 6d. & 5s.

FERGUSONII, 2s. 6d.

FRAGRANTISSIMUM, 3s. 6d.

FULVUM, 2s. 6d. and 3s. 6d.

GHIESBREGHTII (SCUTUM), 3s. 6d.

LATHOMII, 3s. 6d.

LEGRANDII, 3s. 6d.

LUDDERMANNIANUM, 3s. 6d.

MACROPHYLLUM, 3s. 6d.

PENTADACTYLON, 3s. 6d.

ADIANTUM OBLIQUUM MINUS.

An elegant dwarf evergreen Stove Fern from the United States of Colombia. It has a creeping rhizome, thickly furnished with pinnate fronds, which have blackish stipules, and a lamina composed of shortly-stalked pinnæ, curved upwards at the point, which is acuminate. In the sterile fronds the pinnæ are inciso-dentate, the fertile ones bear close set, but distinct oblong sori. 7s. 6d.

ADIANTUM REGINÆ, 3s. 6d.

RHODOPHYLLUM, 5s.

RUBELLUM, 3s. 6d.

SANCTÆ CATHERINÆ, 2s. 6d. and 3s. 6d.

SCUTUM, *vide* GHIESBREGHTII.

TENERUM, 2s. 6d.

TINCTUM, 3s. 6d.

ADIANTUM TRAPEZIFORME, 3s. 6d.

VICTORII, 3s. 6d.


VICTORIE, 2s. 6d. and 3s. 6d.

WEIGANDII, 2s. 6d. and 3s. 6d.

ALSOPHILA RUBECCÆ, 3s. 6d. and 5s.

ANEMEDICTYON PHYLLITIDIS, 1s. 6d. and 2s. 6d.

ANGIOPTERIS EVECTA.



GYMNOGRAMMA ELEGANTISSIMUM.

GYMNOGRAMMA ELEGANTISSIMUM.

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnæ being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. 7s. 6d. and 10s. 6d.

ANTIGRAMMA BRASILIENSIS, 7s. 6d. and 10s. 6d.**ASPIDIUM** MACROPHYLLUM, 3s. 6d.

TRIFOLIATUM, 2s. 6d. and 3s. 6d.

ASPLENIUM ALATUM, 3s. 6d.

BELANGERI, 2s. 6d.

CICUTARIUM, 2s. 6d.

FERNANDEZIANUM, 2s. 6d.

ASPLENIUM FÆNICULACEUM, 2s. 6d.

HOOKERIANUM, 3s. 6d.

PROLONGATUM, 3s. 6d. and 5s.

SHEPHERDII, 2s. 6d. and 3s. 6d.

VIVIPARUM, 3s. 6d.

BLECHNUM BRASILIENSE, 3s. 6d.

POLYPODIOIDES, 2s. 6d. and 3s. 6d.

CHEILANTHES CHLOROPHYLLA.

A free-growing cool Stove Fern, imported from Brazil. The fronds are ovate lanceolate tripinnatifid, the pinnae distant lanceolate, the pinnules lanceolate, and the lobes entire linear oblong. The stipes are dark chestnut-brown and polished. 5s. and 7s. 6d.

CHEILANTHES ELEGANS, 2s. 6d. and 3s. 6d.

HIRTA ELLISIANA, 3s. 6d.

CIBOTIUM SCHIEDEI, 5s. and 7s. 6d.**CYATHEA** (CIBOTIUM) PRINCEPS, *vide* page 107.**DAVALLIA FIJIENSIS PLUMOSA.**

This is certainly one of the most charming forms of a remarkably ornamental species. It has creeping rhizomes, from which spring up at intervals the gracefully-drooping, feathery plumose fronds growing on stalks a foot or more in length. It will be a grand subject for all decorative purposes, especially useful for cutting, and a noble Fern for exhibition. In speaking of the best novelties, the *Gardeners' Chronicle* (Jan. 7th, 1882, page 10), remarks: "The *Davallia fijiensis plumosa* is, perhaps, one of the most elegant of all known Ferns." It has received a First Class Certificate from the Floral Committee of the Royal Horticultural Society. 3s. 6d. and 5s.

DAVALLIA BULLATA, 2s. 6d.

CHLOROPHYLLA, 3s. 6d.

FÆNICULACEA, 3s. 6d.

FIJIENSIS, 3s. 6d. and 5s.

HEMIPTERA, 3s. 6d.

LORRAINII, 10s. 6d. and 15s.

MARIESII, 3s. 6d.

MOOREANA, 2s. 6d. and 3s. 6d.

NOVA ZEALANDIÆ, 2s. 6d.

PYXIDATA, 3s. 6d.

SOLIDA, 3s. 6d.

TENUIFOLIA, 2s. 6d.

TYERMANNI (HUMATA), 3s. 6d.

DIPLAZIUM ARNOTTII, 7s. 6d.**DORYOPTERIS** PALMATA, 2s. 6d.

SAGGITTEFOLIA, 3s. 6d.

ELAPHOGLOSSUM GLABRATUM, 7s. 6d.

L'HERMINIERI, 7s. 6d., 10s. 6d. and 15s.

GLEICHENIAS, *vide* page 108.**GONIOPHLEBIUM** FRAXINIFOLIUM, 5s.

OLAUCOPHYLLUM, 3s. 6d. and 5s.

SUBAURICULATUM, 2s. 6d.

GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 3s. 6d. and 5s.

DECOMPOSITUM, 3s. 6d.

ELEGANTISSIMUM, *vide* page 105.

LAUCHEANUM, 3s. 6d.

MERTENSII, 2s. 6d. and 3s. 6d.

PERUVIANUM AROYOPHYLLUM, 3s. 6d.

SCHIZOPHYLLUM, 1s. 6d. and 2s. 6d.

— GLORIOSUM, 3s. 6d.

WETENHALLIANUM, 2s. 6d. and 3s. 6d.

GYMNOTERIS QUERCIFOLIA, 3s. 6d.**GYMNOTHECA** RADDIANA, 2 and 3 guineas**HEMIONITIS** PALMATA, 2s. 6d. and 3s. 6d.

LASTREA JENMANI.

This Fern has been introduced from Jamaica. The frond is about two feet long and nine or twelve inches wide, covered with dense minute pellucid dots; the pinne are numerous, the lower ones much reduced, the larger ones six inches long and an inch wide, cut down nearly to the rachis. 5s.

LASTREA QUINQUANGULARIS, 3s. 6d.

RICHARDSII MULTIFIDA, 3s. 6d.

see also page 109.

LOMARIA GIBBA, 1s. 6d. and 2s. 6d.

LYGODIUM SCANDENS, 2s. 6d.

MENISCIUM RETICULATUM, 3s. 6d.

MICROLEPIA HIRTA CRISTATA, 3s. 6d.

NEPHRODIUM TRUNCATUM, 7s. 6d.

NEPHROLEPIS BAUSEI, 3s. 6d.

DAVALLIOIDES FURCANS, 3s. 6d.

DUFFII, 2s. 6d. and 3s. 6d.

ENSIFOLIA, 3s. 6d.

RUFESCENS TRIPINATIFIDA, 3s. 6d.

NEPHROLEPIS PHILIPPINENSIS, 2s. 6d.

ONYCHIUM AURATUM, 3s. 6d.

PHLEBODIUM GLAUCUM, 3s. 6d. and 5s.

PLATYCERIUM GRANDE

PLEOPELTIS PICTA, 5s.

POLYSTICHUM LENTUM, 5s.

VIVIPARUM, 3s. 6d. and 5s.

POLYPODIUM PECTINATUM, 3s. 6d.

VENOSUM, 3s. 6d.

PTERIS AFRICAULIS, 3s. 6d.

TRICOLOR, 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

see also page 109.

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 18s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tassellate growths. 3s. 6d.

ADIANTUM CAPILLUS-VENERIS, 1s. 6d.

CAPILLUS-VENERIS GRANDE, 2s. 6d.

— **MAGNIFICUM**, 2s. 6d.

— **MARIESII**, 3s. 6d.

— **PACOTTI**, 1s. 6d. and 2s. 6d.

CUNEATUM, 1s. 6d. and 2s. 6d.

— **ELEGANS**, 2s. 6d.

— **GRANDICEPS**, 3s. 6d.

DECORUM, 3s. 6d.

FORMOSUM, 1s. 6d.

GRACILLIMUM, 2s. 6d. and 3s. 6d.

HISPIDULUM, 1s. 6d.

MUNDULUM, 3s. 6d.

ADIANTUM WILLIAMSHI, 2s. 6d. and 3s. 6d.

see also page 104.

ALSOPIHILA AUSTRALIS, 2s. 6d. and 3s. 6d.

ASPLENIUM BULBIFERUM, 1s. 6d. and 2s. 6d.

COLENSOI, 2s. 6d.

DIMORPHIUM (biforme), 3s. 6d.

DIVARICATUM, 3s. 6d.

LAXUM PUMILUM, 3s. 6d.

LUCIDUM, 3s. 6d.

FALCATUM, 7s. 6d.

CHEILANTHES, vide page 106.

CIBOTIUM REGALE, 3s. 6d. and 5s.

SCHIEDEI, vide page 106.

CYATHEA DEALBATA.

The Silver Fern of New Zealand, 3s. 6d., 5s. and 7s. 6d. For large plants, vide page 104.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntnish at the point, and the sori in the lower half immersed in rufous wool. 3s. 6d. and 5s. For large plants, vide page 104.

CYATHEA SPINULOSA.

A fine Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being mucicated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10s. 6d.

CYATHEA MEDULLARIS, 2s. 6d. and 3s. 6d.

(**CIBOTIUM**) **PRINCEPS**, 3s. 6d. and 5s.

CYRTOMIUM CARYOTIDEUM, 2s. 6d. and 3s. 6d.

FALCATUM, 2s. 6d.

— **FENSOMII**, this handsome new Fern is a great improvement on the old variety.

Awarded First-class Certificate. 3s. 6d.

FORTUNEI, 2s. 6d.

DAVALLIA DISSECTA, 2s. 6d. and 3s. 6d.

of sorts, 3s. 6d. and 5s.

DICKSONIA ANTARCTICA, 2s. 6d. and 3s. 6d.

For large plants, vide page 104.

SQUARROSA, 3s. 6d., 5s. and 7s. 6d.


DIDYMOCHLENA TRUNCATULA, 3s. 6d.

DIPLAZIUM, vide page 106.

DORYOPTERIS PALMATA, vide page 106.

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society, held at Preston. 3s. 6d.



GLEICHENIA DICARPA LONGIPINNATA.

GLEICHENIA DICARPA, 3s. 6d. and 5s.
DICARPA LONGIPINNATA, 10s. 6d.
DICHOTOMA, 7s. 6d.
FLABELLATA, 5s. and 7s. 6d.
MENDELII, 10s. 6d. and 15s.
MICROPHYLLA, 5s. and 7s. 6d.

GLEICHENIA RUPESTRIS GLAUDESCENS, 10s. 6d.
SEMIVESTITA, 5s. and 7s. 6d.
SPELUNCE, 7s. 6d.
HYMENOPHYLLUM DEMISSUM, 5s. and 7s. 6d.
LASTREA ARISTATA VARIEGATA, 1s. 6d. and 2s. 6d.
ERYTHROSORA, 2s. 6d.

LASTREA CORUSCA.

An interesting greenhouse fern, introduced from Japan, with dark shining green bipinnate fronds, acutely triangular in outline, having the lower pinnae deflexed, and the points of all the pinnae gracefully recurved. The pinnules are narrow, elliptical or oblong, rounded at the tips and with serrated edges, the undersido assuming with age a silvery-grey appearance. 5s.

LASTREA GLABELLA, 2s. 6d. and 3s. 6d.

LEPIDA, 3s. 6d.

PROLIFICA, 2s. 6d., 3s. 6d. and 5s.

LEUCOSTEGIA IMMERSA, 2s. 6d.

LOMARIA CYADIFOLIA, 2s. 6d., 3s. 6d. and 5s.

GIBBA, *vide* page 107.

DALGAIRNSLÆ, 1½ and 2 guineas.

DISCOLOR BIPINNATIFIDA.

ZAMLEFOLIA, 2s. 6d. and 3s. 6d.

NEPHRODIUM MOLLE CRISTATUM, 3s. 6d.

MOLLE RAMOSUM, 3s. 6d.

ONYCHIUM JAPONICUM, 1s. 6d.

OSMUNDA JAPONICA CORYMBIFERA, 2s. 6d. & 3s. 6d.

PALUSTRIS, 2s. 6d. and 3s. 6d.

PHLEBODIUM AUREUM, 2s. 6d.

PLATYCERIUM ALCICORNE, 3s. 6d.

ALCICORNE MAJUS, 7s. 6d.

POLYPODIUM TRICHODES (LASTREA TENERICAULIS),
3s. 6d., 5s. and 7s. 6d.

POLYSTICHUM POLYBLEPHARUM, 2s. 6d., 3s. 6d. and 5s.

SETOSUM, 3s. 6d.

VENOSUM, 5s.

PTERIS ARGUTA, 2s. 6d.

ARGYREIA, 1s. 6d. and 2s. 6d.

CRETICA ALBO-LINEATA, 1s. 6d.

— MAYII, 2s. 6d. and 3s. 6d.

— NOBILIS, 2s. 6d. and 3s. 6d.

INTERNATA, 2s. 6d.

OUVRARDII, 1s. 6d.

REX, 3s. 6d. and 5s.

SERRULATA, 1s.

— CRISTATA, 1s. 6d.

— COMPACTA, 2s. 6d. and 3s. 6d.

— DENSA, 2s. 6d. and 3s. 6d.

— VARIEGATA, 2s. 6d. and 3s. 6d.

TREMULA, 1s. 6d. and 2s. 6d.

— ELEGANS, 3s. 6d.


— FLACCIDA, 3s. 6d.

— FOLIOSA, 2s. 6d.

PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7s. 6d.

PTERIS TREMULA SMITHII, 5s., 7s. 6d. & 10s. 6d. | **TODEA AFRICANA**, 2s. 6d. and 3s. 6d.

**TODEA (LEPTOPTERIS) SUPERBA.**

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds, which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnae are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 3s. 6d. and 5s. Fine strong plants, 10s. 6d., 15s. and 1 guinea.

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2s. 6d., 3s. 6d. and 5s.

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).


This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5s., 7s. 6d. and 10s. 6d.

TRICHOMANES RADICANS DISSECTUM, 5s. and 7s. 6d.

WOODWARDIA ORIENTALIS, 2s. 6d. and 3s. 6d.
RADICANS, 2s. 6d. and 3s. 6d.

CHOICE HARDY FERNS.


Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

**SELAGINELLAS (LYCOPODIUMS.)**

G, greenhouse; H, hardy; S, stove.

	s.	d.		s.	d.
S AFRICANA	2	6	G KRAUSSIANA AUREA.....	1s. 6d. &	2 6
S ALBO-SPICA	3	6	G — VARIEGATA		1 6
S AMENA	3	6	S LÆVIGATA (CÆSIA ARBOREA).....		3 6
S APUS (APODA)	1	6	S LOBBII		2 6
S ATROVIRIDIS	2	6	S LYALLII		3 6
S CANALICULATA	5	0	S MARTENSII		1 6
S COGNATA	3	6	S — ALBO-VARIEGATA		1 6
S CUSPIDATA	2	6	S POULTERI		2 6
S EMILIANA	3	6	S RUBRICAULIS		2 6
S FILICINA (DICHROUS)	2	6	S SERPENS (MUTABILIS and VARIABILIS) ..		1 6
S FLAGELLIFERA	3	6	S SETOSA		2 6
S GALEOTTII (SCHOTTII)	2	6	S TASSELLATA, <i>vide</i> page 111.		
S GRANDIS	3s. 6d. &	5 0	S VOGELLII VARIEGATA		5 0
S INÆQUALIFOLIA	1s. 6d. &	2 6	S UNCINATA (CÆSIA).....		1 6
G INVOLVENS	2s. 6d. &	3 6	S VICTORLE		3 6
G KRAUSSIANA (DENTICULATA)	0	9	S WALLICHII		3 6
			G WILDENOVII (PUBESCENS)		2 6

Selection of good kinds can be supplied at-18s. per dozen.



SELAGINELLA TASSELLATA.

SELAGINELLA TASSELLATA.

A remarkably handsome and elegant species introduced from Brazil. From the creeping caudex are developed at intervals erect stems; these have flat closely pinnate branches and branchlets, from the tips of which are produced fertile quadrangular spikelets about an inch and a half in length, giving the plant the appearance of being furnished with a profusion of elegant tassels. This striking and peculiar character renders it one of the most desirable and attractive of the Club-mosses. 3s. 6d. & 5s.

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9, and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk * are kinds that will succeed in a greenhouse.*

- ACANTHOPHŒNIX CRINITA** (ARECA CRINITA) 10s. 6d. and 15s.
ACANTHORRHIZA ACULEATA (CHAMÆROPS STAURACANTHA) 10s. 6d. and 15s.
***ARCHONTOPHŒNIX ALEXANDRÆ** (PTYCHOSPERMA ALEXANDRÆ) 2s. 6d., 3s. 6d. and 5s.
***CUNNINGHAMIANA** (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
 In all sizes 2s. 6d., 3s. 6d., 5s. and 7s. 6d. to 1, 1½ and 2 guineas.
ARECA ALBA, *vide* DICTYOSPERMA ALBUM.
ALICE, a North-east Australian Palm, found in Trinity Bay by Mr. Walter Hill, and commemorates the late Grand Duchess of Hesse—Princess Alice. The leaves are pinnatisect, the pinnæ-like segments sessile. Its comparatively dwarf habit will render this pinnate Palm, a valuable one for decorative purposes 1 guinea.
AUREA, *vide* DICTYOSPERMA AUREUM.
***BAUERI** *vide* RHOPALOSTYLIS BAUERI.
CRINITA, *vide* ACANTHOPHŒNIX CRINITA.
LUTESCENS, *vide* CHRYSALIDOOARPUS LUTESOENS
MADAGASCARIENSIS 2s. 6d., 3s. 6d. and 5s.
MONOSTACHYA, *vide* BACULARIA MONOSTACHYA
RUBRA, *vide* DICTYOSPERMA RUBRUM
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA
TRIANDRA 10s. 6d. and 15s.
VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII
***ARENDA WIGHTII** 1 guinea.
ASTROCARYUM MALYBO (A. ARGENTEUM) 1½ and 2 guineas
BACULARIA MONOSTACHYA, "Walking Stick Palm," (ARECA MONOSTACHYA, LINOSPADIX MONOSTACHYA) 2s. 6d., 3s. 6d. and 5s.
BOWENIA SPECTABILIS SERRULATA, a distinct and remarkable Australian Plant, Bowenia being the only known Cycad with bipinnate fronds. It has a short thick caudex, from the crowns of which are developed its large and handsome leaves, which differ materially from the typical and only other known Bowenia in having the margins distinctly toothed or serrated. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the International Horticultural Exhibition at Carlisle, and the First Prize at the International Horticultural Exhibition at Ghent 5s. and 7s. 6d.
CALAMUS AUSTRALIS
OILIARIS 1, 1½ and 2 guineas
MICRANTHUS 7s. 6d. and 10s. 6d.
(DÆMONOROPS) PALEMBOANICUS 10s. 6d., 15s. and 21s.
(—) PERIACANTHUS 10s. 6d., 15s. and 21s.
ROXBURGHII 10s. 6d.

CALYPTROGYNE SWARTZII "Mountain Thatch Palm" (*CALYPTRONOMA SWARTZII*)

7s. 6d., 10s. 6d. to 21s.

CALYPTRONOMA SWARTZII, *vide* **CALYPTROGYNE SWARTZII**

CARLUDOVICA DRUDEI 10s. 6d. and 15s.

PALMATA 10s. 6d. and 15s.

PLUMIERI 10s. 6d.

WALLISII 7s. 6d. and 10s. 6d.

CARYOTA URENS "Wine Palm" 10s. 6d., 15s. and 21s.

CATAKIDZOAMIA HOPEI

DENISONI, vide **LEPIDOZAMIA**

CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads.

The leaves are broadly pinnate, and of arching habit, the pinnae deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green 3 and 4 guineas.

KUSTERIANA

CEROXYLON NIVEUM, *vide* **DIPLOTHEMIUM CAUDESCENS**

CHAMEDOREA ELEOANTISSIMA 7s. 6d. and 10s. 6d.

FORMOSA 7s. 6d. and 10s. 6d.

CHAMEDOREA ORAMINIFOLIA .. 10s. 6d. and 15s.

* **POLITA**, a neat-habited greenhouse Palm. The stems are quite smooth, as also are the petioles, which are terete, the leaves being bifid, or when a stage more advanced breaking up into two pairs of green pinnae, with the terminal leaflet larger than the others. It has been imported from Mexico. 10s. 6d.

* **CHAMEROPS EXCELSA**, *vide* **TRACHYCARPUS EXCELSUS**

* **FORTUNEI**, *vide* **TRACHYCARPUS FORTUNEI**

* **HUMILIS**, this useful decorative Palm can be supplied in all sizes, from 5s., 7s. 6d., 10s. 6d., 15s. and 1 guinea, to 2, 3 and 4 guineas each.

— **ORACILIS** 15s. and 1 guinea

— **ROBUSTA** 15s. and 1 guinea

— **TOMENTOSA** 15s. and 1 guinea

STAUROCANTHA, vide **ACANTHOKRHZIA ACULEATA**

CHRYSLIDOCARPUS LUTESCENS (*ARECA LUTESCENS*, *HYOPHORBE INDICA*, *H. COMMERSONIANA*), in all sizes 1s. 6d., 2s. 6d., 3s. 6d. 5s. to 1 guinea.

* **COCOS AUSTRALIS** (*DIPLOTHEMIUM CAMPESTRE*), 5s. and 7s. 6d.

* **CHILENSIS**, *vide* **JUBEA SPECTABILIS**

* **FLEXUOSA** 3s. 6d. and 5s.

INSIGNIS (*GLAZIOVA INSIGNIS*), 7s. 6d. and 10s. 6d.

PLUMOSA 2s. 6d., 3s. 6d. and 5s.

PROCOPEANA 5s. and 7s. 6d.

* **COCOS WEDDELLIANA** (*GLAZIOVA ELEOANTISSIMA*, *LEOPOLDINA PULCHRA*), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnae or segments, of a rich green colour. In all sizes 1s. 6d., 2s. 6d., 3s. 6d., 5s. to 1 guinea

* **CORYPHA AUSTRALIS**, *vide* **LIVISTONA AUSTRALIS**

CYCAS ARMSTRONHII

CIRCINALIS 1½ and 2 guineas.

MEDIA, a noble form of Cycad introduced from intertropical New Holland. The trunk is both stout and tall, cylindrical, and tolerably even in outline, the surface closely dotted by the scar-like marks which indicate the places whence leaf-stalks have been removed. This stem produces a grand head of leaves, which are of a large size, and somewhat variable in form and character in different specimens. Trunks in various sizes. Prices on application.

* **REVOLUTA**, in all sizes, 7s. 6d., 10s. 6d., 15s. and 1 guinea; fine specimens, 3, 4 and 5 guineas each.

RUMPHII

SLAMENSIS

CYCLANTHUS DISCOLOR 1 guinea

CYPHOKENTIA GRACILIS, *vide* **KENTIOPSIS OLIVIFORMIS**

DÆMONOROPS, *vide* **CALAMUS**

DICTYOSPERMA ALBUM (*ARECA ALBA*) 3s. 6d. and 5s.

AUREUM (*ARECA AUREA*) a fine and graceful Palm, with yellowish stems 10s. 6d. and 15s.


RUBRUM (*ARECA RUBRA*) 3s. 6d., 5s. and 7s. 6d.

DIOON EDULE 1, 2 and 3 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* **COCOS AUSTRALIS**

CAUDESCENS (*CEROXYLON NIVEUM*) 5s. and 7s. 6d.





ENCEPHALARTOS REGALIS.

For description and price, *vide* page 115.

DRYMOPHLEUS SINGAPORENSIS (PTYCHOSPERMA SINGAPORENSIS). Truly a "most elegant" Palm. It has slender stems, and rich green leaves on smooth green petioles. The leaves are elegantly drooping in habit and ovate in form, consisting of numerous narrow leaflets, tapering to a long slender point. It has been introduced from Singapore.

* **ENCEPHALARTOS CAFFRA**

HILDEBRANDII, this fine Cycadaceous plant has been introduced from Eastern Africa.

* HORRIDUS

* MULTIFLEXUS

* (ZAMIA) LEHMANNI

* () OLIVACEUS

* () SPINOSUS

* () RECALIS. A noble and stately Cycadaceous plant, imported from the interior of the Zulu country, where it grows in rifts on the precipitous sides of deep kloofs or ravines. It forms a stout cylindrical trunk or stem, from which springs a handsome head of twelve to twenty gracefully arching palm-like leaves six to seven feet in length. The leaflets are lanceolate, with occasional spines on the upper margins; thickly coriaceous in texture and from five to six inches long by one and a quarter inches broad. These are closely set on the rachis, which, as well as the leaflets, are slightly tomentose. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. *vide* illustration page 114. Price on application.

* () VILLOSUS

* () AMPLIATUS

* () DENTICULATUS

* () ORACILIS

* () VROOMII, 4 and 5 guineas.

EUTERPE EDULIS "Assai Palm" (OREODXA SANCONA)

1s. 6d., 2s. 6d., 3s. 6d. and 5s.

GEONOMA ORACILIS 1s. 6d., 2s. 6d. and 3s. 6d. to 10s. 6d.

LATIFOLIA 3s. 6d. and 5s.

PRINOEPS 3s. 6d., 5s. and 7s. 6d.

SCHOTTIANA 3s. 6d. and 5s.

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA


INSIONIS, *vide* COCOS INSIONIS

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA

FORSTERIANA, *vide* HOWEA FORSTERIANA

* **HEDYSCEPE CANTERBURYANA** "Umbrella Palm"

(KENTIA CANTERBURYANA), 3s. 6d., 5s. and 7s. 6d.



GEONOMA ORACILIS.

* **HOWEA BELMOREANA**, "Curley Palm," (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2s. 6d., 3s. 6d., 5s. to 1 guinea.

* **FORSTERIANA**, "Flat or Thatch-Leaf Palm," (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2s. 6d., 3s. 6d. and 5s.

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA)

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS

INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS (ARECA) VERSCHAFFELTII, 10s. 6d., 15s. and 1 guinea.

* **JUBEA SPECTABILIS**, "Coquito Nut Palm," (COCOS CHILENSIS, MOLINIA CHILENSIS)

* **KENTIA AUSTRALIS**

BELMOREANA, *vide* HOWEA BELMOREANA

* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA

ELEGANTISSIMA

* FORSTERIANA, *vide* HOWEA FORSTERIANA

ORACILIS, *vide* KENTIOPSIS OLIVIFORMIS

MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII


MONOSTACHYA, *vide* ARECA MONOSTACHYA

* RUPICOLA

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA

WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA

* **KENTIOPSIS OLIVIFORMIS** (KENTIA ORACILIS, CYPHOKENTIA ORACILIS)




HOWEA (KENTIA) BELMOREANA.

- ***LATANIA** BORBONICA, *vide* LIVISTONA CHINENSIS
- * COMMERSONI (L. RUBRA) 1 and 1½ guinea.
- LEOPOLDINA** PULCHRA, *vide* Cocos WEDDELLIANA
- LEPIDOZAMIA** PEROFFSKYANA (MACROZAMIA DENISONI)
- LINOSPADIX** MONOSTACHYA, *vide* BACULARIA MONOSTACHYA
- LIVISTONA** ALTISSIMA 10s. 6d., 15s. & 1 guinea.
- * AUSTRALIS (CORYPIA AUSTRALIS) 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.
- * CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA) in all sizes, from 2s. 6d., 3s. 6d., 5s., 7s. 6d., 10s. 6d., 15s. and 1 guinea, to 2, 3 4 and 5 guineas each.
- ENERVUS, an elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments, each about half-an-inch in breadth 10s. 6d., 15s. and 21s.
- HOOEENDORHFFII, a fine Stove Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, and giving the leaves a bold and distinctive character 5s., 7s. 6d. and 10s. 6d.
- * MAURITIANA, *vide* L. CHINENSIS
- * ROTUNDIFOLIA (SUBGLOBOSA) 3s. 6d. and 5s.
- * SINENSIS, *vide* L. CHINENSIS
- LOXOCOCEUS** RUPICOLA (PTYCHOSPERMA RUPICOLA) 1 and 1½ guinea.
- * **MACROZAMIA** CYLINDRICA
- * DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA
- * MACKENZII 3, 4 and 5 guineas.
- * PLUMOSA 2, 3 and 4 guineas.
- MARTINEZIA** ORANATENSIS 10s. 6d. and 15s.
- MAXIMILIANA** REOIA 7s. 6d. and 10s. 6d.
- * **MOLINIA** CHILENSIS, *vide* JUBÆA SPECTABILIS
- OREODOXA** SANCONA, *vide* EUTERPE EDULIS
- PHENICOPHORUM** SEHELLARUM, *vide* STEVENSONIA GRANDIFOLIA
- * **PHENIX** COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis*; its dense compact habit of growth will render it extremely useful for decorative purposes 5s., 7s. 6d. and 10s. 6d.
- DACTYLIFERA** (THE DATE PALM) 10s. 6d., 15s. and 1 guinea
- * **HYBRIDA**, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature 1 and 1½ guinea.
- INTERMEDIA**, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory 5s., 7s. 6d. and 10s. 6d.
- * **BEOLINATA** 3s. 6d., 5s., 7s. 6d. & 10s. 6d.
- * **RUPICOLA**, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phœnices to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnæ, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition. 2s. 6d. and 3s. 6d.; fine plants, 21s., 31s. 6d. and 42s.
- * **SYLVESTRIS**, a Sugar-yielding Palm 1s. 6d., 2s. 6d., 3s. 6d. & 5s.
- PHYTELEPHAS** MACROCARPA, this Palm yields the Vegetable Ivory of commerce. 1 & 1½ guinea.
- FINANGA** KUHLEI 7s. 6d. and 10s. 6d.
- LEPIDA** 1 guinea
- MACULATA** 10s. 6d. to 1 guinea
- SPECTABILIS** 1 guinea
- PRITCHARDIA** AUREA 1½, 2 and 3 guineas
- PACIFICA** 1 and 1½ guinea



PHŒNIX RUPICOLA.



RHOPALOBLASTE HEXANDRA.

For description and price, *vide* page 118.

- ***PTYCHOSPERMA ALEXANDRE**, *vide* ARCHONTOPHENIX ALEXANDRE
 * **CUNNINGHAMIANA**, *vide* ARCHONTOPHENIX CUNNINGHAMIANA
 * **MACARTHURII** (KENTIA MACARTHURII) 3s. 6d., 5s. and 7s. 6d.
RUPICOLA, *vide* LOXOCOCCUS RUPICOLA
SINGAPORENSIS, *vide* DRYMOPILGUS SINGAPORENSIS
 * **RHAPIS FLABELLIFORMIS** 5s., 7s. 6d. to 1 guinea
HUMILIS 21s. and 31s. 6d.
RHOPALBLASTE HEXANDRA, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, broadly ovate in outline, composed of numerous narrow elongated segments, in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. *vide* illustration page 117. Price on application.
 * **RHOPALOSTYLIS BAUERI** (ARECA BAUERI, SEAFORTHIA ROBUSTA) 5s., 7s. 6d. and 10s. 6d.
SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) 3s. 6d., 5s. and 7s. 6d.
SABAL ADANSONI "DWARF PALMETTO" 3s. 6d. and 5s.
GLAUDESCENS 7s. 6d. and 10s. 6d.
UMBRACULIFERA (BLACKBURNIANA), noble and very distinct 3s. 6d. and 5s.
 * **SEAFORTHIA ELEGANS**, *vide* ARCHONTOPHENIX CUNNINGHAMIANA
 * **ROBUSTA**, *vide* RHOPALOSTYLIS BAUERI
STANGERIA PARADOXA 10s. 6d.
STEVENSONIA GRANDIFOLIA (PHENICOPHORUM SECELLARUM) 1, 1½, 2 to 5 guineas
THRINAX CHUCCO 5s. and 7s. 6d.
ELEGANS, very handsome for exhibition purposes 5s., 7s. 6d. and 10s. 6d.
ELEGANTISSIMA, an exceedingly elegant and graceful Palm 15s. and 1 guinea
GRAMINEA 7s. 6d. and 10s. 6d.
 * **PARVIFLORA** 3s. 6d., 5s. and 7s. 6d.
TRACHYCARPUS EXCELSUS (CHAMEROPS EXCELSA), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s., to 2, 3, 4 and 5 guineas each.
FORTUNEI (CHAMEROPS FORTUNEI), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s. to 2, 3, 4 and 5 guineas each.
WALLICHIA DENSIFLORA 21s. and 31s. 6d.
ZALACCA NITIDA 15s.
 * **ZAMIA BREVIFRONS** 1½ and 2 guineas
 * **FURFURACEA** 2 and 3 guineas
 * **INTEORIFOLIA** 2 and 3 guineas
 * **LEHMANNI**, *vide* ENCEPHALARTOS LEHMANNI
LINDENI 1½ guinea
PRASINA
 * **ROEZLII**
SKINNERI
 * **VILLOSA**, *vide* ENCEPHALARTOS VILLOUS
 * **VROOMII**, *vide* ENCEPHALARTOS VROOMII.

ECHEVERIAS.

ECHEVERIA ORANDISEPALA, 2s. 6d.

IMBRICATA, 2s. 6d.

MUTABILIS, 2s. 6d.

PRUINOSA, 2s. 6d.

ECHEVERIA RETUSA GLAUCA, 1s. 6d. and 2s. 6d.

SCAPHYLLA, 2s. 6d.

SCHNEIDERERI, 1s. 6d.

SECUNDA, 9d. each; 6s. per dozen.

— **GLAUCA**, 9d. each; 6s. per dozen.

VERONICAS.

ANNETTE, pale bluish-purple, with distinct white eye. 1s. 6d.

CAROLINE, light lilac-blue, with small white eye; exceedingly free-flowering. 1s. 6d.

CONSTELLATION, large spikes of rose carmine flowers. 2s. 6d.

DISPLAY, rosy-crimson, with small white eye; free, and of good habit. 1s. 6d.

ECLATANTE, dark carmine; very floriferous. 2s. 6d.

EVA, a compact growing variety, producing fine spikes of pretty pink flowers. 1s. 6d.

IMPERIALE, brilliant amaranth-red, changing to carmine-magenta. 1s. 6d.

JARDIN FLEURI, long spikes of dark carmine red flowers. 1s. 6d.

LA FAVORITE, enormous spikes of violet flowers. 2s. 6d.

LA FÉE AUX ROSES, very long spikes of bright rose flowers, very floriferous. 1s. 6d.


MÉTÉORE, dark reddish-crimson flowers. 2s. 6d.

THÉOPHILE ROQUES, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1s. 6d.

RICHELLE, long spikes of rose-carmine flowers. 2s. 6d.

RUBENS, flowers large and fine, of a beautiful magenta colour. 1s. 6d.

VESTA, exceedingly floriferous; beautiful light blue, with attractive white centre. 1s. 6d.



NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 24s., 30s. and 42s.

New and Choice Varieties, 5s., 7s. 6d., 10s. 6d., 15s. and 21s. each.

- ADOLPHE ADAMS**, green, densely speckled with white; rose-coloured mid-ribs. 2s. 6d. and 3s. 6d.
- ADOLPHE ANDRIEN**, a very attractive variety with large richly coloured foliage. 3s. 6d.
- AGRIPPINE DIMITRY**, white ground, green margin and veins, pink centre. 3s. 6d.
- AIDA**, transparent ruddy rose tissue with green ribs. 5s.
- ALBO-LUTEUM**, yellowish-white with green tint, very long leaves. 5s.
- ALCIBIADE**, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3s. 6d.
- ALFRED BLEU**, green, with white spots and flesh-coloured centre. 2s. 6d. and 3s. 6d.
- ALFRED MAME**, carmine-red, bordered with white and spotted with rose. 7s. 6d.
- ALICE VAN GEERT**, creamy-white, veined rose. 7s. 6d.
- ALPHAND**, green, spotted red; crimson centre. 2s. 6d. & 3s. 6d.
- ALPHONSE KARR**, carmine centre and red spots. 3s. 6d.
- ALZIRE**, 7s. 6d.
- AMENUM**, transparent rose, with red ribs, violet-rose veins green margin. 5s.
- ANNA DE CONDEIXA**, rose centre, with clear green margin, and white, yellow and dark green zone. 5s.
- ANNIBAL**, 3s. 6d.
- ARETHUSE**, 3s. 6d.
- ARGYRITES**, pale green with white spots. 1s. 6d. & 2s. 6d.
- ARISTIDE**, light green; crimson centre. 3s. 6d. and 5s.
- ARSINOË**, 3s. 6d. and 5s.
- ARTEMISE**, silvery-white with rosy-crimson ribs. 3s. 6d.
- ASSUNGUY**, transparent leaves, with black green veins, entire leaf suffused with deep rose-pink. 10s. 6d.
- ATALA**, light rose, veins dark green, 7s. 6d.
- AUGUSTE CARPENTIER**, carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5s.
- AUGUSTE LEMOINIER**, soft green centre and rosy-crimson rib and veins. 3s. 6d.
- AUGUSTE REVIÈRE**, white centre and rays, and crimson spots. 3s. 6d.
- AURORÉ BOREALE**, dark red, spotted with bronzy-green, reddish carmine ribs. 7s. 6d.
- AZULAO**, centre transparent, light violet with bluish tint, bright green border. 10s. 6d.
- BACURY**, large leaf, greenish yellow ground, centre rosy-red; ribs and veins bright rosy-crimson. 10s. 6d.
- BARAO DE MAMORE**, white ground reticulated with green; centre and ribs marked with dark brown red; narrow green border. 10s. 6d.
- BARAQUINII**, crimson centre, dark green margin. 2s. 6d. and 3s. 6d.
- BARAQUINII SUPERBUM**, 5s.
- BARILLET**, green, bright rosy crimson centre and ribs. 3s. 6d. and 5s.

- BARON DE ROTHSCHILD**, mottled green, with red centre and spots. 3s. 6d.
- BARONNE JAMES DE ROTHSCHILD**, young leaves of a bright rose colour; the more matured foliage soft rose, with red veins. 5s.
- BARRAL**, bright green, with a fine red centre, and large spots of rose. 3s. 6d. and 5s.
- BEETHOVEN**, white, veined with green, rib delicate rose. 2s. 6d. and 3s. 6d.
- BELLEMEI**, white variegated leaves. 3s. 6d.
- BELLONE**, centre carmine-rose, shading off to reddish-maroon and metallic brown. 3s. 6d.
- BICOLOR**. 1s. 6d.
- BICOLOR SPLENDENS**. 2s. 6d. and 3s. 6d.
- BOIELDIEU**, like *Bicolor splendens*, but superior. 3s. 6d.
- BOSPHORE**. 5s.
- BOTAFOGO**, a splendid variety, centre bright red, intensified in the veins, distinct margin of greenish primrose. 15s.
- BRONGNIARTII**, 2s. 6d. & 3s. 6d.
- BUREL**, dark bluish-green veined bright rose, marked with rosy-violet. 3s. 6d.
- CALYPSO**, dark green margin, bright crimson centre and veins and pink spots. 3s. 6d. & 5s.
- CANDIDUM**, white ground with strongly marked ribs. 5s.
- CANNERTII**, leaves flushed with salmon-red, and spotted white. 2s. 6d. and 3s. 6d.
- CARDINALE**, brilliant red, dotted with golden-yellow and greenish-yellow. 7s. 6d.
- CERES**, rich green with rosy-salmon centre. 5s.
- CHANTINII**, reddish ground, spotted with white. 2s. 6d.
- CHARLEMAGNE**, large rosy-red leaves, nerves dark red. 7s. 6d.
- CHARLES VERDIER**, fine green, with bluish-pink centre and spots. 2s. 6d. & 3s. 6d.
- CHELSONI**, bright glossy green, suffused with brilliant red, and blotched with crimson. 2s. 6d. and 3s. 6d.
- CLIO**, ground colour deep rose shaded white; green ribs, and narrow green margin. 5s.
- COMTE DE GERMINY**, dull-red leaves with brighter veins, maluated white. 10s. 6d.
- COMTESSE DE CONDEIXA**, white ground shaded rose; carmine-red veins; narrow green margin. 5s.
- COMTESSE DE MAILLE**, white ground, veined with bright rosy-red and green. 3s. 6d.
- COMTESSE DU BERTHIER**. 3s. 6d.
- COYPEL**. 3s. 6d.
- CYPRIS**. 3s. 6d.
- DE HUMBOLDT**, glossy green, spotted with scarlet. 3s. 6d.
- DEVINCK**, leaves heart-shaped; delicate pink centre ribs, with white spots. 3s. 6d.
- DONIZETTI**, rich red centre, green border, rose spots. 3s. 6d.
- DR. BOISDUVAL**, centre rayed crimson; snow-white blotches on a green ground. 3s. 6d.
- DR. LINDLEY**, crimson centre, the green ground marked with rose blotches. 3s. 6d.
- DUC DE CLEVELAND**, red centre, surrounded with pea-green; red spots. 3s. 6d.
- DUC DE MORNAY**, deep green leaf borders with large crimson-rayed centre. 3s. 6d.
- DUC DE NASSAU**, brilliant red centre and ribs, white spots. 2s. 6d. and 3s. 6d.
- DUC DE RATIBOR**, green with red mid-ribs and white spots. 2s. 6d. and 3s. 6d.
- DUCHARTRE**, leaf ground white, flushed rose, green veins and red spots. 3s. 6d.
- EDOUARD ANDRE**, crimson centre, rose blotches. 3s. 6d.
- EDOUARD MOREAUX**, mottled green ground, with lake centre. 3s. 6d. and 5s.
- E. G. HENDERSON**, green, with transparent rose spots and mottled crimson rays and centre. 2s. 6d. and 3s. 6d.
- ELSA**, silvery rose, with red spots; fine. 5s.
- ELVINA**, bright green, blotched with red; grey centre and veins. 3s. 6d.
- EMILIE VERDIER**, leaves of a light transparent rose colour, spotted with red. 3s. 6d.
- ETOILE D'ARGENT**, green, mid-ribs and veins creamy-white, shaded grey. 5s.
- EUCARIS**, rose centre with violet reflections margined with bright green. 5s.
- EUTERPE**. 5s.
- FAUST**. 5s.
- FELICIEN DAVID**, carmine centre, surrounded white, and veined with red on green ground. 3s. 6d. and 5s.
- FERDINAND DE LESSEPS**, dark carmine-red ground with violet-rose ribs, and deep green spots. 5s.
- FLORE**. 5s.
- GABRIELLE LEMOINIER**, silver white translucent leaves, centre veined green. 10s. 6d.
- GAZE DE PARIS**, translucent leaves, green ribs. 3s. 6d. & 5s.
- GERARD DOW**, pale yellow ground, carmine mid-rib, deep red veins, narrow green margin. 5s.
- GOLDEN QUEEN**, pale golden yellow. 5s.
- GLUCK**. 5s.
- GRATIOSUM**. 3s. 6d.
- GRETRY**, carmine centre, with white spots. 3s. 6d.
- HELEVY**, white mid-ribs and crimson blotches. 3s. 6d.
- HEROLD**, dark carmine veins, surrounded by light green, blotched pure white. 3s. 6d.
- HOULLETTII**, green with white spots. 2s. 6d. and 3s. 6d.
- IBIS ROSE**, a magnificent variety, with beautiful rich rose-coloured foliage. 10s. 6d. and 15s.
- IMPERATRICE EUGENIE**, light green with greyish-pink centre, and rose-coloured veins. 2s. 6d. and 3s. 6d.
- IMPERATRIZ THEREZA**, chalk-white heavily suffused with rose, black green veins. 10s. 6d.
- INDEPENDENCIA**, transparent leaf, ground colour creamy white, suffused and mottled with reddish rose; emerald green veins. 10s. 6d.
- ISADORA LEROY**, rich metallic green, with crimson-red centre rays. 3s. 6d.
- ISIS**, bright rose, veins violet-carmine. 5s.
- JOHN R. BOX**, red and greenish-maroon ground; carmine-red veins; violet-rose centre. 5s.
- JULES DUPLESSIS**, bright rose centre, shaded with red and bordered with green. 5s.
- JULES PUTZEYS**, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3s. 6d. & 5s.
- JUPITER**. 3s. 6d.
- KETELEER**, spotted white, upon emerald-green; large crimson centre. 3s. 6d.
- LAINGII**, reddish-carmine centre; the whole of the leaf sprinkled with white. 3s. 6d.
- LA LORRAINE**, rosy-carmine, narrow green margin; a brilliant variety. 10s.
- LAMARTINE**, crimson centre, white and red spots. 3s. 6d.
- LA PERLE DU BRESIL**, white, delicately tinted with rose, mid-rib and veins dark green. 3s. 6d. and 5s.
- L'ALBANE**. 3s. 6d.
- L'AUREOLE**, orange-red, carmine veins, creamy-white margin. 7s. 6d.
- L'AUTOMNE**, creamy-white, with bluish maculations. 7s. 6d.
- LAVINIA**, bright green with grey centre and veins. 3s. 6d.

LEOPOLD ROBERT, rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. 5s.

LEPESCHKINEI, leaves marked with rich rose spots; bright red centre. 3s. 6d.

LEPLAY, leaves marked with white, and beautifully veined with rosy-violet. 3s. 6d.

LE TITIEN, ground network of red and rich green, pure magenta ribs. 5s.

LOUISE DUPLESSIS, red rays and veins on a white ground; green margin. 3s. 6d.

LOWII, *vide* **ALOCASIA LOWII**.

LUDDMANNI, deep crimson ribs; the leaf blotched with magenta and white. 3s. 6d.

LULLII, 3s. 6d. and 5s.

MADAME ALFRED BLEU, deep green, with large white blotches, and broad crimson-scarlet veins. 3s. 6d. & 5s.

MADAME ALFRED MAME, light green, covered with large white spots; rosy-carmine centre. 3s. 6d. & 5s.

MADAME D'HALLOY, silver white, suffused with rose, veined carmine. 10s. 6d.

MADAME DE LA DEVANSAYE, leaves white, shaded rose, and veined with red and green. 3s. 6d. and 5s.

MADAME DOMBRAIN, centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. 3s. 6d.

MADAME FRITZ KÖCHLIN, white ground, violet-rose ribs, green veins. 3s. 6d.

MADAME HEINE, silvery-white, stained and edged with pale green; distinct. 3s. 6d.

MADAME HOULLET, large leaves, with clustering blush-white blotches. 3s. 6d.

MADAME HUNNEBELLE, leaves veined with garnet on white ground, and margined with green. 3s. 6d. & 5s.

MADAME IMBERT KÖCHLIN, green with large dark red spots. 7s. 6d.

MADAME JULES MENO-REAU, white centre, tinted rose, veined rich bright rose, margined green. 3s. 6d. & 5s.

MADAME JULES PICOT, translucent rosy-violet. 7s. 6d.

MADAME LAFORGE, centre and ribs reddish-crimson, with green margin. 3s. 6d.

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy-white. 5s.

MADAME MARCHAND, violet-red, margin dark green. 10s. 6d.

MADAME MARJOLIN SCHEFFER, white foliage, charmingly veined and netted with rosy-lake. 3s. 6d.

MADAME MITJANA, transparent reddish-crimson rose centre. 7s. 6d. and 10s. 6d.

MADAME T. DE VIGIER, rosy-white, carmine nerves. 5s.

MADAME WILLAUME, delicate salmon-rose-coloured transparent leaves. 3s. 6d.

MARIA MITJANA, very bright rose, translucent leaves. 15s.

MARQUIS DE CAUX, red centre and veins, with rose blotches on margins. 3s. 6d.

MARS, clouded crimson centre, the whole leaf spotted with crimson. 3s. 6d.

MARTERSTYGINUM, crimson centre and white spots. 2s. 6d. and 3s. 6d.

MAXIME DUVAL, fine broad crimson centre and ribs, green margin. 3s. 6d.

MAX KOLB, light green ground with pale centre; distinct. 2s. 6d. and 3s. 6d.

MERCADANTE, pale copper-coloured centre and veins, bordered with green. 3s. 6d.

MEYERBEER, white leaf ground, green veins and red mid-ribs. 2s. 6d. and 3s. 6d.

MINERVE, silvery-white mid-rib and rays, surrounded with greyish-white; green margin, with white spots. 5s.

MINUS ERUBESCENS, very dwarf; leaves reddish-crimson, bordered with green. 2s. 6d.

MIRACEMA, an exceedingly beautiful variety, large milk-white leaves, veins feathered with soft pink. 10s. 6d.

MITHRIDATE, crimson-lake with darker ribs, and dark bronze-green margin. 3s. 6d.

MONSIEUR A. HARDY, rich reddish-carmine veins on white ground, tinted with rose and spotted with green. 5s.

MONSIEUR D'HALLOY, delicate rose, bright rose centre, red and green veins. 5s.

MONSIEUR J. LINDEN, fine large whitish leaf, with rose veins and green border. 5s.

MOZART, rose centre and veins on green ground. 3s. 6d.

MUCURIPE, centre rose-pink, surrounded with greenish white, margined green. 10s. 6d.

MRS. LAING, white ground; deep rose centre and veins; green margin. 5s. and 7s. 6d.

NAPOLÉON III., flamed crimson centre, with forked rays, and carmine-red spots. 3s. 6d.

ONslow, deep rosy-crimson centre with broad green margin, spotted with rose. 3s. 6d.

ORIFLAMME, brilliant red, margined with green. 10s. 6d.

ORNATUM, golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. 3s. 6d.

PAUL VERONESE, pinkish-white centre, deep scarlet ribs and green margin. 3s. 6d. & 5s.

PETROPOLIS, 5s.

PHILIPPE HERBERT, deep mottled crimson rays and clear green margin, spotted with crimson. 2s. 6d.

PHILIPPE SCHULTZ, 5s.

PICTUM, green, blotched and spotted with white. 3s. 6d.

PRINCE ALBERT EDWARD, dark emerald-green, rich crimson radiating mid-rib, white spots. 2s. 6d. & 3s. 6d.

PRINCE OF WALES, large golden-yellow leaves. 5s.

PRINCESS ALEXANDRA, rosy-salmon leaf, green centre rib, bordered with magenta-crimson; green margin with light pink chain. 3s. 6d.

PRINCESS OF TECK, bright orange-yellow, veins suffused with deep red. 5s. and 7s. 6d.

PRINCESS OF WALES, golden-yellow, spotted with crimson. 5s.

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5s.

PROSERPINE, 3s. 6d.

PYRRHUS, centre and ribs deep crimson, pea-green margin. 3s. 6d. and 5s.

QUADRICOLOR, centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. 3s. 6d.

RAMEAU, centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red. 3s. 6d. & 5s.

RAOUL PUGNO, very transparent, pale flesh colour, margin dark green. 5s.

RAULINII, rich red centre and veins, finely spotted with white. 3s. 6d.

REGALE, silvery-grey centre, rosy red ribs, vermilion-red spots. 2s. 6d. and 3s. 6d.

REINE MARIE DE PORTUGAL, violet-rose centre with red veins, dark maroon, zone-green border. 5s.

REINE VICTORIA, green veins and margins, spotted with white and rich crimson. 2s. 6d. and 3s. 6d.

ROSSINI, pale centre, pink mid-ribs, red blotches. 3s. 6d.

ROUILLARD, green margin, pale green centre, mid-rib and rays violet-plum; whole of leaf spotted crimson. 3s. 6d.

NEW AND CHOICE CALADIUMS—continued.

RUBENS, golden-green ground, shaded bright red and veined with dark brown. 5s.

RUBRUM METALLICUM, violet-red, rose centre, margin copper-red. 10s. 6d.

SALVATOR ROSA, bright red centretinted with rosy-violet; light green margin. 3s. 6d.

SANCHONIATHON, crimson centre; deep crimson ribs and pea-green margin. 3s. 6d.

SIEBOLDII, rich green, with fiery red crimson-rayed centre and claret-red spots. 3s. 6d.

SIRIUS, centre scarlet-red, spotted with rosy-red and golden-green. 5s. and 7s. 6d.

SIR WALTER SCOTT, 5s.

SOUVENIR DE LILLE, translucent delicate rose leaves, nerves bright rose. 7s. 6d.

SOUVENIR DE MADAME BERNARD, bright red centre, dotted with golden-yellow, green and white. 5s.

SOUVENIR DE MADAME E. ANDRE, green marbled with white, veined with rosy-crimson. 3s. 6d. and 5s.

SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7s. 6d.

SOUVENIR DU DOCTEUR BLEU, reddish-scarlet centre; pale green border shaded with rich red. 10s. 6d.

SPONTINI, pea-green, with whitespots and rosy-pink ribs and veins. 5s.

TENIERS, carmine centre, outer portion green, with carmine veins. 7s. 6d.

TRICOLOR, grey-green with red-lake centre and carmine mid-ribs. 5s. and 7s. 6d.

TRIOMPHE DE L'EXPOSITION, crimson centre, red ribs, green border. 3s. 6d.

URANUS, 3s. 6d.

VAN DYCK, transparent rosy-lake, pale rose centre, grey-green margin. 5s.

VERDI, crimson-lake centre, with small green zone and apple-green margin. 3s. 6d.

VESTA, greenish-white veins, surrounded with crimson; leaf spotted rose. 3s. 6d.

VICOMTESSE DE LA ROQUE-ORDAN, red mid-rib and rays bordered white; green margin. 3s. 6d.

VILLE DE HAMBURG, rosy red, prettily netted with carmine. 7s. 6d.

VILLE DE MULHOUSE, greenish-white, shaded rose; rich green centre. 5s.

VIRGILE, 3s. 6d.

VIRGINALE, shining white, veined. 3s. 6d. and 5s.

VIUVA SANT ANNA NERY, creamy-white ground, finely reticulated with pale green, a trace of rose colour along the ribs. 10s. 6d.

WEBER, 7s. 6d.

BEGONIAS.

HANDSOME-FLOWERED, TUBEROUS-ROOTED SECTION.

ALFONSO, a fine flower; colour cinnamon, shaded with salmon. 1s. 6d.

AURELIA, a very fine large flower of a cinnamon-rose colour; very distinct. 1s. 6d.

BERTHA, a splendid flower with broad petals, of a soft salmon-pink colour. 3s. 6d.

BRILLIANT, rich bright orange, a dazzling colour; flowers large and fine; very showy. 2s. 6d.

CALYPSO, a fine flower with very broad petals of a bright rose colour, shaded with magenta. 2s. 6d.

CARDINAL, a magnificent variety, producing large flowers of a deep rich magenta-rose colour. 2s. 6d.

CAROLINE, deep rosy-pink, a very fine showy flower with broad petals. 1s. 6d.

CHELSEA GIANT, light carmine-scarlet; a huge flower. 3s. 6d.

CLEOPATRA, rosy-lake, shaded with magenta; a very large flower with fine broad petals. 2s. 6d.

CLIMAX, deep rich rosy-carmine; the two outer petals extremely broad; a beautiful variety. 1s. 6d.

CORONET, rich rosy-carmine; a large flower with broad petals. 2s. 6d.

CORSAIR, rosy-salmon; a most profuse blooming variety. 1s. 6d.

DAPHNE, a fine large flower of a pretty pink colour, with purple shade. 3s. 6d.

DAVISII, a very dwarf growing species, freely producing attractive bright scarlet flowers. 1s.

DEFIANCE, a showy variety, producing fine large flowers of a light orange-scarlet colour. 3s. 6d.

DELICATA, a charming variety, with beautiful blush-white flowers. 1s. 6d.

DRAGON, a beautiful flower, with fine long petals; colour rich bright rose; very effective. 2s. 6d.

EMBLEM, a large flower with broad petals, of a deep rose colour, shaded with magenta. 1s. 6d.

ENSIGN, bright pink; a beautiful shade of colour; flowers large; a very elegant variety. 1s. 6d.

ETHEL, a beautiful flower of a light salmon-pink colour. 3s. 6d.

FIREFLY, an exceedingly attractive variety, producing fine flowers of a bright scarlet colour. 3s. 6d.

FLAMBEAU, bright crimson, shaded with rose, fine round flower. 3s. 6d.

FLAMMETTA, bright orange-scarlet; a remarkably large and fine flower. 2s. 6d.

FRIGEBELLI, a splendid species from Ecuador, producing brilliant scarlet flowers. 1s.

GEM, light cream colour, the reverse of petals light pink; extremely distinct and attractive. 2s. 6d.

HERMINE, light orange-cinnamon, a very distinct and attractive shade of colour. 1s. 6d.

ICARUS, a very fine large flower of a bright salmon colour. 2s. 6d.

IMPERIALIS, splendid flower, dark rosy-crimson. 5s.

JUPITER, deep crimson, fine large flower of good shape. 5s.

LUCINDA, a large and fine flower, with remarkably long petals of a deep rose colour. 2s. 6d.

MABEL, delicate salmon-pink; a fine flower of good shape. 3s. 6d.

MAGNET, beautiful light pink, the reverse of the petals deep pink; a charming variety. 1s. 6d.


MARATHON, deep crimson; a very fine large flower. 2s. 6d.

MARTHA, soft delicate rose-pink; a beautiful flower. 3s. 6d.

MAZEPPA, very light cream colour, the reverse of the petals tinted with orange-pink. 1s. 6d.

MINIATA, a fine showy variety, producing flowers of bright rosy-carmine colour. 1s. 6d.

MODIOLA, bright rose, shaded with salmon; a very large flower with fine broad petals. 2s. 6d.



HANDSOME-FLOWERED BEGONIAS.

- OBERON**, bright crimson, shaded with orange-scarlet; a splendid variety. 2s. 6d.
ORESTES, deep rosy-carmine; a magnificent flower with fine large petals. 2s. 6d.
PEARCEI, flowers large, bright yellow, and borne on slender stems well above the foliage. 2s. 6d.
PEARCEI GRANDIFLORA, fine large flowers, of a bright golden-yellow colour. 2s. 6d.
PHYLLIS, a beautiful variety, with blossoms of a delicate sulphur colour, tinted with pink. 1s. 6d.
PINK BEAUTY, fine large bright rosy-pink flowers, beautiful shape 3s. 6d.
REGALIS, a beautiful salmon-rose flower, of good form and substance. 3s. 6d.
RUBESCENS, a fine variety, giving a profusion of large rich salmon-tinted red blossoms. 2s. 6d.
SERAPH, a fine flower of a soft pink colour; the two outer petals suffused with rose. 1s. 6d.
SPARKLER, a splendid flower with fine broad petals of a bright crimson colour. 2s. 6d.
STARLIGHT, a beautiful variety, with large flowers of a pretty shade of blush-pink. 2s. 6d.
SUNRISE, a magnificent variety, producing large flowers of a bright rosy-scarlet colour. 1s. 6d.
SUNSET, rich crimson; a fine large showy flower. 2s. 6d.
SURPRISE, a beautiful variety, producing pretty bright pink flowers in great profusion. 1s. 6d.
TEMLAR, a fine flower, with broad petals of a rosy-pink colour. 2s. 6d.
TROJAN, an effective variety, freely producing fine flowers of a light rosy-pink colour. 1s. 6d.
VERONA, bright rosy-pink; a very pretty variety. 2s. 6d.
VESTA, pure white; very large flower. 3s. 6d.
VICTORY, a magnificent flower, with broad petals of a dazzling vermilion-scarlet colour. 3s. 6d.
VIVICANS, a very graceful plant, with brilliant orange-scarlet bell-shaped flowers. 1s. 6d.
WHITE QUEEN, a beautiful variety, producing ivory-white flowers tinted with rose. 1s. 6d.

Selections of good single-flowering Varieties can be made by Mr. W. B. at 12s., 18s. and 30s. per dozen. Unnamed Seedlings raised from the best varieties, when dormant, 6s. and 9s. per dozen, 2 and 3 guineas per 100.

DOUBLE-FLOWERING BEGONIAS.

Selections of choice double-flowering varieties made at 2, 3 and 4 guineas per dozen. Unnamed varieties, when dormant, 18s. per dozen.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ABBÉ DELAHAYE,

2/6.

ACUMINATA SPLEN-
DIDA, 2/6.

ADRIEN ROBINE,
2/6.

ALBERT GRISAR, 2/6.

ALEXANDRINE OL-
SOUFIEFF, 3/6.

ANDALOUSIE, 2/6.

ANNETTE, 2/6.

ANNICA, 2/6.

ARCTURUS, 2/6.

ARMIDE, 3/6.

ARGENTEA HIR-
SUTA, 2/6.

ARGUS, 3/6.

ARIADNE, 3/6.

ARTHUR MALET, 5/-.

BARON ED. CUSY, 3/6.

CALLIOPE, 2/6.

CHARLES LAURENT,
3/6.

COMTESSE LOUISE
D'ERDODY, 2/6.

COMTESSE O'GOR-
MAN, 2/6.

MADAME ALAMAGNY, 2/6.

— BICHAT, 3/6.

— DE CAUVILLE, 3/6.

— EDOUARD PYNAERT, 2/6.

— EYEN, 3/6.

— FR. ALEGATIERE, 2/6.

— GILKINET, 3/6.

— GRISAR, 3/6.

— HACHETTE, 2/6.

— HENRI GACHE, 2/6.

— ISABELLE BELLON, 2/6.

— JULES LECOCQ, 2/6.


— LEBOUQC, 3/6.

— LOTHAR STRASSNER,
2/6.

— POULET, 3/6.

MADLE. A. BLEU, 3/6.

— BERTHE PROUTIERE,
3/6.



CRYSTALLINA, 2/6.

DESFONTAINES, 3/6.

DUCHESSE DE BIALA,
2/6.

DUCHESSE, 1/-.

FREDERIC SCHNEI-
DER, 2/6.

GAETAN O'GORMAN,
2/6.

GRAZIELLA, 3/6.

HENRIETTE LUS-
SEAU, 3/6.

JEANNE MARRE,
3/6.

JULES DUPLESSIS
MAJOR, 2/6.

LA PERLE DE PARIS,
2/6.

LEBRUN, 2/6.

LE POUSSIN, 2/6.

LE SCHAH, 2/6.

LEDA, 5s.

LOUISE CLOSON,
2/6.

MADAME ADR
SCHMITT, 2/6.

MALETTA, 2/6.

MARGARITACEA, 2/6.

MARIE FREEMAN, 3/6.

MARIE LOUISE PERRENOUD,
2/6.

MARQUISE DE PERALTA,
3/6.

MAZEPPA, 3/6.

MENTOR, 2/6.

MISTRESS DUPLESSIS, 3/6.

MONGE, 5/-.

MONSIEUR BIENAIME, 2/6.

OTTO FORSTER, 2/6.

PAVONIA, 3/6.

PEARL, 3/6.

PRESIDENT DE BOUREUIL-
LES, 5/-.

PULCHELLA, 2/6.

PROGNE, 2/6.

RICHARD, 1/6.

ROSALIE, 5/-.

SATIN BLANC, 2/6.

SERICEA, 2/6.

SIEBOLD, 2/6.

SOPHIE OLSOUFIEFF, 2/6.

STELLATA, 2/6.

THEODORA, 3/6.

THOMAS CLARA, 3/6.

TOURNEFORT, 3/6.

TRIZONALIS, 2/6.

VICOMTE DE CONDEIXA,
2/6.

VIRGINIA, 3/6.

VOIE LACTEE, 2/6.

ZENOBIE, 2/6.

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s. and 42s. per dozen, according to the selection.

ALBO PICTA
ARGENTEO GUTTATA
ARGYROSTIGMA ELEGAN-
TISSIMA

BEDDOMEI (Assamica)

CARRIERI

— VILLOSA

COMPTA

DECORA

DIGSWELLIANA

DREGEI


EGREGIA

ERECTA MULTIFLORA
GLOIRE DE SCEAUX
IMPERIALIS
INGRAMII
KNOWSLEYANA
MADAME ISABELLA BELLON
MANICATA
MARGARITE
METALLICA
NELUMBIÆFOLIA RUBRA
NITIDA
— ALBA

OLBIA
PAUL BRUANT
RUBELLA
SEMPERFLORENS ELEGANS
— GIGANTEA ROSEA
SCEPTRA
SCHARFFII
SMARAGDINA
SOCOTRANA
VERNON
WELTONIENSIS

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed descriptions of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of names in their various sections. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.



LOUIS BOEHMER.—THE NEW PINK OSTRICH PLUME CHRYSANTHEMUM.

A very charming and lovely variety, differing from Mrs. Alpheus Hardy—now so well known as the White Ostrich Plume Chrysanthemum—in the colour of the petals, which are of a beautiful shade of pink amaranth, the reverse of the petals being clothed with a profusion of long hairy filaments. In growth it is everything that can be desired. 3s. 6d. each.

For other new Chrysanthemums of this season see next page.

SELECT NEW CHRYSANTHEMUMS.**JAPANESE.**

ADIRONDAC, 1s.
 ADVANCE, 2s. 6d.
 ALASKA, 2s.
 ALBERIC LUNDEN, 2s. 6d.
 AIDA, 1s. 6d.
 ARTHUR WOOD, 4s.
 BEAUTY OF CASTLE HILL, 5s.
 CESARE COSTA, 2s. 6d.
 CORTEZ, 4s.
 CROWN PRINCE, 2s. 6d.
 DANÆ, 2s. 6d.
 DOREE, 1s. 6d.
 E. S. RENWICK, 2s. 6d.
 EUGENE GIAT, 2s. 6d.
 EYNSFORD WHITE, 2s. 6d.
 GLOIRE DE ROCHER, 5s.
 HAMLET, 3s. 6d.
 HARRY E. WIDENER, 3s. 6d.
 JOHN THORPE, 1s.
 J. R. PEARSON, 2s. 6d.
 KIOTI, 1s. 6d.
 LILLIAN BIRD, 2s. 6d.
 LOUIS BOEHMER, *vide page*

125.

MADLE. MARIE HOSTE,
 2s. 6d.

MDME. LEON COLLIN, 2s. 6d.
 M. E. A. CARRIERE, 2s. 6d.
 M. JULES HUMBERT, 3s. 6d.
 MRS. ALPHEUS HARDY, 1s.
 MRS. A. CARNEGIE, 1s. 6d.
 MRS. BEATRICE CARD, 4s.
 MRS. DE WITT SMITH, 4s.

JAPANESE—continued.

MRS. E. W. CLARKE, 2s. 6d.
 MRS. FALCONER JAMESON,
 1s.
 MRS. T. H. SPAULDING, 1s. 6d.
 NEWPORT, 3s. 6d.
 PURITAN, 2s. 6d.
 R. C. KINGSTON, 4s.
 ROBERT CANNELL, 4s.
 ROBERT CRAIG, 1s. 6d.
 ROBERT CRAWFORD, 1s.
 SHASTA, 1s. 6d.
 SIR JOSEPH, 1s.
 SOUVR. DE M. MENIER,
 2s. 6d.
 STANSTEAD SURPRISE, 1s. 6d.
 SUNSET, 3s.
 THOMAS STEVENSON, 1s. 6d.
 VIOLET ROSE, 2s. 6d.
 VOLUNTEER, 2s.
 W. H. LINCOLN, 2s. 6d.
 WILLIAM LANE, 3s. 6d.
 W. TRICKER, 3s. 6d.
 W. W. COLES, 2s. 6d.

CHINESE—continued.

H. SHOESMITH, 9d.
 JOHN DOUGHTY, 3s. 6d.
 JOHN LAMBERT, 2s. 6d.
 MDME. GAYRAL, 1s. 6d.
 MISS M. A. HAGGIS, 1s.
 MISS VIOLET TOMLIN, 1s.
 MRS. COLEMAN, 3s. 6d.
 PRESIDENT HYDE, 1s.

ANEMONE.

DUCHESS OF WESTMINSTER,
 3s. 6d.
 MRS. CHARLES PRATT, 1s. 6d.

EARLY FLOWERING.

CLARENCE BRYANT, 1s. 6d.
 COMTESSE F. DE CARIEL,
 1s. 6d.
 GOLDEN SHAH, 2s. 6d.
 GRACE ATTICK, 1s.
 JACINTHA, 1s. 6d.
 MARTIMAS, 1s.
 MISS P. BROUGHTON, 1s. 6d.
 MRS. HAWKINS, 1s.
 OCTOBER BEAUTY, 9d.
 WHITE LADY, 1s. 6d.

CHINESE.

ADA SPAULDING, 2s. 6d.
 ALFRED LYNE, 1s.
 EMILY DALE, IMPROVED,
 2s. 6d.
 FLORA (American) 2s. 6d.
 FRANK WILCOX, 1s.

POMPON.

MARION, 1s. 6d.

SINGLE.

MISS MABEL WILDE, 2s. 6d.

CHRYSANTHEMUMS—GENERAL COLLECTION.**CHRYSANTHEMUMS—EARLY-FLOWERING.**

All 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

ALICE BUTCHER
 ANASTASIO
 AUREOLE
 BLANC PRECOCE
 CASSY
 CLAIRE ALOZIO
 CRIMSON PRECOCITÉ
 CURIOSITY
 DELPHINE CABOCHE
 EARLY FLORA
 E. G. HENDERSON & SON
 ELDORADO
 ETE FLEURI
 FIBERTA
 FLAMBEAU TOULOUSAIN
 FLEUR D'ETE
 FREDERIC MARRONET
 FREDERICK PELÉ
 GOLDEN FLEECE
 G. WERMIG (GOLDEN MADAME
 DESGRANGE)
 G. WRIGLEY

HELOISE MIELLEZ
 HENDERSONI
 HIPPOLYTE JAMAIN
 INIMITABLE
 LA BIEN-AIMÉE
 LAKME
 LAMBETH AMATEUR
 LALLÉE
 LE LUXEMBOURG
 LEONIE LASSALI
 LORD MAYOR
 LUCINDA
 LYON
 MADAME C. DESGRANGE
 MADAME DUFOY
 MADAME JOLIVART
 MADAME PICOUL
 MADELINE DAVIS
 MANDARIN
 M. COSSART
 M. WILLIAM HOLMES
 M. DUFOY

MR. W. PIERCY
 MRS. J. R. PITCHER
 NANUM
 O. J. QUINTUS
 ORANGE YELLOW
 PERPETUÉL TOULOUSAIN
 PETIT MIGNON
 PIERRE VERFIEL
 POMPONIUM
 PRECOCITE
 ROI DES PRECOCES
 ROSE D'ETE
 ST. CROUTS
 ST. MARY
 SALTER'S EARLY BLUSH
 SOUVENIR
 SOUVENIR DE M. RAMPONT
 SURPRISE
 TORREADOR
 WHITE ST. CROUTS
 WILLIAM BEALBY
 ZENOBIE

All 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

JAPANESE CHRYSANTHEMUMS.

For New Varieties, vide pages 125 and 126.

Excepting those priced, all 6d. each.

Mr. WILLIAM BULL'S selection, 4s. per dozen, or 28s. per 100.

AGNES FLIGHT, 9d.
 AGREMENTS DE LA NATURE
 ALBERT DE NURIOS
 ALBERT VICTOR, 1s. 6d.
 ALBUM FIMBRIATUM, 1s.
 ALEXANDRE DUFOUR
 ALFRED CHANTRIER :
 ALICE BIRD, 9d.
 ALPHA, 9d.
 AMARANTINA CARMINATA
 ANNA DÉLAUX
 ANNA M. PAYNE, 9d.
 ANNIE CLARK
 AQUIDNECK
 ARLEQUIN
 AVALANCHE, 1s.
 BEAUTE DES JARDINS
 BEAUTE DE TOULOUSE
 BEAUTY OF SWANLEY
 BELLE ETOILE
 BELLE GABRIELLE
 BELLE PAULE
 BEND OR
 BERTIER RENDATLER
 BICOLOR
 BISMARCK
 BOULE D'ARGENT
 BOULE D'OR
 BOUQUET FAIT
 CAREW UNDERWOOD, 9d.
 CHARLIE SHARMAN, *see* W. M. Singerley
 CHARLOTTE DE MONTCA-BRIER
 CHISTMAS EVE, *syn* Mrs. H. Cannell, 1s.
 CŒUR FIDÈLE
 COMMANDANT DOMINÉ
 COMTE DE GERMINY
 COMTESSE DE BEAUREGARD
 COQUETTE DE CASTILLE
 CULLINGFORDII
 DARWIN
 DAVID WINDSOR, 1s. 6d.
 DAVID ALLEN, *syn* G. F. Moseman, 9d.
 DELICATUM
 DIAMOND
 DOMINATION, *syn* Mrs. Bullock, 9d.
 DON DIÈGUE
 DON QUICHOTTE
 DR. AUDIGUIER

DR. MASTERS
 DUCHESS
 DUCHESS OF ALBANY
 DUCHESS OF ALBANY
 (DELAUX)
 DUCHESS OF CONNAUGHT
 DUCHESSE DE GEROLSTEIN
 DUKE OF BERWICK, 9d.
 EDOUARD AUDIGUIER
 EDWIN MOLYNEUX, 9d.
 ELAINE
 ELSIE, 9d.
 EMBLÈME
 ENCHANTERESSE
 ESPÉRANCE
 ETHEL
 ETOILE DE LYON, 1s.
 ETOILE DU MIDI
 ETOILE FLEURI
 ETOILE TOULOUSAIN
 FAIR MAID OF GUERNSEY
 FAVOURITE, 1s. 6d.
 FERNAND FERAL
 FEU DE BENGALÉ, 1s.
 FIMBRIATUM
 FLAMBEAU
 FLEUR DES BOIS
 F. L. HARRIS
 FLOCON DE NEIGE
 FLORENCE PERCY
 FRIZOU
 FULTON
 GEORGES DANIELS, 1s.
 GEORGE WALCOTT
 G. F. MOSEMAN, *see* David Allen
 GIL BLAS
 GLADIATOR, *see* W. M. Singerley
 GLOIRE DE TOULOUSE
 GLOIRE RAYONNANTE
 GLORIOSUM
 GOLDEN GEM, 9d.
 GOLDEN GLOIRE RAYONNANTE
 GOLDEN PRINCE
 GOLD THREAD
 GOOD TIDINGS, 1s. 6d.
 GORGEOUS
 GOVERNOR OF GUERNSEY, 9d.
 GRANDIFLORUM
 HELVETIE
 HERNANI

HIVER FLEURI
 HON. JOHN WELSH
 ILE JAPONAISE
 ILLUSTRATION
 ISODORE FERAL
 JAMES SALTER
 J. COLLINS
 JESSICA
 JUPITER
 KEMPFFER
 KATAKANA
 LA CHARMEUSE
 LADY AVENEL
 LADY BULLER
 LADY BRASSEY, 1s.
 LADY EMILY, 1s.
 LADY MATHESON
 LADY SELBORNE
 LADY T. LAWRENCE, *see* Robert Bottomley
 LA FRISURE
 LAMARTINE
 LA NYMPHE
 LA TRAVIATA
 LA TRIOMPHANTE
 L'ADORABLE
 L'AIGRETTE
 L'AUBE MATINALE
 L'AUTOMNE
 LE CYGNE
 LE NEGRE
 LÉON FRACHE, 1s. 6d.
 L'ÉBOURIFFÉE
 L'INCOMPARABLE
 L'INCROYABLE
 L'ISLE DES PLAISIRS
 LORD BEACONSFIELD
 L'OR DE FRANCE
 MACAULAY, 1s.
 MADAME BERTIER RENDATLER
 MADAME CLEMENCE AUDIGEUR
 MADAME DE REYDELLET
 MADAME DE SEVIN
 MADAME EMILE DUFOUR
 MADAME FERAL
 MADAME JOHN LAING
 MADAME LA MARQUISE DE MUN
 MADAME MARIE CLOSES
 MADAME ROZAIN

CHRYSANTHEMUMS—JAPANESE—continued.

MADLLE. ANTOINETTE BRUNEL

MADLLE. JULIETTE DORDAN

MADLLE. LACROIX

MADLLE. LOUISE DE REY-DELLET

MADLLE. MELANIE FABRE

MADLLE. PAUL DUTOIR

MAGGIE MITCHELL, *syn* Miss Clara Harris, 1s.MAGICIENNE, *see* William Robinson

MAIDEN'S BLUSH

MANHATTAN

MARCHIONESS OF DOWNSHIRE, *see* William Robinson

MARGOT

MARIE OUVRAY, 9d.

MARQUIS OF LORNE

MARSA

MARTHA HARDING

MARY, 1s. 6d.

MISS CLARA HARRIS, *see* Maggie Mitchell

MISS STEVENS, 1s. 6d.

M. ASTORG

M. A. VILMORIN

M. BLANC

M. BOYER

M. BRASSAC

M. BRUNET

M. CASTEL

M. CAVALIER

M. CHARLES HUBERT

M. CHRETIEN

M. COCHET

M. D. D. HILLIER

M. DELAUX

M. EUGENE POURQUIE

M. FREEMAN

M. GARNER

M. H. ELLIOTT

M. H. FLAUVANT

M. J. ALDEBERT

M. J. H. LAING

M. JOHN LAING

M. JUAN CRUZ DE EGUILOR

M. LEMOINE

M. LEON BRUNEL

M. MAXIME CORNU

M. PAUL FABRE

M. P. WOLKENSTEIN

M. RICHARD LARIOS

M. THOMAS S. WARE

M. VIVIAND MOREL

M. WEICK

M. YVON

MM. THIBAUT et KETELEER

MR. C. ORCHARD, 1s.

MR. D. B. CHAPMAN, 1s.

MR. H. CANNELL, 9d.

MR. H. WELLAM, 9d.

MR. STEPHENSON CLARKE, 9d.

MR. W. H. BURBIDGE, 9d.

MRS. A. MAYES, 1s.

MRS. BEALE, *see* Robert BottomleyMRS. BULLOCK, *see* Domination

MRS. DOUGLAS, 1s. 6d.

MRS. FRANK THOMPSON, *syn* W. G. Drover, 9d.

MRS. GEORGE W. CHILDS

MRS. GOLDRING, 1s. 6d.

MRS. H. J. JONES, *syn* Yellow Ethel, 1s.MRS. H. CANNELL, *see* Christmas Eve

MRS. J. J. HILLIER, 1s. 6d.

MRS. J. WRIGHT, 9d.

MRS. L. CASTLE, 9d.

MRS. VANNAMAN

MRS. WM. MENCKE

MOONLIGHT

NUIT D'HIVER

ODORATUM, 9d.

ORNEMENTS

PARASOL

PAUL & SON

PÈRE DELAUX

PETER THE GREAT

PETIT NORBERT

PHŒBUS

PLUIE D'OR

PRESIDENT ARTHUR

— CLEVELAND

— GARFIELD

— SPAULDING, *see* W. M. Singerley

PRINCE OF ORANGE

PRINCE ZILAH

PRINCESSE BLANCHE

PUTNEY GEORGE, 1s.

RALPH BROCKLEBANK, 9d.

RED DRAGON

REDUPLICATA

REINE DES BEAUTÉS

REX RUBRORUM

ROBERT BOTTOMLEY, *syn* Lady T. Lawrence and Mrs. Beale, 9d.

ROBERT OWEN

ROB ROY

ROI DES JAPONAIS

ROSA BONHEUR

ROSE CELESTE

— LACE

— SUPREME

ROSEUM SUPERBUM

ROZAIN BOUCHARLAT

R. T. BIGGS

RUBRUM STRIATUM

SALMONEUM PLENUM

SAMUEL HENSHAW

SARNIA

SOLEIL LEVANT

SOURCE D'OR

SOURCE JAPONAISE

SOUVENIR D'AMSTERDAM

SOUV. D'ANGÈLE AMIEL

SOUVENIR DE HAARLEM

SOUVENIR DE REINE MARIE

SOUVENIR DU JAPON

SNOWSTORM

STANSTEAD WHITE, 1s.

STRIATUM PERFECTUM

SUNFLOWER, 1s.

SYRINGA

TALFOURD SALTER

TENDRESSE

THE COSSACK

THEODORA

THUNBERG

TISIPHONE

TOKIO

TRICOLOUR

TRIOMPHE DE LA RUE DU

CHATELET

TUBIFLORUM

VENUS

VILLE D'HYÈRES

WALTER SCOTT

W. G. DROVER, *see* Mrs. Frank Thompson

WELCOME

WENONAH

WILLIAM CLARK

WILLIAM COBBETT, 9d.

WILLIAM ROBINSON, *syn* Magicienne, Marchioness of Downshire

WILLIAM STEVENS, 9d.

W. L. SCHEFFER

W. M. SINGERLEY, *syn* Charlie Sharman, Gladiator, President Spaulding, 1s.YELLOW ETHEL, *see* Mrs. H. J. Jones

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS—ANEMONE-FLOWERED.

For New Varieties, see page 126.

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ACQUISITION
AGATHA
AGNES HAMILTON
ATARGUILLE
BIJOU
CALLIOPE
CININNATI
DICK TURPIN
E. M. BOLAS
EUGENE LAUJAULET
FABIEN DE MADERANAZ
FAIR MARGARET
FINETTE
FIREFLY
FLEURE DE MARIE

GEORGES SAND
GLUCK
GOLDEN CEDO NULLI
GRACE DARLING
JAMES WESTON, 1s. 6d.
LADY MARGARET
LILAC CEDO NULLI
MADAME BERTHE PIGMY
MADAME CLOS
MADAME MONTELS
MADAME THERESE CLOS
MADEMOISELLE CABROL
MARIE STUART
M. CHATE
MISS ANNIE LOWE, 1s.

MISS EYRE
MISS NIGHTINGALE
M. PANKAUKE, 1s. 6d.
MR. ASTIE
MRS. M. RUSSELL, 1s.
MRS. WYNES
NELSON, 1s.
PRINCE OF ANEMONES
PRINCESS LOUISE
PRINCESS MARGUERITE
SIDONIE
SEUR DOROTHÉE SOUILLE
THORPE, Jun., 9d.
VIRGINALE
WYOMING

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHINESE OR LARGE-FLOWERED CHRYSANTHEMUMS

For New Varieties, vide page 126.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ABBE PASSAGLIA
AIMEE FERRIERE
ALFONSO
ALFRED SALTER
ARIADNE
AUREUM MULTIFLORUM
BARBARA
BEAUTY
BEVERLEY
BRONZE JARDIN DES
PLANTES
BRONZE QUEEN OF
ENGLAND
CHAS. GIBSON
CHERUB
CHEVALIER DOMAGE
CLEOPATRA
DAPHNE
DIANE
DIDO
DR. LINDLEY
DR. ROZAS
DR. SHARPE
DUKE OF EDINBURGH
EMBLEM
EMPRESS OF INDIA
E. SANDERSON
EVE
EXQUISITE
FAUST
FINGAL
GARIBALDI
GAZELLE
GEORGE PEABODY

GEORGE STEVENS
GLOBE WHITE
GLORIA MUNDI
GOLDEN BEVERLEY
GOLDEN CHRISTINE
GOLDEN EMPRESS OF INDIA
GOLDEN GEORGE GLENNY
GOLDEN JOHN SALTER
GOLDEN QUEEN OF ENGLAND
GOLDEN TRILBY
GUERNSEY NUGGET
HERO OF STOKES NEWINGTON
IONA
JARDIN DES PLANTES
JOHN SALTER
JULIE LAGRAVERE
KING OF DENMARK
LADY HARDINGE
LEDA
LE GRAND
L'EMIR
LORD EVERSLEY
LORD PALMERSTON
LORD STANLEY
LORD WOLSELEY
LUNA
MABEL WARD
MADAME CHATE
MADAME PAGES
MARÉCHAL DUROC
MOUNT EDGUMBE
MOUNT ETNA
MR. BUNN
MR. COBAY

MR. GEORGE GLENNY
MR. JAMES LAING
MR. W. H. MORGAN
MRS. G. RUNDLE
MRS. HALIBURTON
MRS. HUFFINGTON
MRS. NORMAN DAVIS
MULBERRY
NIL DESPERANDUM
NOVELTY
ONDINE
ORANGE ANNIE SALTER
OSSIAN
PATRIE
PINK PERFECTION
PRINCE OF WALES
PRINCESS IMPERIAL
PRINCESS OF TECK
PURPUREUM ELEGANS
QUEEN OF ENGLAND
REINE DES BLANCHES
RIVAL LITTLE HARRY
ROTUNDIFLORUM
ROYAL PURPLE
SIR BEAUCHAMP SEYMOUR
SIR STAFFORD CAREY
SULPHUREUM SUPERBUM
VIOLET UNIQUE
WHITE EVE
WHITE GLOBE, vide GLOBE
WHITE
WHITE VENUS
ZEPHYR

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—POMPON, &c.

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

ADELE PRISSETTE
AIGLE D'OR
AMPHILLA
ANAIIS
ANNETTE
ARIOSTO
AURORE
BERROL
BELLE NAVARRAISE
BLACK DOUGLAS
BOULE DE NEIGE
BRAHMA
BRUNETTE
CARMINATUM ALBUM
CHAMPS ELYSEES
CRIMSON PERFECTION
DANAE
DIAMANT
ELEGANT
ERNEST BENARY
FREMY
GENERAL CANROBERT
GERBE D'OR
GERMAINE CLERMONT
GOLDEN MADLLE. MARTHE
GUILLAUME DELAUX
HECLA
JASON
JERSEY GEM
JULIA ENGLEBACK

LACINIATUM SUPERBUM
LA DESIREE
LA FAVORITE
LA RENONCULE
LA VIERGE
LACINIATUM ROSEUM
LE CID
LILACEE
LUCIEN CABOCHE
MADAME DE VATRY
MADAME EUGENE DOMAGE
MADAME RIEUX
MADLLE. ELISA LAYEILLON
MADLLE. ELISE DORDAN
MADLLE. MARTHE
MADLLE. MATHILDE RAY-
NAUD
MAGENTA KING
MAID OF KENT
MARABOUT
MARGUERITE VINCENT
MARION, *see* page 126.
M. BONAMY AINE
M. DELEUIL
M. FELIX SEIGNOR
M. HOSTE
M. JOSE MARQUES LOUREIRO
M. LUQUET
M. ULRICH
MUSTAPHA
NEATNESS

NEW YORK
OLIVAR
ORANGE QUILL
ORNATUM
OSIRIS
PABLO
PERFECTION
POLYCARP
POMPON ROSE
PRESIDENT DECAISNE
PRINCE VICTOR
PRINCESS MATHILDE
PROSPERINE
RAJAH
ROSE D'AMOUR
ROSE TREVENNA
SAINT JUSTIA
SAINT MICHAEL
SALAMON
SANGUINEUM
SANS PAREIL
SNOWDROP
SŒUR MELANIÉ
SOIREE D'ETE
TOUSSAINT MAURISOT
VARIEGATUM
VICTOR HUGO
ZAIRE

All 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

CHRYSANTHEMUMS.—SINGLE-FLOWERING.

Excepting those priced, all 6d. each.

ATTRACTION
BRUNETTE
CASINO
COACHMAN
CRIMSON AND GOLD
CRUSHED STRAWBERRY
1s.
DR. KELLOCK
EXQUISITE
GUS. HARRIS
HENRY IRVING
LORD MAYOR

MAGENTA KING
MARIGOLD, *9d.*
MARY ANDERSON, *9d.*
MISS CANNELL, *9d.*
MISS ELLEN TERRY
MISS MABEL WILDE, *see* page 126.
MISS ROSE
MRS. A. LE MOULT
MRS. FRANCIS RICARDO
MRS. J. WILLS
MRS. KELLOCK
MRS. LANGTRY

MRS. W. WOOD
PERFECTION
PURE GOLD
PYRETHRUM
QUEEN OF THE YELLOW
SADIE MARTINOT
SIMS REEVES
TERRA COTTA
THE FRIARY BEAUTY
THE VIRGIN
TRISTAM
W. E. GLADSTONE

Excepting those priced, all 6d. each.

Mr. William Bull's Selection, 4s. per dozen, or 28s. per 100.

NEW AND CHOICE FUCHSIAS.

Those marked () are double-flowered varieties.*

- ***ADAIR**, short tube and well reflexed sepals of a bright crimson colour; double, bluish-purple corolla, often flaked rose. 1s. 6d.
- ***A. DE NEUVILLE**, large open double reddish-violet corolla; bright rose sepals. 1s.
- ***ADMIRAL AUBE**, dark red reflexed sepals, large double rosy-mauve corolla; very floriferous. 7s. 6d.
- ***ADMIRAL COURET**, tube and sepals dark red, immense double corolla of a very dark violet colour. 1s. 6d.
- ***ADMIRAL OLRY**, very long crimson sepals completely recurving against the tube; very long violet-red corolla. 7s. 6d.
- AÉROSTAT**, vinous-red recurved sepals; long trumpet-shaped bluish-violet corolla. 1s.
- AIME MILLET**, large flower with long salmon sepals; long orange-copper corolla. 7s. 6d.
- ***ALPHONSE DAUDET**, bright red recurved sepals and bluish-violet corolla. 1s.
- ***ALPHONSE KARR**, very large rosy-red sepals, enormous metallic-violet corolla; flower of fine form and great merit. 7s. 6d.
- AMADEO**, bright rosy-pink tube and sepals; tube very short; bright bluish corolla. 1s.
- ***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 2s. 6d.
- ***AUGUSTIN THIERRY**, enormous semi-double bright rose corolla; sepals bright red, a good market variety. 1s.
- ***AYRSHIRE**, bright coral red tube and sepals, rich blue corolla; stout and fine. 1s. 6d.
- ***AZUREA SUPERBA**, tube and recurved sepals of a bright reddish-coral colour; enormous double azure-violet corolla. 1s.
- ***BEAUTY OF WEST KENT**, large flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 2s. 6d.
- BLUE KING**, bright crimson tube, well-reflexed sepals, and fine blue corolla. 1s.
- ***BUFFON**, large red reflexed sepals; enormous rosy-white corolla, very double. 1s. 6d.
- BULGARIE**, large brilliant red well-shaped sepals; large violet-plum corolla. 1s.
- BULRUSH**, light crimson tube and sepals; tube long, and sepals horizontally reflexed; light rosy-purple corolla. 1s.
- CAMILLE FLAMMARION**, a large flower; with reflexed sepals of a rosy-red colour, and well-formed reddish-violet corolla. 1s.
- ***CELINE MONTALAND**, large slightly reflexed rose-carmine sepals, very large double corolla, expanding horizontally, rosy-white, veined carmine. 7s. 6d.
- CERVANTES**, sepals rose; corolla rosy-mauve, bordered with blue. 1s.
- CISSIE**, bright crimson tube and sepals, the latter prettily recurved; fine full corolla of a rich dark purple colour. 1s.
- ***CLARINDA**, huge double white corolla, short tube and broad sepals, dark crimson. 1s.
- ***COLONEL DOMINE**, clear red reflexed sepals; large imbricated white corolla, lightly suffused with rose. 1s.
- ***COMTE LEON TOLSTOI**, large dark scarlet sepals; dark blue corolla, very double and compact. 1s.
- CONSTANCY**, flesh coloured tube and sepals; the latter well-reflexed, rich carmine corolla, stout and extra fine. 1s. 6d.
- ***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 2s. 6d.
- COUNTESS OF ABERDEEN**, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk white. 1s. 6d.
- C. N. MAY**, scarlet tube and sepals; corolla dark plum colour; excellent habit. 1s.
- CREUSA**, rich crimson tube, and reflexed sepals; fine large corolla of a rich dark purple-plum colour, shaded at the base. 1s.
- DIADEM**, bluish tube and sepals, corolla pale magenta, broadly edged with brilliant carmine, a fine showy variety. 1s.
- DORCAS**, short tube and large rosy-carmine sepals, immense soft bluish-purple corolla, veined and shaded with rose. 1s. 6d.
- ***DR. PRILLIEUX**, large bright scarlet recurved sepals; very large dark violet double corolla, with extended petals. 1s. 6d.
- DR. TOPINARD**, large cerise-red sepals; corolla white suffused with rose, the petals being very evenly extended. 1s. 6d.
- ***DOROTHY FRY**, short crimson tube and recurved sepals; very large semi-double white corolla. 3s. 6d.
- ***EDMOND ABOUT**, large vermilion-carmine reflexed sepals; enormous double white corolla, suffused with rose. 1s.
- EMILY BRIGHT**, creamy-white tube and sepals; bright carmine corolla, of fine form. 1s.
- ERNEST RENAN**, short rosy tube and reflexed sepals; rose corolla; pyramidal habit. 1s.
- ***EUGENE DELAPLANCHE**, bright red reflexed sepals, very double corolla of a clear violet colour. 7s. 6d.
- FAIR MAID**, creamy white tube and sepals, tinted with bluish; corolla deep carmine flushed with magenta. 1s. 6d.
- ***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 1s. 6d.
- ***FLORA**, very short tube, and large bright rosy crimson sepals fully reflexed, the large double corolla being bright purple, flaked at the base with rosy-carmine. 1s. 6d.
- ***FRAU EMMA TOPFER**, broad well reflexed rosy-magenta sepals; double white corolla suffused and veined with rose. 1s.
- GANNET**, short tube with long bright crimson reflexed sepals; bluish-purple corolla, shaded with rosy-crimson at the base. 1s. 6d.
- GEORGE FRY**, scarlet tube and sepals, violet veined with scarlet at the base; a large fine flower. 2s. 6d.

NEW AND CHOICE FUCHSIAS—continued.

GERALD, a very fine flower with rich crimson tube and sepals, the latter completely reflexed; large expanded corolla of a rich purplish-crimson colour. 1s. 6d.

GERTRUDE, bright rose-carmine tube and sepals, the latter large and completely reflexed; large white corolla, veined carmine from the base. 2s. 6d.

GLORY, tube and sepals very brightly coloured and completely reflexed, the very large violet corolla being beautifully formed and widely expanded. 1s. 6d.

***GUSTAVE FLAUBERT**, sepals rose-carmine, double corolla of an unusual shade of lilac-mauve; of free habit and very floriferous. 7s. 6d.

HARLEQUIN, a gigantic variegated flower; sepals rich carmine, broad and reflexed; immense bluish-purple corolla striped with rosy-pink. 1s. 6d.

HARMONIE, reflexed whitish-rose sepals, corolla soft lilac; of good habit. 1s.

HEROINE, white tube and sepals, with lines of pink, bright carmine corolla; new in colour, and of excellent habit. 1s. 6d.

HERON, short tube, and broad rosy-carmine sepals; corolla rich bluish-purple. 1s. 6d.

IRMA, bright rosy-carmine tube and sepals, the latter being horizontally reflexed, and of extraordinary length, slightly and elegantly curled; long rosy-purple corolla. 1s. 6d.

JAMES WELCH, bright rosy-red tube and sepals, the latter beautifully reflexed; corolla pale maroon shaded with bright purple; very handsome. 1s.

JASON, fine corolla about $1\frac{1}{2}$ inch long, and of an intense black-purple colour; sepals long and reflexed, of a deep crimson colour. 1s.

***JEANNE SAMARY**, sepals red, completely reflexed, exposing a double salmon-white corolla, the centre petals tubular in form. 7s. 6d.

***JUMNA**, short tube and very broad bright crimson sepals; enormous rich purple double corolla, the base marked with rosy-crimson. 2s. 6d.

JUNO, short tube with large and broad well-reflexed crimson sepals, corolla deep purple marked with rosy-pink at base. 2s. 6d.

***KINGSBURYANA**, free bloomer, producing fine flowers with bright red tube and sepals, and large double white corolla. 1s.

***KLÉBER**, sepals horizontally reflexed, rosy-white tipped with green; double violet-blue corolla. 2s. 6d.

LADY DOREEN LONG, creamy-white tube and sepals; deep pink corolla, suffused with pale violet. 1s.

***LA FRANCE**, large recurved bright red sepals; the large double corolla being of a beautiful cobalt-blue; very fine. 1s.

LADY HEYTESBURY IMPROVED, an improvement on *Lady Heytesbury*, both in habit and flower. 9d.

LAMUS, tube and sepals rich deep scarlet; tube short, and sepals prettily recurved; corolla of a dark satiny-purple colour. 1s.

LANCER, short tube with bright coral red recurved sepals; long corolla of a bluish-purple colour. 2s. 6d.

L'AVENIR, short tube and recurved sepals, rosy-crimson tipped with green; fine expanded tricolor corolla, blue, rose and white. 1s. 6d.

LÉO DELIBES, short tube, with long and large recurved rose-coloured sepals, long reddish violet corolla. 7s. 6d.

LE VERRIER, large dark red reflexed sepals; plum coloured corolla with bright centre; a remarkable variety suitable for planting in the open. 1s. 6d.

LITTRÉ, corolla of a dark violet colour, whitish at the base; short tube, and large recurved sepals of a soft rose colour. 1s.

LORD LYONS, coral-red reflexed sepals; enormous plum-coloured corolla. 1s.

LOTTIE, creamy tube, delicate blush-pink sepals and bright carmine corolla; very pleasing; of fine shape, and good grower. 1s. 6d.

MADAME DIEULAFOY, long white tube and sepals, the latter large and recurved; corolla rose, brightening at the margin; of good habit, and very floriferous. 1s.

***MADAME GALLI-MARIE**, a very large full double flower, long recurved brilliant rosy-red sepals, and alabaster white corolla. 1s.

***MADAME JULES CHRETIEN**, brilliant crimson tube and sepals; pure snowy white corolla, flaked with carmine. 1s.

MADAME MILLET-ROBINET, white tube of great length; sepals greenish-white; corolla large and long, clear rose. 1s.

***MADAME THIBAUT**, carmine tube and recurved sepals, fine large double corolla; carmine bordered with white. 1s. 6d.

***MARVELOUS**, tube and sepal deep rose; full, double, bright blue corolla of pretty rosette-like form. 1s.

***MATHIAS DUVAL**, small tube and large scarlet sepals; long double corolla of dark violet serrated petals. 1s. 6d.

***M. BROWN SEQUARD**, large well recurved scarlet sepals; perfectly shaped creamy-white double corolla. 3s. 6d.

MEMPHIS, tube and sepals of a rich crimson colour, the sepals gracefully reflexed; large and well-expanded rich purple corolla. 1s.

***MISTRAL**, short tube and large, well reflexed, brilliant scarlet-red sepals; corolla reddish-violet; plant of robust habit, and very floriferous. 1s.

***MOLESWORTH**, tube and sepals bright carmine, the latter well reflexed, displaying an unusually large and full pure white double corolla. 1s.

M. DUFAURE, rosy-salmon corolla and elegantly recurved sepals of a yellowish-salmon colour, with green tips. 1s.

M. JOULE, well-formed flowers of medium size of a pretty sky-blue colour, marked with white at the base; clear red sepals. 1s. 6d.

***M. LOMBROSO**, sepals reddish crimson, large bluish-violet double corolla. 1s. 6d.

***MONUMENT**, full double corolla of a deep purple colour, striped with rosy-carmine; tube and sepals rosy-crimson. 1s.

NEW AND CHOICE FUCHSIAS—continued.

- MR. F. GLASS**, tube and sepals bright crimson; corolla purplish-maroon; distinct. 1s.
- MRS. BRIGHT**, waxy white tube and sepals, clear orange-scarlet corolla; a wonderfully free-blooming variety of fine habit. 1s.
- *MRS. E. G. HILL**, flower very large and double, corolla creamy-white, dark red sepals well reflexed; of good habit and growth, and probably the finest double white variety existing. 1s.
- *MRS. SHORT**, the raiser describes this as the finest double white Fuchsia yet sent out; immense white corolla, bright rose tube and sepals. 1s. 6d.
- *NANCY**, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 2s. 6d.
- *NOVEAU MASTODONTE**, full double corolla dark violet veined with red; sepals reflexed, covering the brilliant red tube. 1s.
- *OCTAVE FEUILLET**, irregular semi-double flowers, sepals bright red, corolla rose-mauve; very floriferous. 7s. 6d.
- *PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 2s. 6d.
- PEASANT GIRL**, white tube and sepals tinted with delicate blush; corolla pink and carmine, slightly shaded violet. 1s. 6d.
- PERA**, short tube and bright coral-red sepals, horizontally reflexed; long bluish-purple corolla. 2s. 6d.
- *PHENOMENAL**, short tube and reflexed sepals of a rich reddish-crimson colour; enormous corolla, very full and double, of a beautiful azure-violet colour flaked with red. 1s.
- *PIERRE LOTI**, enormous bluish-violet double corolla; large bright red sepals. 1s.
- PRESIDENT**, tube and well-recurved petals of a bright vermilion; beautiful formed corolla of the richest violet colour. 1s.
- *PRESIDENT CARNOT**, rosy-crimson reflexed sepals, double violet blue corolla. 1s.
- *PRÉSIDENT GREVY**, sepals rosy-lake, of fine form and well reflexed; very large double corolla of a peculiar shade of rose; plant dwarf and free. 1s.
- *RANGER**, short tube and completely recurved rosy-crimson sepals; fine large double light bluish-purple corolla, shaded with rose at the base. 2s. 6d.
- *REAPER**, short tube and wide sepals, of a bright rosy-carmine colour; short double corolla of a purplish-crimson colour. 1s.
- *REDWING**, short tube and bright red sepals; short and broad double rosy-purple corolla, flaked with carmine. 2s. 6d.
- ROSALIND**, large waxy-white tube and sepals, pale rosy-pink corolla. 1s.
- ROSE OF CASTILE IMPROVED**, a great improvement on the old and favourite variety, of free growth and good habit. 9d.
- *SCHLIEMANN**, broad coral-red sepals, horizontally reflexed; large serrated corolla, very double and of a rosy-red colour. 7s. 6d.
- *SÉNATEUR BERLET**, long brilliant carmine broad sepals well reflexed, enormous double violet corolla of perfect globular shape. 1s.
- *SYLVANUS**, short tube and long rosy-crimson sepals; bluish-purple corolla. 2s. 6d.
- THOMAS KING**, tube and sepals soft coral-red; corolla rich deep purple, sometimes striped with pale red. 1s. 6d.
- TULIP**, crimson sepals completely reflexed; large and much expanded tulip-shaped rich purple corolla, flaked with rose. 1s.
- *ULYSSE TRELAT**, large bright red sepals, large double corolla, white suffused with rose. 3s. 6d.
- UTERPE**, short tube and broad coral-red recurved sepals, dark plum-coloured corolla, shaded rosy-crimson at the base. 1s. 6d.
- VENUS VICTRIX IMPROVED**, white tube and sepals; dark purple corolla. 1s.
- *VIOLET DE DUC**, a full double flower, with expanded corolla of a metallic violet colour, and short reddish reflexed sepals. 1s.
- WALTER LONG**, bright coral-red tube and sepals; clear violet corolla. 1s.
- *WHITE GIANT**, a splendid variety, producing long racemes of flowers, of immense size; one of the largest double white corollas. 1s.
- WINIFRED GLASS**, blush tube and sepals; corolla rich carmine shaded with magenta; very free and pleasing. 1s.
- *WYVERN**, short tube and large rosy-crimson sepals well-reflexed, long semi-double purple corolla. 1s. 6d.

Selections made from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

HYBRID FUCHSIAS AND SPECIES.

- AMPLIATA**, a handsome large scarlet-flowered species, introduced from the Andes. 3s. 6d.
- DEPENDENS**, of free trailing habit and somewhat pendulous growth, dark crimson flowers. 1s. 6d.
- PROCUMBENS**, a distinct and interesting species; the flowers are about three-quarters of an inch long; orange-yellow tube and sepals of a deep violet colour edged with green. 1s.
- SPLENDENS**, rich crimson flowers with the ends of the sepals light green. 1s.
- THYMIFOLIA**, a very pretty neat-growing species; flowers rosy-crimson, the petals or corolla completely recurving on the sepals. 2s. 6d.
- TRIPHYLLA**, flowers at every growth in trusses of orange-scarlet or Indian-red colour; a very distinct and beautiful species. 2s. 6d.

NEW AND CHOICE COLEUS.



MADLE. ALICE, rose leaf, white at the base and lightly margined with green. 3s. 6d.
MARQUIS DE LÉVIS, blackish purple with a large crimson band in centre, 3s. 6d.
MESSONNIER, dark purple, flamed with crimson in centre, 3s. 6d.
MISS LOVELL, margins chrome yellow, marmorated green in the centre and veined magenta, 5s.
MONSIEUR MARIE, leaves parti-coloured, rose, black,

pale yellow and bright green, 3s. 6d.
MONSIEUR SALLIER, large leaves, rose pale yellow, dark red, carmine and green, 3s. 6d.
MOSAÏQUE, foliage prettily marked in mosaic, with purple and dark green, 3s. 6d.
MRS. H. M. STANLEY, parti-coloured leaves of green, chrome yellow, magenta-crimson and dark maroon, 5s.
NOCES D'OR, light centre, nerves rose, zoned purple and margined green. 3s. 6d.

AILSA, a handsome and desirable variety, with dark velvety maroon leaves, a rich magenta crimson band extending the whole length of midrib, 3s. 6d.

COMTESSE DE FLORIAN, dark rose, dark centre with vermillion veins, 3s. 6d.

COUNTESS OF ELLESMERE, long lanceolate reddish crimson leaves, dark maroon centre, 5s.

DELAIZEMENT, pale red, rose centre, green edge, 3s. 6d.

DOCTEUR CHEVILLON, very pretty, centre white, maculated with purple, widely margined bright green. 3s. 6d.

ESPERANCE, large toothed leaves, vinous purple, 3s. 6d.

GROUPE IX., beautiful variety, irregularly marked with green, white, purple and carmine. 3s. 6d.

JEAN-MARIE CHENU, large leaves deeply serrated, purple with blacker veins, 3s. 6d.

LA ROQUE, large serrated leaves, dark green, spotted dark purple. 3s. 6d.

LESBIA, the leaves of this handsome variety have a reddish crimson centre, margined with dark olive green, edged with yellowish green, 3s. 6d.

LOUISE, rosy centre, green margin, very pretty toothed leaves. 3s. 6d.

LOUIS PAILLET, beautifully toothed leaves, margins green, centre red and purple, 3s. 6d.

PETITROBERT, serrated leaves, rose centre, with zone of rich purplish-maroon. 3s. 6d.

PLINY, fine leaves, creamy white round, richly blotched and marked with deeper crimson magenta, dark maroon, emerald green & gold, 3s. 6d.

SOUVENIR DE SCEAUX, charming leaves with bright rose & purple marking, 3s. 6d.

SUZANNE DUMONT, leaves pale yellow maculated with carmine, and margined with bright green, 3s. 6d.

CHOICE COLEUS.

ALPHONSE BERNOUD, 1s. 6d.
ANACREON, 1s. 6d.
BEAUMARCHAIS, 1s. 6d.
CEDRUS, 1s. 6d.
CELINE CHENU, 1s. 6d.

COUNTESS OF DUDLEY, 1s.
DOLLY VARDEN, 1s.
ECLIPSE, 1s.
EDITH, 1s. 6d.
ESTELLE, 1s. 6d.
GLOIRE DE ROUGEMONT, 1s. 6d.

GOLIATH, 1s. 6d.
HEBE, 1s.
JAMES BARNSHAW, 1s.
JULES CHRETIEN, 1s.
LA TETE D'OR, 1s.

LILAH, 1s. 6d.
LOUIS CHRETIEN, 1s.
LOUIS KETELEER, 1s.
MADEMOISELLE DE LA
ROCHETTERIE, 1s.
MAGGIE, 1s.
MARQUIS DE NADAILLAC,
1s. 6d.

CHOICE COLEUS—continued.

MARY BOLAS, 1s.
MIDAS, 1s. 6d.
MIRIAM ROTHSCHILD, 1s. 6d.
MON CAPRICE, 1s.
M. CASIMIR PERIER, 1s.
M. THIBAUT, 1s.
MRS. G. SIMPSON, 1s.
MULTICOLOR SPLENDENS, 1s.

PLATON, 1s. 6d.
POMPADOUR, 1s.
RECAMIER, 1s. 6d.
SUNSET, 1s. 6d.
SURPRISE, 2s. 6d.
TINTORET, 1s. 6d.
UTOPIA, 2s. 6d.

New and choice Bedding and Soft-Wooded Plants.

ABUTILON, of sorts, *vide* page 50.
AGERATUM, of sorts, 6s. per dozen.
ALTERNANTHERA, of sorts, 6s. per dozen.
BOUVARDIA, ALBA ODORATA, 2s. 6d.
ALFRED NEUNER, 1s. and 1s. 6d.
CANDIDISSIMA, 1s. 6d.
CONSPICUA, 2s. 6d.
DAVIDSONI, 1s. 6d. and 2s. 6d.
DAZZLER, 1s.
ELEGANS, 1s.
ETNA, 1s. 6d.
FLAVESCENS, 1s. 6d.
HOGARTH FL. PL., 1s.
HUMBOLDTI CORYMBIFLORA, 1s. 6d.

BOUVARDIA, LUTEOLA PLENA, 3s. 6d.
MAIDEN'S BLUSH, 1s. 6d.
MRS. GREEN, 2s. 6d.
PRESIDENT CLEVELAND, 1s. 6d.
— GARFIELD, 1s. and 1s. 6d.
PRIORY BEAUTY, 1s. 6d.
QUEEN OF ROSES, 1s.
SANG LORRAINE, 1s.
UMBELLATA ALBA, 1s. 6d.
— CARNEA, 1s. 6d.
UNIQUE, 2s. 6d.
V. LEMOINE, 1s.
VIVICANS, 2s. 6d.
VIRELANDII, 1s.

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2s. 6d. and 3s. 6d.

CANNAS.

ADMIRAL COURBET, citron yellow, striped and
splashed carmine, 1s. 6d.
ANNETTE NOVEL, reddish-purple flowers, 1s.
ANTOINE CHANTIN, salmon-cerise, 2s.
ANTONIA CROZY, carmine-red, 1s. 6d.
B. COUSANCAT, reddish-scarlet, very floriferous,
1s. 6d.
BERTHAL, large bright red flowers, 1s. 6d.
CARDINALIS, very bright reddish-purple, 1s. 6d.
CESAR BERTHOLON, bright amaranth, 2s.
CINNABARINA, large cinnabar red flowers, 1s. 6d.
COMMANDANT RIVIERE, clear yellow, flamed
and striated with red, 2s. 6d.
EDOUARD ANDRE, amaranth-purple, 2s.
FELIX CROUSSE, bright cinnabar, 1s. 6d.
FRANCISQUE MOREL, purple-cerise, 1s. 6d.
FRANCOIS LAFEUTE, purplish-scarlet, 1s.
GENSOUL, large cinnabar flowers, 1s. 6d.
GEOFFROY ST. HILAIRE, bright cardinal
flowers, 2s.
HENRI MARTIN, reddish-vermilion, 1s. 6d.
HYPPOLYTE FLANDRIN, 2s. 6d.
IRIDIFLORA EHEMANNI, 1s. 6d.
J. CORDIOUX, brilliant red flowers, 1s.
J. MENOREAU, salmon-vermilion, 3s.
JULES CHRETIEN, rich cerise-purple, 1s. 6d.
KETTLEREII, very bright red, 3s. 6d.

LEGIONNAIRE, bright scarlet, 3s.
LOUIS THIBAUD, carmine-red, 2s.
LOUISE CHRETIEN, deep canary-yellow, mar-
gined rosy-carmine, 1s. 6d.
MADAME COLLET, chrome-yellow, 2s.
MADAME JUST, red, shading to saffron-yellow,
large flowers, 2s.
MONTE CINDRE, citron yellow, flamed with
red in centre, 2s. 6d.
PAUL BERT, salmon-red, 2s. 6d.
PERFECTION, golden-yellow, spotted maroon,
3s. 6d.
PETITE JEANNE, madder-red, bordered yellow,
shading to white, 1s. 6d.
PICTATA, large canary yellow flowers, edged
with dark carmine, 1s. 6d.
REVAL-MASSOT, marbled reddish flowers, 1s.
SOUVENIR DE JEANNE CHARRETON, very
rich cardinal colour, 2s.
SOUVENIR DE MADAME LIABAUD, reddish-
cerise, shaded vermilion, 2s.
TETE D'OR, beautiful dark yellow. 2s.
ULRICH BRUNNER, bright scarlet-cerise. 1s. 6d.
VICTOR HUGO, reddish-scarlet, 2s.
VITICULTEUR GAILLARD, scarlet, 3s. 6d.
W. PFITZER, rich purple-scarlet, 3s. 6d.

CARNATIONS, Tree of sorts, 30s. and 42s. per doz.
CHRYSANthemum FRUTESCENS, 1s.
FRUTESCENS ALICE CROUSSE, 1s. 6d.

CHRYSANthemum FRUTESCENS COMTE
DE CHAMBORD, 1s. 6d.
FRUTESCENS ETOILE D'OR, 1s. 6d.

DAHLIAS.

Bouquet or Pompon Varieties, 9s. and 12s. per dozen.
Cactus-Flowered Varieties, 9s., 12s. and 18s. per dozen.
Choice Exhibition Varieties, 9s., 12s., 18s. and 24s. per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9s., 12s., 18s. and 24s. per dozen.
Dwarf Bedding Varieties, 9s. and 12s. per dozen.
Single-Flowered Dahlias, 9s., 12s. and 18s. per dozen.

ECHEVERIAS, *vide* page 118.

HELIOTROPE, ALBERT DÉLAUX.

A dwarf-habited variety of free growth, producing profusely fine heads of bloom of a violet colour shaded with rose, deliciously fragrant; the foliage is marbled with golden-yellow. 1s.

HELIOTROPE, PRESIDENT GARFIELD, 1s.

WHITE LADY, 1s.

IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9d. each.

LANTANAS, of sorts, 18s. per dozen.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9s., 12s. and 18s. per dozen.

MIMULUS MOSCHATUS GRANDIFLORUS, a new and robust hybrid Musk, an excellent bedding plant, freely producing large pure yellow flowers of fine shape. Awarded First Class Certificate by the Floral Committee of the Royal Horticultural Society. 1s.

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12s. and 18s. per dozen.

PETUNIA SNOWDRIFT.

A very beautiful double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3s. 6d.

PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 18s. and 30s. per dozen; choice new kinds, 42s. per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12s. and 18s. per dozen.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per dozen.

PYRETHRUMS.—SINGLE AND DOUBLE-FLOWERING.

Selections of good kinds, 6s., 9s. and 12s. per dozen.

SALVIA BETHELI, 1s.

BOLIVIENSIS, 1s.

CÆLESTINA, 1s.

GESNERÆFLORA, 1s.

INGÉNIEUR CLAYENAD, 2s. 6d.

M. ISSANCHOU, 1s.

PATENS, 6d.

SALVIA PATENS ALBA, 1s.

PITCHERI, 1s.

RUTILANS, 1s.

SPLENDENS, 1s.

SPLENDENS BRUANTII, 1s.

SEMPERVIVUM HAWORTHII, 1s.

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. Good Selections made at 30s. and 42s. per dozen.

NEW PLANTS

Introduced and sent out for the first time in 1886.

ANTHURIUM CHELSEIENSE
ARISTOLOCHIA ELEGANS
BEGONIA COMITA
— DECORA
CLERODENDRON MINAHASSE
DENDROBIUM PARTHENIUM
ERANTHEMUM MACROPHYLLUM

ERANTHEMUM VELUTINUM
EUCHARIS MATTERSII
GYMNADENIA MACRANTHA
IMPATIENS HAWKERII
IXORA CONSPICUA
— SPECIOSA
PALICOUREA JUGOSA

PINANGA SPECTABILIS
SELAGINELLA FLAGELLIFERA
SMILAX DISCOLOR
TECOMA AMBOINENSIS
THUNIA MARSHALLIANA
— IONOPHLEBIA
ZALACCA NITIDA

NEW PLANTS

Introduced and sent out for the first time in 1887.

ADIANTUM ASSIMILE CRISTATUM
ALLOCCASIA GRANDIS
APHELANDRA CHRYSOPS
ARISTOLOCHIA RIDICULA
BEGONIA EGREGIA
BOUGAINVILLEA REFULGENS
CLERODENDRON RUMPHIANUM
COSTUS MOSAICUS
CROTON BEAUTY

CROTON NESTOR
— SUNBEAM
CYPRIPEDIUM AMANDUM
— CONCINNUM
— REGALE
HEMANTHUS ABYSSINICUS
HELICONIA BREVISPATHA
LASTREA JENMANI
MARANTA ICONIFERA

NEPHTHYTIS PICTURATA
PANORATIUM GUIANENSIS
POTHOS ARGENTATUS
— NITENS
PTERIS TREMULA GRANDICEPS
RHODODENDRON ALBESCENS
— GRAVEOLENS
SELAGINELLA TASSELLATA
THUNIA MARSHALLIAN TRICOLOR

NEW PLANTS

Introduced and sent out for the first time in 1888.

AGLAONEMA PICTA COMPACTA
ALLOCCASIA MARONATA
— PRINCEPS
APHELANDRA AMENA
ARDISIA POLYCEPHALA
CROTON DELIGHT
— JUNIUS
— MAGNIFICENT

CROTON MONARCH
— VICTORY
CYPRIPEDIUM SAUNDERSIANUM
DRACENA AROENTEO-STRIATA
EOMICON CHIONANTHA
ESMERALDA BELLA
MUSSENDA ERYTHROPHYLLA
NIDULARIUM STRIATUM

PANAX CRISPATUM
— LEPIDUM
— NITIDUM
— ORNATUM
PAVETTA NATALENSIS
PINANGA LEPIDA
RHODODENDRON DIANA
— FAIR ROSAMOND

NEW PLANTS

Introduced and sent out for the first time in 1889.

CAVENDISHIA SPECTABILIS
CROTON FLAMINGO
— MEMPHIS
— MIRABILE
— PRINCE OF ORANGE

CROTON REIDII
CYPRIPEDIUM TAUTZIANUM
— LEPIDUM
DIPLAREHENA MOREE
ENCEPHALARTOS REGALIS
GYMNOGRAMMA ELEGANTISSIMA

HIBISCUS ROSA SINENSIS
— INTERMEDIUS
IMANTOPHYLLUM BLANDFORDLE
— FORUM STRIATUM
TECOMA SMITHII

NEW PLANTS

Introduced and sent out for the first time in 1890.

EUCHARIS BAKERIANA
GLORIOSA SUPERBA GRANDIFLORA
LASTREA CORUSCA

RHOPALOLASTE HEXANDRA
NEW SONERILAS
STREPTOCARPUS REXII PURPUREUS

GREENHOUSE RHODODENDRON
— MYRA

NEW PLANTS

Introduced and sent out for the first time in 1891.

ALBERTA MAGNA
ANSELLIA HUMILIS
— — FALLIDA
BULBOPHYLLUM PECHET
CIRRHOPELALUM MUNDULUM


DIPLADENIA ILLUSTRIS OLABRA
PTERIS VICTORLE
GREENHOUSE RHODODENDRON
— CLARINDA

GREENHOUSE RHODODENDRON
— DIADEM
— — JUNO
— — PLATO

"The Calceolaria seed we received from you has given our customers the greatest satisfaction, and we have much pleasure in recommending it."

"The Calceolaria I had from you proved a first-rate strain."

"The seeds I had from you I am happy to say turned out well, especially the Primula, Calceolaria, and Cineraria."



"The Calceolaria you sent me last year turned out very good, the blooms were large and beautiful."

"The Calceolaria from the seed we had from you are the finest we have ever seen in this locality; they have been much admired; hope you can send the same strain again."


"The Calceolaria has been all that could be desired."

CALCEOLARIA, HERBACEOUS (Prize Strain.) *Vide* page 139.

"I have had some flowers $2\frac{1}{2}$ in. in diameter on your Primulas, and of good substance, and the plants 18 in. across."

"We have much pleasure in informing you that the Primula seed which we had of you has given great satisfaction to our customers."

"My Primulas from your seed were the admiration of everyone who saw them."



"The Premier mixture of Primula that we had from you last season has turned out to be extremely fine, especially the doubles. Please send us another packet."

"Your Primulas have been a splendid lot, strong in growth, throwing their flowers well above the foliage, a capital strain."


"The Primulas from seed we had from you turned out to be extremely fine."

PRIMULA SINENSIS FIMBRIATA. For choice varieties, *vide* page 139.

"Your strain of Cineraria has been exceedingly fine with me this season; the flowers have been rich in colour, varied, and remarkably large."

"The Cineraria seed I had from you was a really good strain."

"The plants from the Cineraria seed you sent us were admired by every one who saw them."



"The Cineraria seed sent me last year has given great satisfaction, the flowers have been rich in colour, remarkably large, and from 2 to $2\frac{1}{2}$ in. in width; they have been greatly admired, and said to be the finest strain seen in this locality."

"The Cineraria seed which you sent me has given great satisfaction; the plants have been admired by all who have seen them."

CINERARIA, extra choice mixed. *Vide* page 139.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s.	d.
ABUTILON , new varieties, extra choice ..	1	0
Auricula , Alpine, very fine strain ..	1s. &	1 6
Balsam , Camellia-flowered ..	1	0
BEGONIA HYBRIDA GIGANTEA , the flowers, which are produced in great abundance, are of gigantic size, measuring 4 to 5 inches, and of various and attractive colours 1s. 6d., 2s. 6d. &	5	0
Begonia , Ornamental Foliaged varieties ..	2	6
— Double, finest mixed ..	2	6
Calandrinia umbellata , crimson ..	0	6
CALCEOLARIA, HERBACEOUS, Prize Strain ..	1s. 6d., 2s. 6d. &	5 0
Candytuft , dark crimson ..	0	3
— Tom Thumb, white ..	0	6
CARNATION , Bizarre ..	2s. 6d., 2s. 6d. &	5 0
— Flaked ..	2s. 6d., 3s. 6d. &	5 0
— New Double Margaret ..	1	0
CHRYSANTHEMUM JAPONICUM ..	1	0
— large flowering, extra choice ..	1	0
— pompon varieties ..	1	0
CINERARIA , extra choice mixed 1s. 6d. &	2	6
— hybrida grandiflora nana 1s. 6d. &	2	6
— Double ..	2	6
Cockcomb , Glasgow Prize ..	1	0
— The Queen ..	1	6
COLEUS , choice hybridised ..	1s. &	1 6
CYCLAMEN PERSICUM , finest, mixed colours ..	1s. 6d. &	2 6
— giganteum (<i>grandiflorum</i>) 1/6 &	2	6
— compactum, pure white, purple base ..	2	6
— roseum, rose, dark crimson eye ..	2	6
— Charming Bride, pure white ..	2	6
— Duke of Connaught, rich purplish-crimson ..	1s. 6d. &	2 6
— Rosy Morn, delicate rose, 1s. 6d. &	2	6
— Picturata, claret-purple base, 1s. 6d. &	2	6
DAHLIA , single, choice mixed ..	1	0
Eschscholtzia Mandarin , orange ..	0	6
FREESIA refracta alba ..	1	0
GLOXINIA , extra choice hybridised, 1/6 &	2	6
— Finest Spotted ..	2	6
— grandiflora erecta ..	2	6
— pendula ..	2	6
Godetia , Lady Albemarle ..	0	6
— White Pearl (New) ..	1	0
Hollyhock , extra choice mixed ..	1	0
Larkspur , Dwarf Rocket, finest mixed ..	0	3
Lobelia erinus speciosa ..	0	6
— Royal Purple ..	0	6
Mignonette , Golden Queen ..	1	0
— Mammoth (New) ..	1	0
— New Double White ..	2	0
Myosotis dissitiflora ..	1	0
Nasturtium , Empress of India ..	0	6

	Per pkt.—s.	d.
PANSY, ASHBURNHAM STRAIN ..	2	6
— Peacock, (New) ..	1s. &	1 6
Papaver Marselli , "The Mikado" ..	0	6
— nudicaule album ..	0	6
— miniatum ..	1	0
— lævigatum (New) ..	1	0
PEAS, SWEET , Apple Blossom ..	1	0
— Borecotton ..	0	9
— CARDINAL ..	0	6
— Duchess of Edinburgh ..	0	6
— Isa Eckford ..	0	6
— INDIOO KING ..	0	6
— Primrose ..	1	6
— PRINCESS OF WALES ..	0	6
— The Queen ..	0	6
— Eckford's mixed ..	0	6
PELAGONIUM , Gold and Bronze, from named varieties ..	1s. 6d. &	2 6
Ivy-leaved, from named varieties ..	2	6
PETUNIA , choice hybridised ..	1	0
Phlox Drummondii cuspidata ..	0	6
— fimbriata ..	0	6
Picotee , choice mixed ..	2	6
Pink , finest laced varieties ..	2s. 6d. &	3 6
Polyanthus , choice mixed ..	0	6
— gold laced ..	1	0
POPPY , "The Shirley" ..	0	6
— "The Bride" (New) ..	1	0
— "White Swan" (New) ..	1	6
Primrose , Hardy Hybrids, choice mixed ..	1	0
Primula OROCNICA ..	1	0
— SINENSIS FIMBRIATA FULGENS ..	2	6
— ALBA MAGNIFICA ..	2	6
— MONT BLANC ..	2	6
— PINK BEAUTY (New) ..	2	6
— SPLENDIDA ..	2	6
— CHISWICK RED ..	2	6
— AVALANCHE ..	2	6
— BULL'S PREMIER MIXTURE, 1s. 6d. &	2	6
— ALBA OCULATA LUTEA ..	2	6
— ELEGANTISSIMA ..	2	6
— ALBA FLORE PLENO 2s. 6d. &	3	6
— RUBRA FLORE PLENO 2s. 6d. &	3	6
— KERMESINASPLENDENS FL. PL., 2/6 &	3	6
PYRETHRUM AUREUM SELAGINOIDES ..	1	0
SONERILA ORIENTALIS mixed (New) ..	2	6
Stock , East-Lothian, crimson ..	6d. &	1 0
— purple ..	6d. &	1 0
— scarlet ..	6d. &	1 0
— white ..	6d. &	1 0
Torenia , "White Wings" (New), pure white, with a slight flush of rose at the throat ..	1	0
Verbena , finest mixed ..	1	0
Wallflower Harbinger , fine dark red ..	0	6
— Belvoir Castle ..	0	6
— Primrose Dame (New) ..	1	0

CHOICE GLADIOLUS.

(HYBRIDS OF GANDAVENSIS.)

Orders booked throughout the year for execution at the proper Season.

There are few flowers more showy and beautiful than the Gladiolus, and the varieties of the *Gandavensis* section are perfectly hardy and easily grown, whilst their erect and stately growth, and long spikes of flowers, developing themselves successively, never fail to win admirers.

To facilitate the cultivation of this highly decorative plant, a few remarks may be necessary to some:—

The best and safest time for planting is from the beginning of April to the end of May, when a continuous bloom may be assured from July to September.

Soil is not much a point for consideration, so long as it is not stiff and consolidated; but it is important that it should be deeply dug previous to planting.

Large bulbs should be planted from 3 to 4 inches, and smaller bulbs 2 inches deep.

This beautiful tribe of plants should be largely planted everywhere, because—

They are perfectly hardy and easily grown.

They are gorgeously beautiful.

Their handsome spikes of flowers are useful for decorating vases and epergnes.

Their flower buds expand and last a long time when cut and placed in water.

They are charming when introduced into borders among Evergreens.

Planted by hundreds among Rhododendrons, they brighten and enliven the beds during the summer and autumn months.

Orders for the above are booked throughout the year at the following prices, and the bulbs supplied in January, February, or March.

100	in 12	Choice named varieties..	40s.
100	„ 20	Ditto, ditto	80s.
100	„ 25	New and extra choice named varieties	100s.
50	„ 12	Extra choice named varieties	30s.
50	„ 25	New and extra choice named varieties	50s.
24	„ 8	Choice named varieties	15s.
24	„ 12	Extra choice named varieties	20s.
24	„ 12	New and extra choice named varieties	25s.
12	„ 12	„ „ „	12/6
12	„ 12	„ „ „	9s.
12	„ 12	Choice named varieties	7/6
12	„ 6	„ „ „	5s.

GLADIOLUS, Finest Mixed Hybrids.

Various colours, 12s. 6d. per 100; 1s. 9d. per dozen.

Scarlet and dark red ground varieties, mixed
Rose and light red ground „ „ } 3s. per doz.
White ground varieties, mixed }

GLADIOLUS BRENCHLEYENSIS

This beautiful and showy bright scarlet species is most effective when planted in quantity in beds or borders. Selected bulbs can be supplied by the 1,000 at 5s. 6d. per 100

GLADIOLUS, HARDY HYBRIDS.

LEMOINEI.—A handsome hybrid early flowering variety 3s. 6d. per dozen.

MARY LEMOINE.—Very beautiful. 3s. 6d. per dozen.

LEMOINE'S HYBRIDS.—Named varieties. 5s. and 7s. 6d. per doz.

LEMOINE'S HYBRIDS.—Large blotched, choice mixed. 3s. per dozen; 21s. per 100.




MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS, sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

Cheques to be crossed "LONDON JOINT STOCK BANK."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S
Establishment filled with New and Rare Plants.

INDEX.

	PAGE		PAGE		PAGE
ABROMA	5	BEGONIA VARIEGATED FOLIAGED	124	CELOGYNE	69
ABYSSINIAN BANANA	44 & 60	— WINTER-BLOOMING ..	124	— CRISTATA HOLOLEUCA	
ABUTILON	50			(ALBA)	69
ACACIA	5 & 36	BELOPERONE	10	COFFEA	13 & 60
ACALYPHA	5	BERBERIS	51	COLAX	70
ACHIMENES	94	BERTOLONIA	10	COLEUS	134 & 135
ACINETA	62	BIGNONIA .. 10, 11, 37 & 51		COMPARETTIA	70
ACMENA OVATA	36	BILLBERGIA	10	CORYANTHES	70
ACROPERA	62	BLANDFORDIA .. 37 & 38		CORYPHA, <i>vide</i> LIVISTONA ..	116
ADA	62	BLETIA	64	COSTUS	13
ADANSONIA	5	BOMAREA	37	CRINUM	13, 39 & 52
ADIANTUM	104 & 107	BORONIA	37	CROSSANDRA	13
— ASSIMILE CRISTATUM ..	107	BOUGAINVILLEA	10	CROTON	13 to 17
ÆCHMEA	5	— REFULGENS	10	— BEAUTY	14
ÆRIDES	62 & 63	BOUVARDIA	135	— DELIGHT	14
AGAPANTHUS	36	BOWENIA	112	— ELEGANTISSIMUS	15
AGAVE	36	BRASAVOLA	64	— FLAMINGO	14
AGLAONEMA	5	BRASSIA	64	— INSIGNIS	14
ALBERTA MAGNA	3	BREDIA	37	— JUNIUS	14
ALLAMANDA	5	BROUGHTONIA	64	— MAGNIFICENT	14
ALOCASIA	5	BROWNEA	10	— MEMPHIS	14
— MARGINATA	5	BRUGMANSIA	39	— MIRABILE	17
— PRINCEPS	5	BRUNSVIGIA, <i>vide</i> AMARYLLIS		— NESTOR	16
ALPINIA	5	BULBOPHYLLUM .. 3 & 10		— ORNATUS	17
ALSOPHILA	104 & 107	BURBIDGEA	10	— PRINCE OF ORANGE ..	17
ALTHÆA, <i>vide</i> HIBISCUS ..	52	BURCHELLIA	10	— REIDII	17
AMARYLLIS	57 & 51	BURLINGTONIA	64	— SUNBEAM	17
AMASONIA	7	CALADIUM	119 to 122	— VICTORY	17
AMORPHOPHALLUS .. 7 & 36		CALAMUS	112	CRYPTANTHUS	17
ANANASSA	7	CALANTHE	64 & 65	CRYPTOCHILUS	70
ANCHOMANES	7	CALLIPHURBIA	13	CUPANIA	17 & 18
ANEMIDICTYON	104	CALODENDRON	39	CURCULIGO	18
ANGRECUM	63	CALPICARPUM	13	CURCUMA	18
ANGULO	63	CAMELLIA	39	CURMERIA	18
ANCECTOCHILUS	63	CAMOËNSIA MAXIMA	12	CYANOPHYLLUM	18
ANSELLIA HUMILIS .. 3 & 63		CAMPIDIDIUM	13	CYATHEA	104 & 107
ANTHURIUM	6, 7 & 10	CANNA	135	— DEALBATA	104 & 107
— INSIGNE	7	CAPPARIS	13	— DREGEI	104 & 107
ANTIGONON	10	CARLUDOVICA	113	CYCAS	39 & 113
APHELANDRA	10	CATASETUM	65	CYCLAMEN	39 & 52
— AMENA	10	CATTLEYA	65 to 69	CYCNOCHILUS	70
ARALIA	10, 36 & 51	CAVENDISHIA SPECTABILIS ..	39	CYMBIDIUM	70
ARAUCARIA	36	CERATOZAMIA	113	CYPERUS	18
ARDISIA	10	CESTRUM	39	CYPRIPIEDUM .. 71 to 73	
ARECA	112	CHAMECLADON	13	— AMANDUM	70
ARENGA	112	CHAMÆROPS	113	— HARDY VARIETIES	52
ARISTOLOCHIA	8, 9 & 10	CHEVALIERIA	13	— SAUNDERSIANUM	72
— ELEGANS	8	CHIRITA	13	— TAUTZIANUM LEPIDUM ..	73
— RIDIOULA	9	CHIRYSANTHEMUM, CHINESE		CYTODEIRA	18
ARPOPHYLLUM	64	OR LARGE-FLOWERED ..		CYRTOPODIUM	73
ARTANTHE	10	— NEW	125 & 126	CYRTOSPERMA	18
ARTOCARPUS	10	— FRUTESCENS	135	DÆMONOROPS, <i>vide</i> CALAMUS	
ASPARAGUS	36 & 37	— JAPANESE	125 to 128	DAHLIA	39 & 135
— PLUMOSUS NANUS	36	— POMPON	126 & 130	DAIS	39
ASPLENIUM	106 & 107	CHYSIS	69	DALECHAMPIA	18
ASTROCARYUM	112	CHIBOTUM	106 & 107	DAVALLIA	106 & 107
ATACUA	10	CIENKOWSKIA	13	— FIJIIENSIS PLUMOSA	106
AUCUBA	51	CINNAMOMUM .. 13, 51 & 60		DAVIDSONIA	18 & 61
AZALEA	37 & 51	CIRRHOPETALUM .. 3 & 69		DENDROBIUM	73 to 75
— BALSAMINÆFLORA	37	CISSUS	13 & 39	DENDROCHILUM	75
— HYBRID	37	CLEMATIS	39 & 51	DEYEUZIA	41
BAMBUSA	51	CLERODENDRON	13	DIOHLÆ VAGINATA	75
BARKERIA	64	— MACROSIPHON	13	DICKSONIA	104 & 107
BARLERIA	10	— MINAHASSE	13	— ANTAROTICA	104 & 107
BATATAS	10	— NUTANS	13	DIEFFENBACHIA	18
BAUHINIA	10	CLEYERA	39	— TRIUMPHANS	18
BEAUMONTIA	10	CLIMBING PLANTS for Stove	35	DIONÆA MUSCIPULA	41
BEDDING PLANTS .. 135 & 136		— — for Greenhouse	46	DIOON EDULE	113
BEGONIA	122 to 124	COCOS WEDDELLIANA	113	DIOSCOREA	18
— HANDSOME-FLOWERED ..	122 to 123			DIPLODENDRA	18

INDEX—continued.

	PAGE		PAGE		PAGE
DIPLADENIA BREARLEYANA ..	18	GODWINIA GIGAS ..	23	LILIUM ..	53 to 55
— HARRISII ..	20	GOMPHIA ..	23	— AURATUM ..	53
— ILLUSTRIS GLABRA ..	4	GONGORA ..	76	— LONGIFLORUM FLORI-	
DIPLOARRHENA MOREA ..	41	GONIOPHLEBIUM ..	106	— BUNDUM ..	54
DIPTERIX ..	20	GOODYERA ..	76	LIMATODIS ..	78
DISA ..	75	GRANDIATOPHYLLUM ..	76	LIVISTONA ..	116
DOODIA ASPERA MULTIFIDA ..	107	GREENHOUSE PLANTS ..	36, 47 to 50	LOMARIA ..	107 & 109
DORSTENIA ..	20 & 60	GREVILLEA ..	41	LYCASTE ..	78 & 79
DORYANTHES ..	41	GRIFFINIA ..	25	— SKINNERY ..	79
DOUBLE-FLOWERED EPACRIS ..	40	GYMNADENIA ..	76	LYCOPODIUM, vide	
— IVY-LEAVED		GYMNOGRAMMA ..	105 & 106	— SELAGINELLA ..	110 & 111
— PELARGONIUMS ..	100	— ELEGANTISSIMA ..	105	MACRAYA BELLA ..	44
— ZONAL		HABROTHAMNUS ..	41	MACROZAMIA ..	116
— PELARGONIUMS 100 to 103		HAFMANIUS ..	25 & 42	MAONOLIA ..	26, 44 & 55
DRACENA ..	19, 20 & 41	HARDY PLANTS ..	51 to 59	MANETTIA ..	26
— ARGENTEO-STRIATA ..	19	HARTWEGIA ..	76	MARANTA ..	26
— FRAGRANS VARIEGATA ..	20	HEDYCHUM ..	25 & 42	MARGRAVIA ..	26
— GOLDIENANA ..	20	HELICIA ..	76	MASDEVALLIA ..	79 to 82
— LINDENI ..	20	HELICONIA ..	25	— HARRYANA ..	
DRACONTIUM ..	20	— BREVISPATHA ..	25	— ACANTHIFOLIA ..	80
DROSERA ..	41	HELIOTROPE ..	136	— CONCHIFLORA ..	80
DRYMONIA ..	20	HEMIGRAPHIS ..	25	— REGALIS ..	81
DRYMOPILEGUS ..	115	HIBISCUS ..	24, 43 & 52	MAXILLARIA ..	82
ECHEVERIA ..	118	— ROSA SINENSIS ..	24	MEDICINAL AND OFFICINAL	
ECHITES ..	20	— SYRIACUS ..	52	— PLANTS ..	60 & 61
ELEOCHARIS ..	23 & 41	HIPPEASTRUM, vide		MEDINILLA ..	26
ENCEPHALARTOS ..	114 & 115	— AMARYLLIS ..	5 & 7	MESOSPINDIUM ..	82
— REGALIS ..	114 & 115	HOFFMANNIA ..	25	MICROSTYLIS ..	82
ENCHOLIRION ..	23	HOULETTIA ..	76	MILTONIA ..	82 & 83
EPACRIS ..	40 & 41	HOWEA ..	115	MONOLOPHUS ..	26
— DOUBLE ..	40	HOYA ..	25	MONSTERA ..	26
EPIDENDRUM ..	75 & 76	HYDRANGEA ..	42 & 52	MONTBRETIA ..	55
EPIPREMNUM MIRABILE ..	23	HYMENOCALLIS ..	25	MORMODES ..	83
ERANTHEMUM ..	23	HYMENOSPORUM ..	25	MUSA ..	26, 44, 60 & 61
— MACROPHYLLUM ..	23	IMANTOPHYLLUM ..	43	MUSSANDA ..	27
ERYTHRINA ..	23 & 41	IMPATIENS ..	25	— ERYTHROPHYLLA ..	27
ERYTHROXYLON COCA ..	23 & 60	— HAWKERII ..	25	MYRTUS ..	44
ESMERALDA ..	76	IONOPSIS ..	76	NEGELIA, vide GESNERA ..	94
EUADENIA ..	23	IPOMEA ..	25	NAPOLEONA ..	27
EUCALYPTUS ..	41	IPSEA ..	76	NANODES ..	83
EUCHARIS ..	21	IRIS ..	43, 52 & 53	NEPENTHES ..	27
— BAKERIANA ..	21	— GERMAN ..	53	NEPHRODIUM ..	107 & 109
EUCODONIA ..	94	— KEMPFERI ..	53	NEPHROLEPIS ..	107
EUGENIA ..	23	ISOLOMA ..	25	NEPITHYTIS ..	27 & 28
EULALIA ..	52	IVY-LEAVED PELARGONIUMS ..	100	— PIOTURATA ..	28
EULOPHIA ..	76	IXORA ..	25 & 26	NERINE ..	44
EUPHORBIA ..	23	— CONSPICUA ..	25	NEW PLANTS ..	137
EURYOLES ..	23	— GEMMA ..	25	— announced for the	
EXOSTEMMA ..	23	— SPECIOSA ..	26	— first time ..	3 & 4
FERNS ..	104 to 110	JACARANDA ..	26	NEW GREENHOUSE PLANTS	
FIGUS ..	23, 41, 60 & 61	JASMINUM ..	26 & 43	— HARDY PLANTS ..	36 to 50
FITTONIA ..	23	JATROPHA ..	26	— STOVE PLANTS ..	5 to 35
FLAX, NEW ZEALAND ..	44	JUNCUS ZEBRINUS, vide SCIRPUS		NIDULARIUM ..	27 & 29
FRANCISCEA ..	23	JUSTICIA ..	26	— STRIATUM ..	29
FRAXINUS ..	52	KENTIA ..	115	NOSEAG PELARGONIUMS ..	101
FREESIAS ..	41	KEMPFERIA ..	26	ODONTOGLOSSUM ..	83 to 87
FUOHSIA ..	131 to 133	KNIPHOFIA ..	53	— CRISPUM (ALEXANDRE) ..	84
GALACTODENDRON ..	23 & 61	LELIA ..	77 & 78	— VEXILLARIUM ..	86
GALEANDRA ..	76	LAMPROCOCCLUS ..	26	— INSIGNE ..	87
GARCINIA ..	23 & 61	LANDOLPHIA ..	26	OFFICINAL AND MEDICINAL	
GARDENIA ..	23	LAPAOERIA ..	43	— PLANTS ..	60 & 61
GEONOMA ..	115	— ALBA ..	43	ONCIDIUM ..	87 to 89
GERANIUM, vide		— ROSEA ..	43	— MACRANTHUM ..	88
— PELARGONIUMS ..	100	LAPORTEA ..	26	OPIHIOPOON ..	44
GESNERA ..	23 & 94	LASIANDRA ..	43	OPHISMENUS ..	27
GLADIOLUS ..	140	LASTREA ..	107 & 109	ORCHIDS ..	62 to 93
GLEICHENIA ..	108	LATANIA ..	116	OXALIS ..	27
GLONERA ..	23	LEPTOTES ..	78	PALICOUREA JUGOSA ..	27
GLORIOSA ..	22 & 23	LIBERTIA ..	43 & 53	PALISOTA ..	27
GLOXINIA ..	95	LILACS, new double ..	57 to 59	PALMS, CYCADS, &c. ..	112 to 118

INDEX—continued.

	PAGE		PAGE		PAGE
PALUMBINA	89	POTHOS FLEXUOSUS	31	SOBRALIA	91
PANAX	27	— NITENS	32	SONERILA	32
PANCRATIUM	27 & 55	PREMULA	45 & 57	SONERILAS, New	32
PANDANUS	27	PROMENERA	90	SOPHRONITIS	91
PANICUM, <i>vide</i> OPLISMENUS	27	PRUNUS	57	SPARMANNIA	46
PAPHINIA	39	PSIDIUM	32 & 61	SPATHIPHYLLUM	32
PASSIFLORA 30, 44, 55, 60 &	61	PTERIS	107 & 109	SPATHIOLOTTIS	91
PAULLINIA	30	— TREMULA ORANDICEPS	109	SPIRÆA	56 & 57
PAVETTA	30	— VICTORIE	5	— ASTILBOIDES	56
PAVONIA	30	PTYCHOSPERMA	118	STADMANNIA	32
PELARGONIUM BRONZE AND		PUNICA	45	STANOERIA	118
Gold	103	PUYA	32	STANHOPEA	91 & 92
— CAPE HYBRIDS	100	RAVENALA	32	STEPHANOTIS	32
— CHELSEA GEM	102	REAL PELARGONIUMS 4 &	96	STEVENSONIA	118
— DOUBLE - FLOWERED		REIDIA	32	STOVE PLANTS	5 to 35
ZONAL	102 & 103	REINWARDTIA	45	STRELITZIA	35
— IVY-LEAVED	100	RENANTHERA	90	STREPTOCARPUS	35
— FANCY	100	RESTREPIA	90	STYRAX	57
— HYBRID PERPETUAL, &c.	100	RHAPIS	118	SYNOONIUM	35
— IVY-LEAVED	100	RHEUM	57	SYRINOA	57 to 59
— with double flowers		RHODEA	45	TACSONIA	35 & 46
— NOSEGAY	101	RHODODENDRON 47 to 49 &	57	TECOMA	35 & 46
— RECAL 4, 96 & 97		— ALBESCENS	47	— AMBOINENSIS	35
— SHOW	98 & 99	— CLARINDA	4	— SMITHII	46
— SPOTTED	97 & 98	— DIADEM	4	TERMINALIA	35
— TRICOLOR	103	— JUNO	4	THE DOVE FLOWER	89
— VARIEGATED	103	— PINK BEAUTY	48	— IRISH FERN	110
— ZONAL	101 & 103	— PLATO	4	THRINAX	118
PELLIONIA	30	RHOPALOBlaste HEXANDRA	118	THUNBERGIA	34 & 35
PENTAS	30	RHOPALOSTYLIS	118	THRINXSPERMUM	92
PENTSTEMON	136	RHUS	57	THUNIA	92
PEPEROMIA	30	RICHARDIA	45	TILLANDSIA	35
PERISTERIA ELATA	89	RODRIGUEZIA	90	— LINDENIANA VERA	35
PESCATORIA	89	ROGEIRA	32 & 45	TODEA	109
PETUNIA	136	RONDELETTA	32	TONOA	23 & 61
PHAIUS	89	RONNBERGIA	32	TRACHYCARPUS	118
PHALFNOPSIS	89 & 90	ROSA	57	TREE FERNS	104
PHILODENDRON	30	RUBUS	32, 45 & 57	TRICHOCENTRUM	92
— NOBILE	30	RUDOEIA	32	TRICHOPILIA	92
PHLOX	55 & 136	RUELLIA	32	TRICHOSMA	92
PHŒNIX	117	SABAL	118	TRIOONIDIUM	92
— RUPICOLA	117	SACCHARUM	32	TRITOMA, <i>see</i> KNIPHOLIA	53
PHOLIDOTA	90	SACCOLABIUM	90 & 91	TRITONIA	59
PHORMIUM	44	SALVIA	136	TROPEOLUM	59
PHYLLAGATHIS	30	SANCHEZIA	32	TROPICAL FRUITS	60 & 61
PHYLLANTHUS	30	SANSEVEIRA	32	TUBEROSES	46
PHYLLOCACTUS	44	SARCANTHUS	91	TYDÆA	96
PHYLLOTENIUM	30	SARCOCHILUS	91	UROPEDIUM	92
PIERIS	57	SARCOPODIUM	91	UTRICULARIA	35
PILEA	30	SARRACENIA	45	VALLOTA	46
PILUMNA	90	SAXIFRAGA	57	VANDA	92
PINAOA	118	SCHISMATOOLOTTIS	32	VANILLA	35, 73 & 93
PIPER	30, 57 & 61	SCHOMBURGKIA	91	VERONICA	118
PITCAIRNIA	30	SCHUBERTIA	32	VIBURNUM SIEBOLDII	59
PITTOSPORUM	44 & 45	SCINDAPSUS	32	VITIS	35, 46 & 59
PLATYCLINIS	90	SCIRPUS	57	VRIESIA	35
PLEIONE	90	SCOUTICARIA	91	WALLICHIA	118
PLEOPELTIS	107	SEAFORTHIA	118	WARREA	93
PLEUROTHALLIS	90	SEEDS	138 & 139	WARSEWICZELLA	93
PLUMBAGO	30 & 45	SELAGINELLA	110 & 111	WETOELA	59
POGOSTEMON	30	— COGNATA	110	WISTARIA	59
POINCIANA	30	— FLAÖELLIFERA	110	XANTHOCERAS	59
POINSETTIA	30	— TASSELLATA	111	XYLOBIUM	93
POLYGONUM	57	SEMPERVIVUM	136	XYLOPHYLLA	35
POLYSTICHUM	107 & 109	SENECIO	45 & 57	YUCCA	46 & 59
PORTLANDIA	30	SHOW PELARGONIUMS 98 &	99	ZALACCA NITIDA	118
POTROS	30 & 32	SHRUBS, <i>vide</i> HARDY PLANTS	51	ZAMIA	118
— AROENTEUS	30	SKIMMIA	57	ZINGIBER	35 & 61
		SMILAX	32	ZYCOOPETALUM	93



BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots, or planted in the open air.

DIRECTIONS FOR USE.

For **POT PLANTS AND BULBS**.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a large teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For **ROSES, SHRUBS, VINES, &c.**, in **Pots**.—Use about a tablespoonful to a 12-inch pot several times during the season.

For **PLANTS, FRUITS, ROSES**, and all Plants in **Borders and the Open Ground**.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For **LAWNS**.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Boxes, containing about 1½ lbs., price 1s. each.


Larger Size, containing about 5 lbs., price 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,
ESTABLISHMENT FOR NEW & RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.

1891



A Catalogue
of NEW, BEAUTIFUL and
RARE PLANTS AND ORCHIDS
OFFERED BY
WILLIAM BULL, F.L.S.

FRGS, F.Z.S, FR.H.S, MAI, F.R.B.S, & M.S.A. Socc. Hort. Berol.
Bruxell. St Petersburg et Paris et Soc. Agric. et Bot Gandav. Socius.

NEW PLANT MERCHANT,

536, KING'S ROAD, CHELSEA,
(and Ashburnham Park) LONDON, S. W.